MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of January 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4082 children, of whom 2051 were males, and 2031 females. The illegitimate births numbered 272, and thus constituted 6·7 per cent. of the whole, or one birth in every 15·0 was illegitimate. In Perth, 3·9 per cent. of the births were illegitimate; in Greenock, 4·3; in Paisley, 4·4; in Leith, 5·0; in Glasgow, 6·6; in Edinburgh, 7·0; in Dundee, 8·4; and in Aberdeen, 8·7 per cent.

During January, 1498 Marriages were registered in these towns, being 293 below the average for the month during the last ten years, increase of population being allowed for.

In this report the classification of causes of death has been modified in accordance with the last edition of the Nomenclature of Diseases, and the same course is being adopted in England.

The Deaths of 2981 persons were recorded in these towns during January, of whom 1544 were males, and 1437 females. Allowing for increase of population, this number is 222 below the average for the same month during the ten previous years.

A comparison of the deaths registered shows that during January the mortality

was at the annual rate of 16·3 deaths per thousand persons in Perth; 17·5 in Leith; 18·8 in Edinburgh; 19·3 in Paisley; 20·3 in Aberdeen; 20·7 in Dundee; 21·7 in Greenock; and 22·5 in Glasgow.

Of the 1485 deaths registered in Glasgow, 286 were of infants under one year of age, and 324 of persons over 60 years; of the 517 in Edinburgh, 83 were of infants under one year, and 175 of persons over 60 years; of the 285 in Dundee, 64 were of infants under one year, and 67 of persons over 60 years; of the 271 in Aberdeen, 48 were under one, and 95 over 60; of the 133 in Paisley, 20 were under one, and 35 over 60; of the 117 in Leith, 25 were under one, and 34 over 60; of the 127 in Greenock, 22 were under one, and 26 over 60; and of the 46 in Perth, 7 were under one year, and 12 over 60 years.

Of the whole 2981 deaths, 938, or 31·5 per cent., were of children under five years of age. In Perth the deaths of children of this age formed 19·6 per cent. of the total; in Edinburgh, 20·3 per cent.; in Paisley, 27·8; in Aberdeen, 28·8; in Leith, 29·1; in Greenock, 30·7; in Glasgow, 35·3; and in Dundee, 39·3 per cent.

From the seven principal Epidemic diseases 252 deaths were registered, being 8·5 per cent. of the whole mortality. This rate was exceeded in Glasgow and Dundee from the prevalence of Measles, and in Greenock from Scarlet Fever.

One death from Smallpox was recorded in Glasgow.

Measles caused 111 deaths, or 3·7 per cent. of the total. Of these, 86 occurred in Glasgow, and 18 in Dundee, forming 5·8 and 6·3 per cent. of the total in these towns respectively.

Scarlet Fever caused 21 deaths, of which 11 occurred in Greenock, forming 8·7 per cent. of the deaths there.

Fevers caused 18 deaths, of which 1 (in Glasgow) was due to Typhus, 3 (in Paisley) to Cerebro-spinal, and the remainder to Enteric Fever.

Hooping-cough caused 49 deaths; Diphtheria, 22; and Diarrhœa and Dysentery, 30.

Alcoholism accounted for 17 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia for 167; Diseases of the Heart for 278; and Premature Birth Debility for 75.

Puerperal Septicæmia and Puerperal Fever caused 13 deaths.

From Carcinoma, Sarcoma, and Cancer 124 deaths resulted.

To Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) 665 deaths were ascribed, forming 22·3 per cent. of the whole mortality. Those returned as due to Pulmonary Tuberculosis and Phthisis amounted together to 245, being 8·2 per cent. of all. Two deaths were caused by Croup.

The deaths of 116 persons were due to Violent Causes, of which 6 were Suicidal (4 by Cut-Throat, and 2 by Hanging).

Four males and 14 females were aged 90 years and upwards, the eldest being the widow of a shepherd who was aged 100 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	990	990	1980	1850	130	798	805	680	1485
EDINBURGH, .	276,652	317,459	322,966	364	308	672	625	47	231	265	252	517
DUNDEE, . .	154,118	161,173	162,078	171	188	359	329	30	153	130	155	285
ABERDEEN, .	124,943	153,503	157,505	208	196	404	369	35	125	127	144	271
PAISLEY, . .	66,425	79,363	81,150	96	107	203	194	9	86	59	74	133
LEITH, . .	68,707	77,439	78,605	99	103	202	192	10	37	63	54	117
GREENOCK, .	63,423	68,142	68,756	89	96	185	177	8	47	69	58	127
PERTH, . .	29,919	32,873	33,262	34	43	77	74	3	21	26	20	46
TOTAL, .	1,443,380	1,651,661	1,679,923	2051	2031	4082	3810	272	1498	1544	1437	2981
JANUARY 1901, . . .	Mean Temp. 38°·1			2109	2067	4176	3880	296	1593	1554	1520	3074
JANUARY 1900, . . .	Mean Temp. 39°·0			2305	2180	4485	4183	302	1873	1674	1715	3389
JANUARY 1899, . . .	Mean Temp. 37°·0			2142	1976	4118	3813	305	1847	1498	1536	3034
JANUARY 1898, . . .	Mean Temp. 43°·8			2110	2011	4121	3826	295	1740	1270	1350	2620
JANUARY 1897, . . .	Mean Temp. 35°·1			2081	1999	4080	3786	294	1783	1508	1423	2931
JANUARY 1896, . . .	Mean Temp. 40°·5			2145	1937	4082	3762	320	1655	1269	1300	2569
JANUARY 1895, . . .	Mean Temp. 31°·7			2099	2024	4123	3810	313	1452	1530	1641	3171
JANUARY 1894, . . .	Mean Temp. 37°·6			2044	1996	4040	3703	337	1578	1398	1448	2846
JANUARY 1893, . . .	Mean Temp. 37°·4			2036	1948	3984	3657	327	1562	1576	1699	3275
JANUARY 1892, . . .	Mean Temp. 36°·5			1949	1757	3706	3434	272	1623	1429	1537	2966

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of JANUARY 1902.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	1	14	1	5	2	8	1
Camlachie, .	0	4	0	11	0	0	1
Dennistoun, .	0	7	0	0	0	0	2
Calton, .	0	1	1	0	0	0	0
Blackfriars, .	0	5	0	1	1	0	0
St Rollox, .	0	5	0	1	0	0	1
Blythswood, .	0	3	0	0	0	0	1
Milton, .	0	2	0	0	0	0	1
Kelvin, .	0	9	0	5	1	0	0
Anderston, .	0	10	0	3	0	0	0
Hutchesontown,	0	6	1	4	0	0	1
Gorbals, .	0	3	0	1	0	0	0
Tradeston, .	0	5	1	0	0	0	2
Kinning Park,	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	0	0	0	0
Maryhill, .	0	12	3	5	0	5	3
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, . .	0	0	0	0	0	0	0
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	1	0	0	1	0	0
St Andrew, .	0	0	0	1	0	0	1
Canongate, .	0	0	0	0	4	0	1
St Giles, .	0	0	0	2	0	1	0
Newington, .	0	0	0	0	1	0	1
Portobello, .	0	0	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith, .	0	0	0	0	0	0	0
DUNDEE—							
St Peter, .	0	5	0	1	0	0	1
St Mary, .	0	1	0	1	2	0	3
St Clement, .	0	3	1	0	0	0	1
St Andrew, .	0	8	0	0	2	0	2
Lochee, .	0	1	0	0	0	0	0
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	0	0	1	2	0	2
St Machar, .	0	0	0	1	2	0	1
Woodside, .	0	0	0	0	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg, . .	0	0	0	2	0	0	0
PAISLEY, . .	0	2	1	0	1	3	3
LEITH—							
North, . .	0	0	0	3	0	0	1
South, . .	0	0	0	1	1	0	0
GREENOCK—							
East, . .	0	4	0	0	1	0	0
West, . .	0	0	11	0	0	1	0
PERTH, .	0	0	1	0	1	0	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	[illegible]
TOTAL DEATHS (All Causes)	2981	524	93	544	324	1485	105	24	213	175	517	112	16	90	67	285	78	14	84	95	27
A. GENERAL DISEASES –	1009	230	40	186	38	494	45	13	90	38	186	58	8	34	8	108	30	7	27	13	7
B. LOCAL DISEASES:—																					
1. DIS. OF NERVOUS SYSTEM	151	52	7	13	8	80	11	2	9	2	24	4	–	3	2	9	7	1	3	4	1
2. ,, ORGANS OF SPECIAL SENSE – –	4	1	2	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
3. ,, HEART – – –	278	1	7	51	47	106	1	2	25	29	57	3	3	13	12	31	–	3	15	21	3
4. ,, BLOOD VESSELS –	186	–	1	39	47	87	–	–	9	27	36	–	–	4	9	13	2	–	4	11	1
5. ,, RESPIRATORY SYSTEM	665	131	16	122	95	364	26	4	31	35	96	29	4	20	18	71	28	1	16	11	5
6. ,, DIGESTIVE SYSTEM –	173	31	4	33	14	82	5	2	17	9	33	3	–	5	1	9	3	1	6	11	2
7. ,, LYMPHATIC AND DUCTLESS GLANDS	5	–	1	1	–	2	–	–	1	–	1	–	–	–	1	1	–	–	1	–	
8. ,, URINARY SYSTEM –	86	4	2	25	12	43	–	–	10	4	14	–	–	7	1	8	1	1	3	3	
9. ,, GENERATIVE SYSTEM	16	–	–	3	1	4	–	–	9	–	9	–	–	1	–	1	–	–	2	–	
10. ,, PREGNANCY AND CHILDBIRTH –	11	–	1	7	–	8	–	–	2	–	2	–	–	–	–	–	–	–	–	–	
11. ,, LOCOMOTOR SYSTEM	10	–	2	2	1	5	–	1	–	–	1	–	–	–	–	–	–	–	1	–	
12. ,, THE SKIN – –	9	2	–	1	1	4	1	–	–	1	2	–	–	–	–	–	1	–	1	–	
C. OTHER SPECIFIED DISEASES – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
D. ILL-DEFINED AND NOT SPECIFIED DIS.	261	62	1	20	50	133	11	–	2	29	42	11	–	1	11	23	4	–	–	20	24
E. VIOLENT DEATHS –	116	10	9	41	10	70	4	–	8	1	13	4	1	2	4	11	2	–	4	1	7
A.																					
Small-pox { Vaccinated –	1	–	–	1	–	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – –	3	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – –	111	82	2	2	–	86	1	–	–	–	1	16	2	–	–	18	–	–	–	–	–
Epidemic Rose Rash – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – –	21	4	2	1	–	7	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Typhus – – – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – –	30	–	–	5	2	7	1	–	9	6	16	–	–	1	–	1	–	–	1	2	3
Hooping-cough – – –	49	34	2	–	–	36	3	–	–	–	3	2	–	–	–	2	4	–	–	–	4
Mumps – – – –	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Diphtheria, Membranous Croup	22	3	–	1	–	4	4	2	–	–	6	4	–	–	–	4	2	2	–	–	4
Cerebro-Spinal Fever – –	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	14	–	1	10	1	12	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Asiatic Cholera – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa	29	9	–	2	2	13	1	1	–	1	3	6	–	–	–	6	2	–	–	1	3
Dysentery – – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of JANUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	37	12	49	35	133	34	8	41	34	117	39	15	47	26	127	9	7	18	12	46
A. GENERAL DISEASES – –	14	7	21	5	47	16	6	9	2	33	20	9	18	3	50	3	3	7	1	14
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	4	–	4	–	8	4	–	1	–	5	4	3	1	–	8	2	–	–	–	2
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	2	6	–	8	–	–	5	8	13	2	–	10	7	19	–	2	1	2	5
4. ,, BLOOD VESSELS –	–	–	3	10	13	–	–	4	7	11	1	–	4	2	7	–	–	2	–	2
5. ,, RESPIRATORY SYSTEM	8	–	6	10	24	9	–	12	6	27	8	–	6	4	18	2	2	3	2	9
6. ,, DIGESTIVE SYSTEM –	3	1	3	–	7	1	1	5	1	8	4	1	4	–	9	1	–	1	2	4
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	1	3	1	5	–	–	2	1	3	–	1	1	2	4	–	–	–	1	1
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	8	–	2	8	18	2	–	1	7	10	–	–	–	8	8	1	–	–	2	3
E. VIOLENT DEATHS – –	–	–	1	1	2	2	–	1	1	4	–	1	3	–	4	–	–	3	2	5
A.																				
Small-pox – Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	1	1	–	–	2	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–
Epidemic Rose Rash – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	–	1	–	–	1	–	–	–	–	–	7	4	–	–	11	–	–	1	–	1
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	1	1
Hooping-cough – – – –	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	1	–	–	–	1	–	1	–	–	1	1	–	–	–	1	1	–	–	–	1
Cerebro-Spinal Fever – – –	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	–	–	1	2	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A.—*continued.*																					
Malarial Fever	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Syphilis	8	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	2	-	1	-	3
Gonorrhœa, Stricture of Urethra	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
Puerperal Septicæmia, Sapræmia	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	9	-	-	3	-	3	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1
Erysipelas	14	1	1	3	-	5	-	-	1	3	4	1	-	-	-	1	-	-	1	1	2
Septicæmia (not Puerperal)	10	-	1	2	-	3	1	-	2	2	5	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon Carbuncle (not Anthrax)	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	20	-	2	6	-	8	-	-	8	2	10	-	-	1	-	1	-	1	-	-	1
Phthisis Pulmonalis (not otherwise defined)	225	4	10	95	4	113	-	2	36	3	41	1	5	14	1	21	1	2	12	1	16
Tubercular Meningitis	49	13	4	1	-	18	8	2	3	-	13	4	-	-	-	4	7	1	-	-	8
Tubercular Peritonitis	13	2	4	1	-	7	-	-	-	-	-	3	-	-	-	3	2	-	-	-	2
Tabes Mesenterica	19	8	1	2	-	11	-	-	-	-	-	4	-	-	-	4	-	-	1	-	1
Lupus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Tubercle of other Organs	13	-	1	3	-	4	1	2	3	-	6	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	16	3	4	2	-	9	-	1	1	-	2	1	-	2	-	3	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	17	-	1	5	-	6	-	-	3	2	5	-	-	1	-	1	-	-	2	1	3
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																					
By Lead	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A.—*continued.*																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis Pulmonalis (not otherwise defined)	1	2	7	-	10	-	3	2	-	5	1	3	9	-	13	-	3	3	-	6
Tubercular Meningitis	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Tubercular Peritonitis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Tabes Mesenterica	2	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
General Tuberculosis	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																				
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A.—*continued.*																					
Rheumatic Fever, Acute Rheumatism	10	-	-	1	1	2	-	2	1	-	3	-	-	-	-	-	-	1	-	1	2
Rheumatism of Heart	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	6	-	-	1	1	2	-	-	-	1	1	-	-	-		-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	44	-	-	13	8	21	-	-	3	3	6	-	-	6	4	10	-	-	-	1	1
Sarcoma	5	-	1	1	-	2	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Cancer, Malignant Disease (not otherwise defined)	75	-	1	18	11	30	-	-	10	12	22	-	-	6	2	8	-	-	6	2	8
Rickets	4	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hæmophilia, Hæmorragic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	10	-	-	2	2	4	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1
Diabetes Mellitus	9	-	1	1	1	3	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Premature Birth	75	39	-	-	-	39	12	-	-	-	12	9	-	-	-	9	5	-	-	-	5
Congenital Defects	21	10	-	-	-	10	3	-	-	-	3	1	-	-	-	1	3	-	-	-	3
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	7	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	15	7	-	-	-	7	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
B.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	53	26	3	1	-	30	3	1	1	-	5	1	-	-	-	1	1	1	1	-	3
Softening of Brain	8	-	-	1	4	5	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1
General Paralysis of Insane	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	7	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	2	1	3
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	4	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	42	20	-	1	-	21	7	-	-	-	7	3	-	-	-	3	6	-	-	-	6
Laryngismus Stridulus	7	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, and Dis. of Cord	5	-	-	2	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1
Neuritis, Peripheral, Poly-Neuritis	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	6	-	3	-	-	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Other Dis. of Nervous System	15	-	-	6	3	9	-	-	-	1	1	-	-	1	1	2	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	4	1	2	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	74	-	4	16	11	31	-	2	13	3	18	-	1	5	1	7	-	1	1	7	9
Pericarditis	4	-	1	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Hypertrophy of Heart	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	10	-	-	2	4	6	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	8	-	-	2	1	3	-	-	1	1	2	-	-	1	-	1	-	1	-	-	1
Fatty Degeneration of Heart	6	-	-	-	-	-	-	-	1	3	4	-	-	-	-	-	-	-	1	-	1
Syncope, Heart Disease (not Specified)	174	1	2	30	31	64	1	-	8	20	29	3	2	6	11	22	-	1	12	14	27

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A.—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Rheumatism of Heart	–	–	–	1	1	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
Chronic Rheumatism	–	1	–	–	1	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	–	1	–	–	–	1	1	–	–	2	–	2	–	–	2	–	2
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	2	1	3	–	–	1	1	2	–	–	–	2	2	–	–	–	–	–
Rickets	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorragic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Diabetes Mellitus	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Premature Birth	2	–	–	–	2	5	–	–	–	5	2	–	–	–	2	1	–	–	–	1
Congenital Defects	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–	1	–	–	–	1
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	3	–	1	–	4	–	–	1	–	1	4	2	1	–	7	2	–	–	–	2
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	2	–	2	–	–	2	1	3	–	–	1	2	3	–	1	–	–	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	–	2	3	–	5	–	–	3	5	8	2	–	9	5	16	–	1	1	1	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	60	–	1	14	11	26	–	–	5	6	11	–	–	2	4	6	1	–	2	4	7
Apoplexy, Hemiplegia – –	107	–	–	21	33	54	–	–	3	19	22	–	–	2	4	6	–	–	2	5	7
Aneurism – – – –	6	–	–	2	–	2	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Senile Gangrene – – –	6	–	–	–	2	2	–	–	–	1	1	–	–	–	–	–	–	–	–	2	2
Embolism, Thrombosis (not Cerebral) – – –	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
Phlebitis – – – –	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Other Diseases of Larynx –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis – – – –	262	43	4	46	49	142	9	1	5	22	37	16	–	4	10	30	14	–	2	8	24
Lobar, Croupous, Pneumonia	33	2	1	7	1	11	1	–	6	–	7	–	1	8	–	9	1	–	1	1	3
Catarrhal, Lobular, Broncho-Pneumonia – – –	95	44	1	3	4	52	10	2	3	2	17	9	2	–	2	13	7	–	1	–	8
Pneumonia (not otherwise defined) – – – –	215	27	8	60	33	128	5	1	16	5	27	4	1	3	4	12	2	1	9	–	12
Emphysema, Asthma – –	8	–	–	–	2	2	–	–	–	4	4	–	–	1	–	1	–	–	–	1	1
Pleurisy – – – –	15	1	–	4	3	8	1	–	1	–	2	–	–	–	–	–	1	–	2	–	3
Fibroid Disease of Lung –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory Syst.	32	12	2	1	3	18	–	–	–	2	2	–	–	4	2	6	2	–	–	1	3
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	3	1	–	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific) – – –	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer – – –	7	–	–	1	–	1	–	–	2	2	4	–	–	2	–	2	–	–	–	–	–
Gastric Catarrh – – –	14	2	–	–	1	3	1	–	2	–	3	2	–	–	–	2	1	–	1	2	4
Other Diseases of Stomach (not Malignant) – –	17	8	–	2	1	11	–	–	2	2	4	–	–	1	–	1	–	–	–	–	–
Enteritis (not Epidemic) –	19	3	1	6	–	10	3	–	–	–	3	1	–	–	–	1	1	–	–	1	2
Gastro-Enteritis – – –	19	9	–	2	1	12	1	–	–	1	2	–	–	1	1	2	–	–	1	–	1
Appendicitis, Perityphlitis –	10	–	–	3	–	3	–	1	1	–	2	–	–	–	–	–	–	1	1	–	2
Hernia – – – –	10	–	–	5	1	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3
Intestinal Obstruction – –	14	1	–	4	4	9	–	–	1	–	1	–	–	–	–	–	–	–	1	1	2
Other Diseases of Intestines –	7	3	–	1	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2
Peritonitis (not Puerperal) –	32	1	3	5	1	10	–	1	6	1	8	–	–	–	–	–	1	–	–	2	3
Cirrhosis of Liver – –	8	–	–	3	–	3	–	–	1	–	1	–	–	1	–	1	–	–	–	1	1
Other Diseases of Liver and Gall Bladder – – –	8	1	–	–	4	5	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other Dis. of Digestive System	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	3	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Diseases of Thyroid Body –	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Dis. of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	26	3	2	6	1	12	–	–	3	–	3	–	–	4	–	4	1	1	1	1	4
Chronic Bright's Disease, Albuminuria – – –	43	–	–	16	6	22	–	–	6	1	7	–	–	3	1	4	–	–	2	–	2
Calculus (not Biliary) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Bladder and of Prostate	13	–	–	1	4	5	–	–	1	3	4	–	–	–	–	–	–	–	–	2	2
Other Dis. of Urinary System	4	1	–	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	1	3	4	–	–	2	2	4	–	–	2	–	2	–	–	–	–	–
Apoplexy, Hemiplegia	–	–	2	7	9	–	–	1	4	5	–	–	1	2	3	–	–	1	–	1
Aneurism	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	–	2	6	12	3	–	2	1	6	2	–	1	3	6	2	1	–	2	5
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	1	–	–	2	3	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1
Pneumonia (not otherwise defined)	3	–	4	2	9	4	–	5	4	13	6	–	4	1	11	–	1	2	–	3
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Enteritis (not Epidemic)	1	–	–	–	1	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Gastro-Enteritis	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	1	3	–	4	–	–	2	–	2	1	1	1	–	3	1	–	–	1	2
Cirrhosis of Liver	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	1	3	1	5	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–
Calculus (not Biliary)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	3	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Uterus and Vagina	4	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - -	5	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - -	7	-	1	5	-	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	6	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	5	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	2
C.																					
Other Specified Diseases -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
D.																					
Atrophy, Debility - -	87	48	-	5	-	53	10	-	2	-	12	9	-	-	-	9	3	-	-	-	3
Old Age - - - - -	129	-	-	-	46	46	-	-	-	29	29	-	-	-	11	11	-	-	-	18	18
Dropsy, Ascites, Anasarca -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	6	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Hæmorrhage - - -	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	6	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2	-	-	-	1	1
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - -	29	10	1	13	2	26	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
E.																					
In Mines and Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - -	4	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	24	6	3	8	1	18	-	-	-	-	-	1	-	-	1	2	1	-	1	-	2
Poisons, Poisonous Vapours -	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	11	-	1	6	-	7	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Suffocation { From Overlaying	5	1	-	-	-	1	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Suffocation { Otherwise -	11	3	-	3	-	6	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Falls - - - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Weather Agencies - -	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Otherwise, or not stated -	44	-	5	17	8	30	-	-	4	-	4	-	-	2	2	4	-	-	1	1	2
Homicide - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	6	-	-	3	-	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
C.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D.																				
Atrophy, Debility	8	–	–	–	8	2	–		–	2	–	–	–	–	–	–	–	–	–	–
Old Age	–	–	–	8	8	–	–	–	7	7	–	–	–	8	8	–	–	–	2	2
Dropsy, Ascites, Anasarca	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
E.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	1
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Otherwise, or not stated	–	–	–	1	1	–	–	–	1	1	–	1	–	–	1	–	–	–	1	1
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JANUARY 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	37	28	38	0	0	0	0	1	0	0	1	0	10	0
Ayr,	30,859	70	19	42	0	6	0	0	0	0	0	0	0	9	2
Banff, with Macduff,	8,334	19	5	11	0	0	0	1	0	0	0	1	0	0	1
Blairgowrie,	4,254	5	5	6	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,158	3	0	2	0	0	0	0	0	0	0	0	0	1	0
Campbeltown,	10,233	28	6	15	0	0	0	0	0	0	0	0	0	3	2
Cathcart (Landward),	7,833	19	3	7	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	40,938	130	41	78	0	7	0	4	1	0	0	2	2	16	1
Crieff,	5,744	3	5	9	0	0	1	0	0	0	0	0	0	2	0
Dumbarton,	20,221	56	8	28	0	1	0	0	0	0	0	0	0	11	2
Dumfries, with Troqueer,	24,870	43	15	47	0	0	0	1	1	0	0	1	0	7	7
Dunfermline,	32,098	76	48	52	0	0	1	1	2	0	0	3	1	5	2
Dunoon,	9,153	11	5	8	0	0	0	0	0	0	0	0	0	1	0
Eastwood (Landward),	15,582	45	11	18	0	0	0	0	0	0	0	0	0	5	2
Elgin,	11,704	25	2	23	0	0	0	0	0	1	0	1	0	5	1
Falkirk,	38,212	113	43	68	0	0	1	7	0	1	0	4	0	14	4
Forfar,	12,784	27	20	25	0	0	0	0	0	1	0	0	0	6	2
Galashiels,	13,554	24	8	21	0	0	0	0	0	0	0	0	0	4	2
Govan—(1) Plantation (Landward),	27,874	76	10	35	0	1	0	0	1	1	0	0	0	5	4
(2) Govan (Landward),	58,806	203	55	121	0	4	1	0	2	1	0	1	1	31	10
(3) Partick (Landward),	57,054	142	35	76	0	13	1	4	0	0	0	2	1	14	4
Haddington,	5,115	9	4	7	0	0	0	0	0	0	0	0	0	0	1
Hawick, with Wilton,	18,260	36	5	27	0	0	0	0	0	0	0	1	0	2	3
Inverness,	27,427	51	16	49	0	0	0	1	0	0	0	0	0	6	3
Kilmarnock, with Riccarton,	37,957	89	35	56	0	2	0	2	0	2	0	1	0	6	6
Kilmore and Kilbride (Oban),	6,376	11	7	13	0	0	0	0	0	0	0	0	1	3	3
Kinning Park (Landward),	13,874	47	15	21	0	1	0	1	0	0	0	0	0	7	1
Kirkcaldy and Abbotshall,	23,716	54	26	21	0	2	0	0	0	0	0	0	0	6	4
Kirkcudbright,	3,289	7	1	6	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie,	5,524	5	0	4	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,455	6	2	2	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,778	3	5	3	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,958	21	8	30	0	0	0	0	0	0	0	1	0	6	4
Moulin (Pitlochry),	2,217	9	1	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	12	4	6	0	0	0	0	0	0	0	0	0	2	1
New Monkland (Airdrie),	37,185	115	38	55	1	1	0	6	0	0	0	3	1	8	5
North Berwick,	3,734	2	1	9	0	0	0	0	0	0	0	1	0	2	0
Peterhead, with Boddam,	15,063	49	11	26	0	0	0	3	0	0	0	0	0	2	1
Rothesay,	9,412	12	7	15	0	2	0	1	0	0	0	0	0	5	1
St Andrews and St Leonards,	9,495	16	6	16	0	0	0	0	0	0	0	0	0	0	1
Shettleston (Landward),	23,653	70	13	45	0	2	2	0	2	2	0	0	0	7	6
Stirling,	16,532	28	19	33	0	5	0	4	0	0	0	2	0	4	1
Stranraer,	6,017	12	4	18	0	0	0	1	1	0	0	2	0	2	1
Wick,	11,237	19	4	18	0	0	0	0	0	0	0	0	0	1	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 152 feet above the sea-level.

For the month of JANUARY 1902.

Mean barometric pressure, 29·977 inches; greater than the average for the same month of 1856–1900 by 0·155 inch.

Barometric monthly range, 2·180 inch; greater by 0·536 inch.

Mean temperature, 38°·5; greater by 0°·3.

Mean daily range of temperature, 9°·6; greater by 0°·6.

Mean humidity, 85; less by 2·0.

Rain, number of days, 17; being the average.

Rain, depth in inches, 2·31; less by 1·33 inch.

Wind, pressure on square foot, 2·81 lbs.; greater by 0·82 lb.

Wind, direction of, E. to W. as 2 to 10, and N. to S. as 4 to 6; the average being E. to W. as 5 to 13, and N. to S. as 4 to 8.

Hence the weather of January 1902 was characterised by a high mean barometric pressure, with a high monthly range; a mean temperature slightly above the average, with a mean daily range also greater than the average; a rather low mean humidity; a mean rainfall much under the average, falling on the average number of days; a very large excess of westerly winds blowing with a force much above the average.

The mean barometric pressure was 29·977 inches, or 0·155 inch above the average. It was so distributed over the country that the excess above the mean pressure of the month was very much greater in the west and south than in the north and east. Hence gradients were formed for the unwonted excess of the strong dry westerly winds which prevailed. It calls for record that on the 31st the barometric pressure rose above 31·000 inches, and in January 1896 a similarly high pressure occurred. These are the highest readings of the barometer known to have occurred in Scotland.

The mean temperature was 38°·5, or 0°·3 above the average, the days being 0°·6 above, and the nights the average. At Aberdeen the temperature was 0°·5 under the average, but at Perth and Glasgow it was nearly a degree above it. The coldest weather was from the 11th to the 15th and during the last week. The absolutely highest temperature was 56°·0 on the 16th at Glasgow, and the lowest, 7°·0, on the 31st at Perth.

The mean rainfall was 2·31 inches, or 36 per cent. below the average. The defect 29 per cent. at Aberdeen, but at the other four eastern towns varied from 47 to 56 per cent. It was least 16 per cent. at Paisley, and 21 per cent. at Greenock. On no occasion did the rainfall exceed an inch in any day, and only at Greenock and Paisley were falls of half-an-inch recorded. Except for a few days, between 12th and 20th, the weather was changeable and frequently stormy. Snow fell very generally on 11th and 12th, and from 25th to 29th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of January 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Dew-point Temperature.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Elastic Force of Vapour.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·948	30·009	2·182	56·0	12·8	39·8	43·2	10·5	30·0	39·3	37·0	34·0	·196	2·27	82	21	2·15	0	0	8	1	1	4	12	5	0	1·64
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·496	29·987	2·118	53·4	20·9	38·4	32·5	9·5	24·9	38·2	36·7	34·6	·201	2·32	88	16	0·89	2	0	1	1	2	9	9	6	1	3·61
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·770	29·955	2·160	52·3	16·8	37·5	35·5	9·6	20·0	37·4	36·1	34·3	·198	2·29	89	14	1·04	0	3	1	1		3	15	8	0	4·00
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	66	29·852	29·902	2·239	53·0	11·5	36·5	41·5	10·3	16·8	36·0	34·3	31·8	·180	2·06	85	16	1·70	1	0	0	0	1	8	16	5	0	2·89
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·894	30·014	2·259	51·9	12·1	39·2	39·8	8·8	24·9	38·8	37·0	34·6	·201	2·32	85	24	3·97	1	1	0	1	6	8	8	3	3	1·69
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·900	29·985	2·132	53·7	24·0	40·3	29·7	7·1	16·8	40·0	37·8	34·9	·203	2·36	82	16	1·07	1	0	1	2	1	2	22	2	0	2·89
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	29·747	30·007	..	52·4	21·2	39·4	31·2	9·2	19·0	40·0	37·8	34·9	·203	2·36	82	22	6·26	0	0	0	2	0	11	12	6	0	4·80
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	29·840	29·958	2·170	52·5	7·5	37·0	45·0	12·2	22·0	36·3	34·9	32·9	·188	2·15	88	7	1·41	4	2	2	1	1	4	16	0	1	0·96
Means	152	29·806	29·977	2·180	56·0	7·5	38·5	37·3	9·6	21·8	38·3	36·5	34·0	·196	2·26	85	17	2·31	1	1	1	1	2	6	14	4	1	2·81

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 29,247.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of February 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 3641 children, of whom 1892 were males, and 1749 females. The illegitimate births numbered 222, and thus constituted 6·1 per cent. of the whole, or one birth in every 16·4 was illegitimate. In Perth, 1·8 per cent. of the births were illegitimate; in Greenock, 2·0; in Leith, 4·5; in Glasgow, 5·8; in Paisley, 5·9; in Edinburgh, 6·5; in Aberdeen, 8·1; and in Dundee, 8·6 per cent.

During February, 752 Marriages were registered in these towns, being 5 below the average for the month during the last ten years, increase of population being allowed for.

The Deaths of 3081 persons were recorded in these towns during February, of whom 1534 were males, and 1547 females. Allowing for increase of population, this number is 62 below the average for the same month during the ten previous years.

A comparison of the deaths registered shows that during February the mortality was at the annual rate of 21·5 deaths per thousand persons in Paisley; 21·9 in Aberdeen; 22·0 in Perth; 22·6 in Edinburgh; 23·8 in Dundee; 24·0 in Leith; 24·8 in Glasgow; and 28·4 in Greenock.

Of the 1475 deaths registered in Glasgow, 267 were of infants under one year of age, and 368 of persons over 60 years; of the 560 in Edinburgh, 72 were of infants under one year, and 196 of persons over 60 years; of the 296 in Dundee, 65 were of infants under one year, and 70 of persons over 60 years; of the 265 in Aberdeen, 54 were under one, and 110 over 60; of the 134 in Paisley, 24 were under one, and 41 over 60; of the 145 in Leith, 30 were under one, and 41 over 60; of the 150 in Greenock, 29 were under one, and 27 over 60; and of the 56 in Perth, 5 were under one year, and 26 over 60 years.

Of the whole 3081 deaths, 900, or 29·2 per cent., were of children under five years of age. In Perth the deaths of children of this age formed 17·9 per cent. of the total; in Edinburgh, 20·5 per cent.; in Paisley, 29·1; in Leith, 29·7; in Aberdeen, 29·8; in Glasgow, 31·2; in Greenock, 34·0; and in Dundee, 34·8 per cent.

From the seven principal Epidemic diseases 271 deaths were registered, being 8·8 per cent. of the whole mortality. This rate was exceeded in Paisley from the prevalence of Hooping-Cough, and in Greenock from Measles, Scarlet Fever, and Enteric Fever.

Twenty deaths from Small-pox were recorded, of which 19 occurred in Glasgow, and 1 in Perth. During January 1 death from Small-pox occurred in Glasgow.

Measles caused 68 deaths, or 2·2 per cent. of the total. Of these, 12 occurred in Dundee, and 9 in Greenock, forming 4·1 and 6·0 per cent. of the total in these towns respectively.

Scarlet Fever caused 22 deaths, of which 5 occurred in Greenock, forming 3·3 per cent. of the deaths there.

Fevers caused 27 deaths, of which 1 (in Edinburgh) was due to Typhus, 1 (in Paisley) to Cerebro-spinal, and the remainder to Enteric Fever.

Hooping-cough caused 79 deaths, of which 15 occurred in Aberdeen and 10 in Paisley, forming 5·7 and 7·5 per cent. of the deaths in these towns respectively.

Diphtheria caused 19 deaths; and Diarrhœa and Dysentery, 36.

Alcoholism accounted for 13 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia for 142; Diseases of the Heart for 289; and Premature Birth Debility for 77.

Puerperal Septicæmia and Puerperal Fever caused 6 deaths.

From Carcinoma, Sarcoma, and Cancer 125 deaths resulted.

To Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) 832 deaths were ascribed, forming 27·0 per cent. of the whole mortality. Those returned as due to Pulmonary Tuberculosis and Phthisis amounted together to 241, being 7·8 per cent. of all. Seven deaths were caused by Croup.

The deaths of 101 persons were due to Violent Causes, of which 2 were Suicidal (1 each by Hanging and Cut-Throat).

Six males and 10 females were aged 90 years and upwards, the eldest being a female aged 100 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	991	850	1841	1734	107	370	748	727	1475
EDINBURGH, .	276,652	317,459	322,966	275	294	569	532	37	127	262	298	560
DUNDEE, . .	154,118	161,173	162,078	157	169	326	298	28	60	125	171	296
ABERDEEN, .	124,943	153,503	157,505	1	173	334	307	27	82	133	132	265
PAISLEY, . .	66,425	79,363	81,150	100	88	188	177	11	40	68	66	134
LEITH, . .	68,707	77,439	78,605	100	78	178	170	8	27	76	69	145
GREENOCK, .	63,423	68,142	68,756	75	75	150	147	3	28	87	63	150
PERTH, . .	29,919	32,873	33,262	33	22	55	54	1	18	35	21	56
TOTAL, .	1,443,380	1,651,661	1,679,923	1892	1749	3641	3419	222	752	1534	1547	3081
FEBRUARY 1901, . . .	Mean Temp. 36°·8			1935	1822	3757	3494	263	748	1410	1501	2911
FEBRUARY 1900, . . .	Mean Temp. 33°·5			2016	1882	3898	3655	243	803	1755	1885	3640
FEBRUARY 1899, . . .	Mean Temp. 38°·8			1829	1792	3621	3407	214	752	1638	1739	3377
FEBRUARY 1898, . . .	Mean Temp. 39°·6			1819	1744	3563	3328	235	753	1245	1192	2437
FEBRUARY 1897, . . .	Mean Temp. 40°·4			1948	1762	3710	3447	263	678	1538	1627	3165
FEBRUARY 1896, . . .	Mean Temp. 42°·2			1858	1743	3601	3334	267	709	1172	1127	2299
FEBRUARY 1895, . . .	Mean Temp. 29°·7			1815	1747	3562	3339	223	616	1880	2201	4081
FEBRUARY 1894, . . .	Mean Temp. 39°·8			1772	1629	3401	3152	249	632	1144	1166	2310
FEBRUARY 1893, . . .	Mean Temp. 39°·3			1797	1680	3477	3225	252	651	1287	1250	2537
FEBRUARY 1892, . . .	Mean Temp. 37°·6			1891	1815	3706	3431	275	720	1294	1264	2558

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of FEBRUARY 1902.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	17	6	5	8	3	1	0
Camlachie, .	2	2	0	8	0	0	2
Dennistoun, .	0	6	0	3	0	2	3
Calton, .	0	0	1	0	0	0	1
Blackfriars, .	0	2	0	0	0	0	1
St Rollox, .	0	3	0	2	1	0	2
Blythswood, .	0	0	0	3	0	0	1
Milton, .	0	1	1	0	0	0	0
Kelvin, .	0	3	0	2	0	2	0
Anderston, .	0	3	0	2	1	0	0
Hutchesontown,	0	4	0	3	1	0	0
Gorbals, .	0	2	0	4	1	1	0
Tradeston, .	0	2	0	0	0	0	0
Kinning Park,	0	0	0	2	0	0	0
Cathcart, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	1	1	0	0
Maryhill, .	0	4	5	2	0	7	2
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, .	0	0	0	0	0	0	0
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	0	0	2	0	2	2
St Andrew, .	0	0	0	0	0	0	1
Canongate, .	0	3	1	4	1	4	0
St Giles, .	0	0	0	0	0	0	0
Newington, .	0	1	0	0	1	1	0
Portobello, .	0	0	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith, .	0	1	0	0	0	0	0
DUNDEE—							
St Peter, .	0	1	0	0	0	1	1
St Mary, .	0	4	0	3	1	0	1
St Clement, .	0	0	0	0	0	0	2
St Andrew, .	0	5	0	0	0	0	6
Lochee, .	0	2	0	0	0	0	2
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	0	2	4	2	0	2
St Machar, .	0	0	1	3	1	0	1
Woodside, .	0	0	0	0	0	0	2
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter.	0	0	0	0	0	0	0
Nigg, . .	0	0	0	8	0	0	0
PAISLEY, . .	0	3	1	10	0	1	2
LEITH—							
North, . .	0	0	0	2	0	0	1
South, . .	0	0	0	2	0	0	0
GREENOCK—							
East, . .	0	9	0	1	2	0	0
West, . .	0	0	5	0	1	5	1
PERTH, .	1	1	0	0	2	0	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3081	460	96	551	368	1475	115	38	211	196	560	103	19	104	70	296	79	16	60	110	265
A. GENERAL DISEASES –	985	193	44	158	37	432	41	21	89	37	188	44	13	34	11	102	42	10	23	22	97
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	165	44	11	11	6	72	15	1	7	5	28	10	1	4	1	16	8	–	5	2	15
2. ,, Organs of Special Sense – –	7	–	–	2	–	2	–	2	1	–	3	1	–	–	–	1	1	–	–	–	1
3. ,, Heart – – –	289	6	9	58	52	125	1	5	20	31	57	1	2	15	10	28	1	1	8	21	31
4. ,, Blood Vessels –	161	1	–	28	42	71	1	–	12	17	30	–	–	9	8	17	–	–	3	13	16
5. ,, Respiratory System	832	132	13	185	142	472	31	3	38	53	125	22	2	20	20	64	13	3	12	23	51
6. ,, Digestive System –	172	26	7	32	17	82	8	–	13	12	33	9	–	10	4	23	4	–	4	3	11
7. ,, Lymphatic and Ductless Glands	3	1	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
8. ,, Urinary System –	83	1	–	19	16	36	–	–	18	7	25	–	–	1	1	2	–	1	2	4	7
9. ,, Generative System	15	–	–	6	3	9	–	–	2	2	4	–	–	1	–	1	–	–	–	–	–
10. ,, Pregnancy and Childbirth –	14	–	–	8	–	8	–	–	–	–	–	–	–	4	–	4	–	–	–	–	–
11. ,, Locomotor System	15	–	2	5	–	7	1	2	2	–	5	–	–	–	–	–	–	1	1	–	2
12. ,, The Skin – –	6	1	–	–	–	1	3	–	–	1	4	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DIS.	233	46	3	17	47	113	8	1	1	27	37	9	–	–	13	22	9	–	2	17	28
E. VIOLENT DEATHS –	101	9	7	21	6	43	6	3	8	4	21	7	1	5	2	15	1	–	–	5	6
A. GENERAL DISEASES.																					
Small-pox – Vaccinated –	13	–	–	13	–	13		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – Not Vaccinated	6	2	1	2	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – No statement –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – –	68	36	2	–	–	38	4	–	1	–	5	11	1	–	–	12	–	–	–	–	–
Epidemic Rose Rash – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – –	22	9	3	–	–	12	1	–	–	–	1	–	–	–	–	–	1	–	2	–	3
Typhus – – – –	1	–	–	–	–	–	–	–	1	–	1	–	–		–	–	–	–	–	–	–
Plague – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – –	32	2	–	1	5	8	–	–	4	8	12	–	–	–	2	2	–	–	–	3	3
Hooping-cough – – –	79	36	4	–	–	40	6	–	–	–	6	2	1	–	–	3	14	1	–	–	15
Mumps – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup	19	5	2	1		8	1	1	–	–	2	1	–	–	–	1	2	1	–	–	3
Cerebro-Spinal Fever – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	25	1	2	9	1	13	–	5	1	–	6	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa	36	6	–	5	1	12	3	–	–	–	3	9	–	3	–	12	2	–	2	1	5
Dysentery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life,

Registered during the month of FEBRUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	39	9	45	41	134	43	13	48	41	145	51	14	58	27	150	10	8	12	26	56
A. GENERAL DISEASES – –	21	6	16	3	46	16	7	15	7	45	26	10	14	4	54	5	7	3	6	21
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	4	1	5	1	11	5	1	1	–	7	5	1	5	–	11	1	–	2	2	5
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	1	3	5	9	1	–	9	12	22	–	–	6	7	13	–	–	1	3	4
4. ,, BLOOD VESSELS –	–	–	2	9	11	–	1	2	5	8	–	–	4	1	5	–	–	–	3	3
5. ,, RESPIRATORY SYSTEM	6	1	15	12	34	11	1	9	10	31	14	1	15	10	40	2	1	5	7	15
6. ,, DIGESTIVE SYSTEM –	4	–	2	2	8	2	1	1	2	6	2	–	3	1	6	1	–	1	1	3
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	–	2	2	4	–	–	5	–	5	–	1	3	–	4	–	–	–	–	–
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	3	–	–	7	10	6	–	–	5	11	3	–	2	3	8	–	–	–	4	4
E. VIOLENT DEATHS – –	1	–	–	–	1	2	2	4	–	8	–	–	5	1	6	1	–	–	–	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Small-pox { No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	3	–	–	–	3	–	–	–	–	–	9	–	–	–	9	1	–	–	–	1
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	1	–	–	–	1	–	–	–	–	–	3	2	–	–	5	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	1	–	1	–	1	1	1	3	–	–	–	2	2	–	–	–	1	1
Hooping-cough – – – –	10	–	–	–	10	4	–	–	–	4	1	–	–	–	1	–	–	–	–	–
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	3	–	–	–	3	–	2	–	–	2
Cerebro-Spinal Fever – – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	–	–	–	–	–	–	–	–	–	–	–	1	4	–	5	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	1	–	–	1	2	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Syphilis	12	2	–	1	–	3	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	3	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	4	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	13	1	–	1	3	5	–	–	3	–	3	–	1	–	–	1	–	–	2	1	3
Septicæmia (not Puerperal)	8	–	1	1	–	2	–	1	–	1	2	–	–	1	–	1	–	–	–	–	–
Pyæmia (not Puerperal)	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon Carbuncle (not Anthrax)	4	2	–	2	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	26	2	6	3	–	11	–	2	5	–	7	–	1	2	–	3	–	1	–	–	1
Phthisis Pulmonalis (not otherwise defined)	215	5	13	72	4	94	–	5	37	5	47	1	3	19	2	25	–	3	11	1	15
Tubercular Meningitis	42	14	–	–	–	14	6	–	–	–	6	3	2	1	–	6	4	1	–	–	5
Tubercular Peritonitis	9	2	1	–	–	3	–	1	–	–	1	1	1	–	–	2	–	2	–	–	2
Tabes Mesenterica	10	2	1	1	–	4	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	5	–	1	–	1	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	28	3	2	1	–	6	2	3	2	–	7	1	2	1	–	4	1	1	–	–	2
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	13	–	–	2	1	3	–	–	6	2	8	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																					
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	1	1	-	2	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Septicæmia (not Puerperal)	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	1	2	-	3	-	1	-	-	1	-	-	-	-	-
Phthisis Pulmonalis (not otherwise defined)	-	1	10	-	11	1	2	6	-	9	1	3	7	-	11	-	1	2	-	3
Tubercular Meningitis	1	1	-	-	2	4	-	-	-	4	1	2	-	-	3	2	-	-	-	2
Tubercular Peritonitis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tabes Mesenterica	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	1	-	-	1	1	1	1	-	3	2	1	-	-	3	-	2	-	-	2
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																				
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of February 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	6	-	1	1	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1
Rheumatism of Heart	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	6	-	-	1	2	3	-	-	-	2	2		-	-	-	-	-	-	-	1	1
Rheumatic Arthritis, Rheumatic Gout	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	39	-	-	9	4	13	-	-	5	5	10	-	-	2	3	5	-	-	2	2	4
Sarcoma	9	-	1	3	1	5	-	-	2	1	3	-	-	-	-	-	-	-	-	1	1
Cancer, Malignant Disease (not otherwise defined)	77	-	1	17	11	29	-	-	11	11	22	-	-	2	4	6	-	-	3	9	12
Rickets	5	2	-	-	-	2	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Purpura	3	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1
Hæmophilia, Hæmorragic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	12	1	1	2	1	5	-	1	3	1	5	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	9	-	-	4	-	4	-	-	1	1	2	-	1	-	-	1	-	-	1	1	2
Premature Birth	77	38	-	-	-	38	11	-	-	-	11	7	-	-	-	7	12	-	-	-	12
Congenital Defects	12	9	-	-	-	9	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	20	10	-	-	-	10	4	-	-	-	4	2	-	-	-	2	1	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	60	16	9	4	2	31	7	-	1	-	8	3	-	-	-	3	2	-	-	-	2
Softening of Brain	6	-	-	-	3	3	-	-	-	-	-		-	-	1	1	-	-	1	1	2
General Paralysis of Insane	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Insanity (not Puerperal)	6	-	-	-	-	-	-	-	1	2	3	-	-	1	-	1	-	-	-	1	1
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	9	-	1	2	-	3	1	-	-	-	1	-	-	1	-	1	-	-	2	-	2
Convulsions	47	25	-	-	-	25	5	-	-	-	5	5	-	-	-	5	5	-	-	-	5
Laryngismus Stridulus	8	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Locomotor Ataxy	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	7	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Neuritis, Peripheral, Polyneuritis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	4	-	-	-	-	-	-	1	1	-	2	-	1	1	-	2	-	-	-	-	-
Other Dis. of Nervous System	12	1	1	3	-	5	-	-	1	3	4	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	7	-	-	2	-	2	-	2	1	-	3	1	-	-	-	1	1	-	-	-	1
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	90	-	5	23	10	38	-	4	14	8	26	-	2	6	3	11	-	1	4	4	9
Pericarditis	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	5	-	-	1	3	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dilatation of Heart	8	-	-	-	1	1	-	-	1	3	4	-	-	1	-	1	-	-	-	-	-
Fatty Degeneration of Heart	5	-	-	2	1	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not Specified)	180	6	4	32	37	79	1	1	5	18	25	1	-	8	5	14	1	-	4	17	22

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	-	-	-	-	1	3	4	-	-	1	-	1	-	-	-	2	2
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	1	1	2	-	-	1	1	2	-	-	1	2	3	-	-	-	1	1
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorragic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	-	-	-	-	-	4	-	-	-	4	3	-	-	-	3	2	-	-	-	2
Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	4	1	1	-	6	-	1	-	-	1	4	1	3	-	8	-	-	-	1	1
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Convulsions	-	-	1	-	1	5	-	-	-	5	-	-	-	-	-	1	-	-	-	1
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Neuritis, Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	-	1	1	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not Specified)	-	1	3	4	8	1	-	7	11	19	-	-	5	6	11	-	-	1	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	43	-	-	8	11	19	1	-	5	3	9	-	-	2	2	4	-	-	2	2	4
Apoplexy, Hemiplegia	99	1	-	18	28	47	-	-	3	9	12	-	-	6	6	12	-	-	1	10	11
Aneurism	6	-	-	2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
Senile Gangrene	6	-	-	-	3	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	3	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic or Membranous)	7	5	-	-	-	5	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	416	59	1	81	91	232	8	1	11	38	58	13	-	6	15	34	5	1	9	16	31
Lobar, Croupous, Pneumonia	33	3	-	8	1	12	-	-	8	1	9	-	1	6	-	7	1	1	1	-	3
Catarrhal, Lobular, Broncho-Pneumonia	109	35	3	8	11	57	13	1	1	3	18	5	1	1	4	11	5	-	-	1	6
Pneumonia (not otherwise defined)	196	23	9	65	28	125	5	-	17	9	31	2	-	6	1	9	-	1	1	5	7
Emphysema, Asthma	12	-	-	5	1	6	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Pleurisy	22	1	-	12	6	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	34	5	-	6	4	15	5	1	-	2	8	-		1	-	1	1	-	-	1	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth or Pharynx (not Specific)	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	10	-	-	5	-	5	-	-	-	1	1	-	-	3	1	4	-	-	-	-	-
Gastric Catarrh	22	5	-	4	6	15	-	-	-	1	1	1	-	-	-	1	-	-	1	1	2
Other Diseases of Stomach (not Malignant)	10	1	-	1	-	2	1	-	1	1	3	-	-	-	1	1	-	-	-	1	1
Enteritis (not Epidemic)	14	3	2	1	-	6	1	-	-	-	1	4	-	-	-	4	1	-	-	-	1
Gastro-Enteritis	21	11	1	1	1	14	2	-	-	-	2	4	-	-	-	4	-	-	-	-	-
Appendicitis, Perityphlitis	14	-	1	6	-	7	-	-	4	1	5	-	-	-	-	-	-	-	1	-	1
Hernia	9	-	-	1	1	2	1	-	1	3	5	-	-	1	-	1	-	-	-	-	-
Intestinal Obstruction	12	1	-	2	2	5	1	-	1	-	2	-	-	1	2	3	-	-	-	-	-
Other Diseases of Intestines	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Peritonitis (not Puerperal)	19	1	2	6	1	10	2	-	2	1	5	-	-	2	-	2	-	-	1	-	1
Cirrhosis of Liver	5	-	-	1	2	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	23	3	1	2	4	10	-	-	2	1	3	-	-	1	-	1	2	-	-	1	3
Other Dis. of Digestive System	8	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	1	-	1	-	2
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	3	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dis. of Supra Renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	19	1	-	5	2	8	-	-	3	1	4	-	-	-	1	1	-	-	2	-	2
Chronic Bright's Disease, Albuminuria	40	-	-	9	8	17	-	-	11	2	13	-	-	1	-	1	-	1	-	1	2
Calculus (not Biliary)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	15	-	-	2	4	6	-	-	1	3	4	-	-	-	-	-	-	-	-	3	3
Other Dis. of Urinary System	8	-	-	2	2	4	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	2	2	–	1	2	–	3	–	–	–	–	–	–	–	–	2	2
Apoplexy, Hemiplegia	–	–	2	7	9	–	–	–	4	4	–	–	2	1	3	–	–	–	1	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	8	8	18	4	–	2	5	11	8	–	8	7	23	2	–	2	5	9
Lobar, Croupous, Pneumonia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Catarrhal, Lobular, Broncho-Pneumonia	3	–	–	1	4	6	1	1	–	8	3	–	1	1	5	–	–	–	–	–
Pneumonia (not otherwise defined)	1	–	5	–	6	1	–	4	4	9	2	–	4	1	7	–	–	1	1	2
Emphysema, Asthma	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	2
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	1	–	2	3	–	–	2	1	3	–	1	1	–	2	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	1	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	2	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Gastro-Enteritis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Intestinal Obstruction	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	–	–	–	2	2	1	–	1	–	2	–	–	1	1	2
Other Diseases of Digestive System	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–	–	–	–	–	2	–	2	–	–	2	–	2	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	1	2	3	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	6	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina	5	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Placenta Prævia, Flooding -	7	-	-	4	-	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - -	6	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	6	-	2	3	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	8	-	-	2	-	2	1	2	-	-	3	-	-	-	-	-	-	1	1	-	2
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	4	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility - -	76	35	2	5	-	42	7	-	1	-	8	8	-	-	-	8	7	-	-	-	7
Old Age - - - -	113	-	-	-	40	40	-	-	-	26	26	-	-	-	12	12	-	-	-	16	16
Dropsy, Ascites, Anasarca -	3	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	4	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	8	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - -	28	9	1	9	5	24	-	-	-	-	-	-	-	-	1	1	1	-	1	1	3
E. VIOLENT DEATHS.																					
In Mines and Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	25	4	3	3	1	11	2	1	1	1	5	2	-	-	-	2	-	-	-	2	2
Poisons, Poisonous Vapours -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Drowning - - - -	5	-	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { From Overlaying	8	2	-	-	-	2	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Suffocation { Otherwise -	9	2	1	1	-	4	3	-	-	-	3	-	-	1	-	1	1	-	-	-	1
Falls - - - - -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1
Weather Agencies - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	40	-	-	12	5	17	-	2	6	3	11	1	1	1	1	4	-	-	-	2	2
Homicide - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	3	–	–	–	3	6	–	–	–	6	1	–	1	–	2	–	–	–	–	–
Old Age	–	–	–	7	7		–	–	5	5	–	–	–	3	3	–	–	–	4	4
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	–	–	2	–	2	–	–	1	–	1	1	–	–	–	1
Poisons, Poisonous Vapours	–	–		–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	–	–	–	–	2	1	–	3	–	–	3	–	3	–	–	–	–	–
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—FEBRUARY 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	37	8	45	0	0	0	0	0	0	0	1	0	13	2
Ayr,	30,859	60	17	77	0	5	2	2	1	0	0	3	0	12	5
Banff, with Macduff,	8,334	13	1	15	0	0	0	0	1	0	0	2	0	0	0
Blairgowrie,	4,254	9	1	5	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,158	2	1	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	16	1	16	0	0	0	0	0	1	0	0	0	4	4
Cathcart (Landward),	7,833	12	2	4	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	40,938	116	17	74	0	6	5		1	1	0	3	0	14	4
Crieff,	5,744	9	1	6	0	1	0	0	0	0	0	0	0	2	1
Dumbarton,	20,221	50	6	35	0	0	0	0	0	0	0	1	0	8	8
Dumfries, with Troqueer,	24,870	57	8	43	0	0	0	2	0	0	0	1	0	7	5
Dunfermline,	32,098	62	13	41	0	0	0	3	0	0	0	1	0	8	1
Dunoon,	9,153	9	5	9	0	0	0	0	0	0	0	0	0	0	1
Eastwood (Landward),	15,582	47	8	35	0	0	0	0	0	0	0	2	0	11	2
Elgin,	11,704	21	4	14	0	0	0	0	0	0	0	1	0	2	3
Falkirk,	38,212	103	12	57	0	3	0	5	0	0	0	0	2	15	2
Forfar,	12,784	15	4	11	0	0	0	0	0	0	0	0	0	2	0
Galashiels,	13,554	16	7	14	0	0	0	1	0	0	0	0	0	5	2
Govan—(1) Plantation (Landward),	27,874	75	5	34	0	0	0	0	0	0	0	0	0	11	4
(2) Govan (Landward),	58,806	178	18	118	1	2	1	0	1	0	0	3	0	29	14
(3) Partick (Landward),	57,054	137	22	91	0	4	1	8	0	0	0	1	1	27	2
Haddington,	5,115	12	2	8	0	0	0	0	0	5	0	0	0	1	0
Hawick, with Wilton,	18,260	30	7	32	0	0	0	0	0	0	0	1	0	8	2
Inverness	27,427	47	11	53	0	0	0	2	2	0	0	0	0	10	11
Kilmarnock, with Riccarton,	37,957	92	16	53	0	2	0	1	2	0	0	2	0	15	2
Kilmore and Kilbride (Oban),	6,376	13	0	12	0	0	0	0	0	0	0	0	0	1	2
Kinning Park (Landward),	13,874	43	5	14	0	0	0	0	0	1	0	0	0	9	0
Kirkcaldy and Abbotshall,	23,716	39	5	24	0	0	0	1	0	0	0	0	1	4	2
Kirkcudbright,	3,289	5	0	5	0	0	0	0	0	0	0	0	0	2	0
Largs, with Skelmorlie,	5,524	8	1	8	0	0	0	0	0	0	0	0	0	3	0
Logie (Bridge of Allan),	4,455	5	2	3	0	0	0	0	0	0	0	0	1	0	0
Moffat	2,778	6	2	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	16	4	25	0	0	0	0	0	0	0	0	0	7	1
Moulin (Pitlochry),	2,217	3	0	2	0	1	0	0	0	0	0	0	0	0	0
Nairn,	5,795	8	4	9	0	0	0	0	0	0	0	0	0	0	3
New Monkland (Airdrie),	37,185	108	9	49	0	0	0	1	0	0	0	0	0	10	8
North Berwick,	3,734	8	1	1	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	40	4	27	0	0	0	5	0	0	0	0	0	4	0
Rothesay,	9,412	15	2	14	0	0	0	0	0	0	0	1	0	2	2
St Andrews and St Leonards,	9,495	13	2	14	0	0	0	0	2	0	0	0	0	1	2
Shettleston (Landward),	23,653	65	5	33	0	0	0	4	0	1	0	1	0	9	0
Stirling,	16,532	30	7	37	0	4	0	1	0	0	0	0	0	10	0
Stranraer,	6,017	8	1	10	0	0	0	0	0	0	0	1	0	3	0
Wick,	11,237	29	3	20	0	0	0	0	0	1	0	0	0	5	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 152 feet above the sea-level.

For the month of FEBRUARY 1902.

Mean barometric pressure, 29·870 inches; greater than the average for the same month of 1856–1900 by 0·005 inch.

Barometric monthly range, 1·700 inch; greater by 0·245 inch.

Mean temperature, 34°·5; less by 4°·3.

Mean daily range of temperature, 9°·3; less by 0°·4.

Mean humidity, 86; being the average.

Rain, number of days, 12; less by 3 days.

Rain, depth in inches, 1·28; less by 1·62 inch.

Wind, pressure on square foot, 1·30 lb.; less by 0·66 lb.

Wind, direction of, E. to W. as 8 to 8, and N. to S. as 5 to 6; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Hence the weather of February 1902 was characterised by a mean barometric pressure about the average, with a fairly high monthly range; a mean temperature greatly below the average, with a mean daily range slightly below the average; an average mean humidity; a mean rainfall very greatly under the average, falling on 3 days less than the average number; an excess of easterly winds with a force much below the average.

The mean barometric pressure was 29·870 inches, or 0·005 inch above the average. It was higher in the east than in the west, thus forming gradients for the cold easterly winds. During the first six days of the month the barometric pressure fell away steadily from the very high record pressure of January 31st, when the mercury all over Scotland gave a sea-level reading of over 31·000 inches. From the 6th to the end of the month the variations of pressure were very slight.

The mean temperature was 34°·5, or 4°·3 below the average, the days being 4°·5 and the nights 4°·2 below the average. The deficiency was least in the west, 2°·8 at Paisley, and 3°·8 at Greenock, and greatest at Perth, where the mean was 5°·2 below the average. The coldest weather occurred during the middle of the month, the absolute minimum being very generally registered on the 14th. The absolutely lowest temperature, 10°·0, however, was recorded at Perth on the 1st, and the highest, 50°·8, at Paisley on the 23rd.

The mean rainfall was 1·28 inch, or 56 per cent. below the average. The deficiency was everywhere great, varying from as much as 105 per cent. at Aberdeen to 36 per cent. at Dundee. Most of the rain was registered during the last eight days of the month, the first three weeks being very dry except for occasional falls of snow. In the middle of the month most of even the larger lochs were strongly frozen over, in many cases for the first time since the great frost of 1895.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH, During the Month of FEBRUARY 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·374	29·867	1·664	49·2	21·0	34·3	28·2	9·9	20·3	34·2	32·9	30·7	·172	1·98	86	12	0·82	1	1	6	4	6	2	6	1	1	1·82
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·692	29·877	1·707	45·3	16·9	33·5	28·4	9·0	27·2	33·6	32·9	31·7	·179	2·08	92	10	1·33	1	5	1	8	0	4	3	6	0	1·82
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·815	29·866	1·090	46·0	13·0	33·8	33·0	9·0	24·0	34·2	32·5	29·6	·164	1·98	82	14	1·08	1	1	0	4	5	8	5	4	0	1·39
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·737	29·858	1·752	50·8	16·0	36·0	34·8	9·6	28·0	35·5	33·8	31·2	·176	2·05	85	16	1·53	1	9	4	2	2	2	5	0	3	0·85
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·780	29·866	1·712	50·4	21·1	35·9	29·3	7·1	19·6	35·5	33·5	30·4	·170	1·92	82	12	1·08	1	2	4	6	1	2	8	2	2	1·08
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	..	..	..	48·6	19·2	34·9	29·4	8·4	17·2	36·1	34·4	31·9	·181	2·07	85	14	1·85	0	3	5	8	1	5	2	3	1	1·93
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	29·769	29·888	1·676	47·5	10·0	33·1	37·5	11·8	30·0	32·2	31·5	30·0	·167	1·96	91	3	1·24	6	2	9	5	1	1	3	0	1	0·21
Means	152	29·694	29·870	1·700	50·8	10·0	34·5	31·5	9·3	23·8	34·5	33·1	30·8	·173	2·01	86	12	1·28	2	3	4	5	2	3	5	3	1	1·30

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 28,247.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of March 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4185 children, of whom 2128 were males, and 2057 females. The illegitimate births numbered 285, and thus constituted 6·8 per cent. of the whole, or in every 14·7 births one was illegitimate. In Paisley, 3·3 per cent. of the births were illegitimate; in Greenock, 4·2; in Leith, 4·6; in Perth, 4·8; in Dundee, 7·0; in Glasgow, 7·1; in Aberdeen, 7·5; and in Edinburgh, 8·2 per cent.

During March, 878 Marriages were recorded in the above-mentioned towns, being 80 above the average for the month during the last decennium, increase of population being allowed for.

The Deaths of 3194 persons were registered in these towns during the month, of whom 1569 were males, and 1625 females. Allowing for increase of population, this number is 55 below the average for March during the last ten years.

The deaths registered during March show that the mortality was at the annual rate of 15·9 deaths per thousand persons in Perth; 20·2 in Edinburgh and in Paisley; 22·0 in Glasgow; 23·4 in Leith; 23·8 in Greenock; 26·2 in Aberdeen; and 26·4 in Dundee.

Of the 1446 deaths registered in Glasgow, 264 were of infants under one year of

age, and 320 of persons over 60 years; of the 555 in Edinburgh, 86 were of infants under one year, and 191 of persons over 60 years; of the 364 in Dundee, 62 were under one year, and 108 over 60 years; of the 350 in Aberdeen, 70 were under one, and 115 over 60; of the 139 in Paisley, 26 were under one, and 37 over 60; of the 156 in Leith, 32 were under one, and 54 over 60; of the 139 in Greenock, 17 were under one, and 36 over 60; and of the 45 in Perth, 5 were under one year, and 16 over 60 years.

Of the whole 3194 deaths, 968, or 30·3 per cent., were of children under five years of age. In Perth the deaths of children of this age formed 13·3 per cent. of the total; in Edinburgh, 21·6; in Dundee, 29·7; in Paisley, 30·2; in Leith, 30·8; in Aberdeen, 31·3; in Greenock, 31·7; and in Glasgow, 34·0 per cent.

From the seven principal Epidemic diseases 268 deaths were registered, being 8·4 per cent. of the total mortality. This rate was exceeded in Dundee from the prevalence of Measles, and in Greenock from Measles and Scarlet Fever.

Fifteen deaths from Small-pox were recorded in Glasgow. During February 20 deaths from Small-pox were recorded, of which 19 occurred in Glasgow and 1 in Perth.

Measles caused 55 deaths in all, and constituted 3·6 per cent. of those in Dundee, and 5·0 per cent. of those in Greenock.

From Scarlet Fever 23 deaths resulted. In Greenock, 4·3 per cent. of the deaths were due to this disease.

Hooping-cough caused 92 deaths, or 2·9 per cent. of the whole mortality, and was most fatal in Aberdeen, causing 6·6 per cent. of the deaths there.

Fevers caused 12 deaths, 11 being due to Enteric, and one to Simple Continued Fever.

To Diphtheria 25 deaths were attributed; and to Diarrhœa, 46.

Alcoholism caused 7 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 163; Diseases of the Heart, 271; and Premature Birth Debility, 92.

To Puerperal Septicæmia and Puerperal Fever 12 deaths were attributed.

The deaths from Carcinoma, Sarcoma, and Cancer amounted to 114.

To Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) 822 deaths were ascribed, forming 25·7 per cent. of the whole mortality. Those returned as due to Pulmonary Tuberculosis and to Phthisis amounted to 264, being 8·3 per cent. of the whole. Five deaths were caused by Croup.

The deaths from Violent Causes amounted to 117, and of these 6 were Suicidal (3 by Cut-Throat, 1 by Hanging, and 2 in a manner not stated). Twenty-five deaths were due to Drowning, of which 20 occurred in Edinburgh, being the crew of H.M.S. *Active*, wrecked off Granton.

One male and 10 females were aged 90 years and upwards, the eldest being a widow aged 99.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	775,601	1023	999	2022	1879	143	397	752	694	1446
EDINBURGH,	276,652	317,459	322,966	347	311	658	604	54	196	264	291	555
DUNDEE,	154,118	161,173	162,078	187	200	387	360	27	61	176	188	364
ABERDEEN,	124,943	153,503	157,505	222	234	456	422	34	95	157	193	350
PAISLEY,	66,425	79,363	81,150	114	100	214	207	7	40	57	82	139
LEITH,	68,707	77,439	78,605	97	98	195	186	9	34	71	85	156
GREENOCK,	63,423	68,142	68,756	103	88	191	183	8	35	71	68	139
PERTH,	29,919	32,873	33,262	35	27	62	59	3	20	21	24	45
TOTAL,	1,443,380	1,651,661	1,679,923	2128	2057	4185	3900	285	878	1569	1625	3194
MARCH 1901,			Mean Temp. 39°·6	2114	2016	4130	3865	265	740	1495	1473	2968
MARCH 1900,			Mean Temp. 38°·5	2256	2091	4347	4051	296	792	1641	1630	3271
MARCH 1899,			Mean Temp. 41°·2	2150	2083	4233	3998	235	754	1485	1526	3011
MARCH 1898,			Mean Temp. 40°·6	2131	2223	4354	4047	307	783	1612	1550	3162
MARCH 1897,			Mean Temp. 41°·7	2229	2156	4385	4088	297	908	1579	1615	3194
MARCH 1896,			Mean Temp. 42°·2	2200	2060	4260	3938	322	806	1265	1201	2466
MARCH 1895,			Mean Temp. 41°·1	2135	1987	4122	3852	270	585	1962	2176	4138
MARCH 1894,			Mean Temp. 43°·3	1995	1939	3934	3632	302	698	1305	1219	2524
MARCH 1893,			Mean Temp. 43°·7	2068	1936	4004	3700	304	594	1386	1340	2726
MARCH 1892,			Mean Temp. 37°·4	2025	1948	3973	3687	286	784	1421	1419	2840

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of MARCH 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	14	5	0	7	3	1	1
Camlachie,	0	7	0	4	0	0	1
Dennistoun,	0	6	0	3	1	1	0
Calton,	0	0	0	1	0	0	3
Blackfriars,	0	0	0	1	0	0	1
St Rollox,	0	2	0	4	0	0	4
Blythswood,	0	1	0	1	0	0	0
Milton,	0	2	0	0	0	0	0
Kelvin,	0	0	0	2	0	1	1
Anderston,	0	1	0	4	1	0	1
Hutchesontown,	0	2	0	4	1	0	0
Gorbals,	0	0	1	4	0	0	2
Tradeston,	0	0	0	2	0	0	0
Kinning Park,	0	0	0	0	0	0	1
Cathcart,	1	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	5	10	5	3	4	1
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	2	0	0	0
Partick,	0	0	0	0	0	0	1
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	1	0	1	2	1	4
St Andrew,	0	0	0	0	0	0	2
Canongate,	0	0	3	1	1	0	1
St Giles,	0	0	0	1	0	0	0
Newington,	0	0	0	4	0	0	0
Portobello,	0	0	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	0	0	1	0	0	0
South Leith,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	1	0	2	0	0	4
St Mary,	0	4	0	3	2	0	3
St Clement,	0	1	0	1	2	1	2
St Andrew,	0	4	0	0	1	1	2
Lochee,	0	3	0	0	1	0	0
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	0	0	11	0	0	3
St Machar,	0	0	0	5	0	0	0
Woodside,	0	0	0	2	1	0	0
Old Aberdeen,	0	0	0	1	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	4	0	0	0
PAISLEY,	0	1	2	5	1	1	2
LEITH—							
North,	0	1	1	0	0	0	3
South,	0	0	0	5	0	0	2
GREENOCK—							
East,	0	5	1	0	0	0	0
West,	0	1	5	1	3	1	1
PERTH,	0	1	0	0	2	0	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3194	491	107	528	320	1446	120	48	196	191	555	108	27	121	108	364	109	21	105	115	350
A. GENERAL DISEASES -	1068	207	51	175	40	473	52	22	68	47	189	53	12	44	12	121	51	13	42	21	127
B. LOCAL DISEASES :—																					
1. DIS. OF NERVOUS SYSTEM	206	62	9	10	8	89	17	1	10	9	37	13	5	3	7	28	12	1	6	6	25
2. ,, ORGANS OF SPECIAL SENSE - -	6	1	1	-	-	2	1	-	2	-	3	-	-	1	-	1	-	-	-	-	-
3. ,, HEART - - -	271	2	9	48	31	90	-	3	31	27	61	-	2	17	16	35	1	1	12	17	31
4. ,, BLOOD VESSELS -	182	-	1	27	49	77	-	-	9	16	25	-	1	4	17	22	2	-	7	12	21
5. ,, RESPIRATORY SYSTEM	822	119	15	166	111	411	30	3	31	47	111	30	4	40	38	112	24	2	26	26	78
6. ,, DIGESTIVE SYSTEM -	177	33	6	23	17	79	10	4	11	8	33	3	3	4	6	16	7	1	5	4	17
7. ,, LYMPHATIC AND DUCTLESS GLANDS	11	1	2	3	1	7	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2
8. ,, URINARY SYSTEM -	69	1	2	30	10	43	-	-	7	4	11	1	-	4	-	5	-	-	1	3	4
9. ,, GENERATIVE SYSTEM	9	-	-	1	1	2	-	-	1	2	3	-	-	1	1	2	-	-	1	1	2
10. ,, PREGNANCY AND CHILDBIRTH - -	10	-	-	5	-	5	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
11. ,, LOCOMOTOR SYSTEM	11	-	5	1	1	7	-	1	-	-	1	-	-	-	-	-	1	1	-	-	2
12. ,, THE SKIN - -	5	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	230	49	1	14	47	111	4	1	2	25	32	6	-	-	9	15	10	-	-	24	34
E. VIOLENT DEATHS -	117	16	5	24	4	49	6	13	21	4	44	2	-	2	2	6	1	1	3	1	6
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	13	-	-	11	2	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	55	27	4	-	-	31	1	-	-	-	1	13	-	-	-	13	-	-	-	-	-
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	23	6	3	2	-	11	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	89	-	2	7	7	16	1	-	11	14	26	-	-	7	3	10	1	1	10	13	25
Hooping-cough - - -	92	42	2	-	-	44	7	1	-	-	8	6	-	-	-	6	21	2	-	-	23
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	25	7	1	1	-	9	1	2	-	-	3	3	2	-	1	6	1	-	-	-	1
Cerebro-Spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	11	1	1	4	-	6	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	46	12	-	1	4	17	3	-	-	4	7	9	-	1	1	11	2	-	-	1	3
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of MARCH 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	42	11	49	37	139	48	8	46	54	156	44	10	49	36	139	6	5	18	16	45
A. GENERAL DISEASES - -	18	4	17	3	42	17	3	15	8	43	20	6	24	4	54	3	5	9	2	19
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	4	3	3	2	12	3	1	2	1	7	5	1	1	-	7	1	-	-	-	1
2. ,, ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. ,, HEART - - -	2	2	8	3	15	-	1	5	11	17	-	-	8	6	14	-	-	4	4	8
4. ,, BLOOD VESSELS -	1	-	1	6	8	-	-	2	11	13	-	-	1	12	13	-	-	-	3	3
5. ,, RESPIRATORY SYSTEM	10	1	16	8	35	13	1	11	15	40	12	1	8	6	27	1	-	3	4	8
6. ,, DIGESTIVE SYSTEM -	6	-	3	3	12	6	1	5	-	12	5	1	1	1	8	-	-	-	-	-
7. ,, LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
8. ,, URINARY SYSTEM -	-	-	-	-	-	-	1	3	1	5	-	-	1	-	1	-	-	-	-	-
9. ,, GENERATIVE SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. ,, PREGNANCY AND CHILDBIRTH -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
11. ,, LOCOMOTOR SYSTEM	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
12. ,, THE SKIN - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	1	-	1	11	13	7	-	1	6	14	1	1	-	5	7	1	-	-	3	4
E. VIOLENT DEATHS - -	-	1	-	1	2	2	-	1	1	4	-	-	3	2	5	-	-	1	-	1
A. GENERAL DISEASES.																				
Small-pox — Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox — Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox — No statement - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	-	-	1	-	1	-	-	1	7	-	-	-	7	1	-	-	-	1
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	2	-	-	-	2	1	-	-	-	1	3	3	-	-	6	-	-	-	-	-
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	3	2	6	-	-	2	3	5	-	-	1	-	1	-	-	-	-	-
Hooping-cough - - - -	5	-	-	-	5	5	-	-	-	5	1	-	-	-	1	-	-	-	-	-
Mumps - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup -	1	-	-	-	1	-	-	-	-	-	3	-	-	-	3	-	2	-	-	2
Cerebro-Spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa -	2	-	-	-	2	3	-	2	-	5	1	-	-	1	-	-	-	-	-	-
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Syphilis	8	2	–	1	–	3	–	–	–	1	1	1	–	–	–	1	–	–	–	2	2
Gonorrhœa, Stricture of Urethra	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	4	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–
Puerperal Pyæmia	–		–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	8	–	–	3	–	3	–	–		–	–	–	–	1	–	1	–	–	–	–	–
Erysipelas	10	1	–	2	–	3	–	–	2	1	3	2	–	–	–	2	1	–	–	1	2
Septicæmia (not Puerperal)	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Pyæmia (not Puerperal)	2	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon Carbuncle (not Anthrax)	1		–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	16	–	–	4	–	4	–	–	4	–	4	–	–	3	–	3	1	–	2	1	4
Phthisis Pulmonalis (not otherwise defined)	248	–	18	85	5	108	3	6	30	3	42	–	2	24	2	28	1	8	15	2	26
Tubercular Meningitis	48	12	8	1	–	21	3	6	–	–	9	6	3	–	–	9	5	1	1	–	7
Tubercular Peritonitis	17	5	3	1	–	9	2	2	1	–	5	1	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	15	11	–	–	–	11	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	6	1	–	3	1	5	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
General Tuberculosis	16	4	2	1	1	8	2	–	1	–	3	–	–	–	–	–	–	–	2	–	2
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	7	–	–	5	–	5	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																					
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of March 1902

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phthisis Pulmonalis (not otherwise defined)	1	2	8	-	11	1	1	6	4	12	-	2	10	1	13	-	1	6	1	8
Tubercular Meningitis	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Tubercular Peritonitis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																				
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	8	–	2	1	–	3	–	2	–	1	3	–	1	–	–	1	–	–	–	–	–
Rheumatism of Heart	4	–	2	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	5	–	1	–	2	3	–	–	–	–	–		–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	43	–	–	11	8	19	–	–	4	7	11	–	–	2	3	5	–	–	4	1	5
Sarcoma	8	–	1	1	–	2	–	2	2	–	4	1	–	–	–	1	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	63	–	–	16	5	21	–	–	6	11	17	–	–	4	2	6	–	–	3	2	5
Rickets	5	2	–	–	–	2	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorragic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	16	–	–	5	3	8	–	–	2	1	3	–	–	–	–	–	–	1	2	–	3
Diabetes Mellitus	7	–	1	4	1	6	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Premature Birth	92	46	–	–	–	46	20	–	–	–	20	8	–	–	–	8	14	–	–	–	14
Congenital Defects	15	6	–	–	–	6	2	–	–	–	2	–	–	–	–	–	2	–	–	–	2
Injury at Birth	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	4	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	19	14	–	–	–	14	2	–	–	–	2	–	–	–	–	–	2	–	–	–	2
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	76	31	7	1	2	41	7	–	2	–	9	7	4	–	–	11	2	1	–	1	4
Softening of Brain	13	–	–	3	1	4	–	–	–	3	3	–	–	–	3	3	–	–	1	2	3
General Paralysis of Insane	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	12	–	–	1	1	2	–	–	3	–	3	–	–	–	–	–	–	–	3	–	3
Chorea	2	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	2	1	3	–	–	2	–	2	1	–	2	–	3	–	–	1	–	1
Convulsions	53	25	1	–	–	26	8	1	–	–	9	5	–	–	–	5	9	–	–	–	9
Laryngismus Stridulus	4	3	–	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Paraplegia, and Dis. of Cord	10	–	–	–	2	2	–	–	1	2	3	–	–	–	2	2	–	–	–	2	2
Neuritis, Peripheral, Polyneuritis	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	3	–	–	1	–	1	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Other Dis. of Nervous System	18	3	1	–	1	5	1	–	1	2	4	–	–	–	2	2	1	–	1	1	3
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	6	1	1	–	–	2	1	–	2	–	3	–	–	1	–	1	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	70	–	1	13	6	20	–	2	11	7	20	–	1	6	5	12	–	1	3	–	4
Pericarditis	10	–	1	1	1	3	–	–	3	–	3	–	1	–	–	1	1	–	–	–	1
Hypertrophy of Heart	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	3	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	1	1
Dilatation of Heart	10	–	–	2	2	4	–	–	1	3	4	–	–	2	–	2	–	–	–	–	–
Fatty Degeneration of Heart	7	–	–	2	–	2	–	–	3	1	4	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	170	2	7	30	22	61	–	1	12	15	28	–	–	9	10	19	–	–	9	16	25

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Chronic Rheumatism	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	3	1	4	–	–	1	–	1	–	–	5	2	7	–	–	1	1	2
Rickets	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorragic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Diabetes Mellitus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Birth	1	–	–	–	1	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–
Congenital Defects	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1	2	–	–	–	2
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	3	–	–	–	3	2	–	1	–	3	5	–	–	–	5	–	–	–	–	–
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	2	1	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Convulsions	1	1	–	–	2	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Laryngismus Stridulus	–		–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord		–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	–	1	–	1	2	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	3	–	3	–	1	3	3	7	–	–	1	2	3	–	–	1	–	1
Pericarditis	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	2	2	4	3	11	–	–	2	7	9	–	–	7	3	10	–	–	3	4	7

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of March 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	57	-	1	7	11	19	-	-	6	4	10	-	1	2	9	12	2	-	3	4	9
Apoplexy, Hemiplegia	106	-	-	18	34	52	-	-	2	8	10	-	-	2	6	8	-	-	2	7	9
Aneurism	3	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	5	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	4	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	6	-	-	-	3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	6	4	-	1	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic or Membranous)	5	-	1	1	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	339	42	5	50	73	170	8	-	5	26	39	9	1	11	25	46	15	1	5	19	40
Lobar, Croupous, Pneumonia	66	1	1	20	5	27	-	1	7	3	11	1	-	9	1	11	-	1	10	2	13
Catarrhal, Lobular, Broncho-Pneumonia	108	38	-	7	5	50	9	-	1	3	13	14	2	3	2	21	7	-	-	-	7
Pneumonia (not otherwise defined)	233	24	6	75	16	121	9	1	12	11	33	4	1	13	9	27	2	-	7	4	13
Emphysema, Asthma	8	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	2	1	3
Pleurisy	23	2	1	6	3	12	1	1	3	1	6	-	-	1	1	2	-	-	-	-	-
Fibroid Disease of Lung	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	32	8	1	4	9	22	1	-	1	2	4	1	-	2	-	3	-	-	2	-	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of Mouth or Pharynx (not Specific)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	5	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	1	-	-	1
Gastric Catarrh	23	7	1	2	-	10	2	-	-	1	3	-	-	-	1	1	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	9	-	-	4	1	5	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Enteritis (not Epidemic)	18	8	-	-	1	9	3	-	-	1	4	-	-	-	-	-	3	-	-	-	3
Gastro-Enteritis	28	12	-	-	1	13	1	-	1	-	2	3	-	-	-	3	3	-	-	-	3
Appendicitis, Perityphlitis	9	-	2	1	-	3	-	1	2	-	3	-	1	2	-	3	-	-	-	-	-
Hernia	13	1	-	1	4	6	-	-	2	-	2	-	-	-	1	1	-	-	1	-	1
Intestinal Obstruction	12	1	2	2	1	6	-	-	-	1	1	-	1	-	1	2	1	-	-	1	2
Other Diseases of Intestines	3	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	30	1	-	7	4	12	2	3	2	2	9	-	1	-	-	1	-	-	3	1	4
Cirrhosis of Liver	7	-	-	2	-	2	-	-	1	2	3	-	-	-	1	1	-	-	-	1	1
Other Diseases of Liver and Gall Bladder	14	1	1	2	4	8	2	-	1	-	3	-	-	-	1	1	-	-	1	-	1
Other Dis. of Digestive System	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Dis. of Lymphatic Syst.	5	1	-	3	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dis. of Supra Renal Capsules	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	22	1	2	10	1	14	-	-	4	-	4	1	-	1	-	2	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	31	-	-	15	4	19	-	-	3	1	4	-	-	3	-	3	-	-	1	-	1
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	1	5	6	-	-	-	2	2	-	-	-	-	-	-	-	-	3	3
Other Dis. of Urinary System	5	-	-	4	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	1	–	1	–	–	1	3	4	–	–	–	1	1	–	–	–	1	1
Apoplexy, Hemiplegia	–	–	–	5	5	–	–	1	8	9	–	–	1	10	11	–	–	–	2	2
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	–	7	5	17	5	–	–	10	15	2	1	2	3	8	1	–	1	2	4
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	2	1	3	–	–	1	–	1	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	3	–	1	–	4	6	–	–	–	6	5	–	–	2	7	–	–	–	–	–
Pneumonia (not otherwise defined)	2	1	6	3	12	2	1	9	4	16	5	–	4	1	10	–	–	1	–	1
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	1	–	1	1	3	2	–	1	–	3	2	–	–	1	3	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastro-Enteritis	2	–		–	2	2	–	–	–	2	3	–	–	–	3	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	1	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	–	–	–	–	1	1	1	3	–	–	1	–	1	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of March 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	3	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
Disorders of Menstruation –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Generative and Mammary Organs – –	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	1
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth – –	8	–	–	3	–	3	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis – – –	5	–	3	1	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Arthritis, Periostitis – –	1	–	–	–	1	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Locom. System	5	–	2	–	–	2	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore – – –	3	–	–	1	–	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Eczema – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin –	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility – –	70	42	1	3	–	46	4	–	–	–	4	6	–	–	–	6	7	–	–	–	7
Old Age – – – –	119	–	–	–	39	39	–	–	–	25	25	–	–	–	9	9	–	–	–	22	22
Dropsy, Ascites, Anasarca –	4	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2
Tumour – – – –	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess – – – –	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage – – –	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Sudden (cause unascertained)	8	2	–	2	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Other ill-defined causes –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified – –	22	5	–	5	5	15	–	1	2	–	3	–	–	–	–	–	1	–	–	–	1
E. VIOLENT DEATHS.																					
In Mines and Quarries – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Vehicles and Horses – –	3	–	–	1	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements –	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Burns and Scalds – – –	18	5	2	4	1	12	1	–	2	1	4	–	–	–	–	–	–	–	–	1	1
Poisons, Poisonous Vapours –	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1
Drowning – – – –	25	–	–	1	–	1	–	8	12	–	20	–	–	–	–	–	–	–	2	–	2
Suffocation { From Overlaying	4	1	–	–	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Suffocation { Otherwise –	14	8	1	–	–	9	3	–	–	–	3	–	–	–	–	–	1	–	–	–	1
Falls – – – – –	7	–	–	1	1	2	–	–	2	2	4	–	–	–	–	–	–	–	–	–	–
Weather Agencies – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated –	34	2	2	13	1	18	1	4	4	–	9	–	–	2	–	2	–	–	–	–	–
Homicide – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide – – – –	6	–	–	2	1	3	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Execution – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	1	–	–	–	1	6	–	–	–	6	–	–	–	–	–	–	–	–	–	–
Old Age	–	–	–	11	11	–	–	–	6	6	–	–	–	4	4	–	–	–	3	3
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Falls	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	–	–	–	–	–	1	–	1	–	–	1	2	3	–	–	1	–	1
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MARCH 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	50	6	45	0	0	0	0	0	0	0	1	0	8	4
Ayr,	30,859	78	18	60	0	1	0	0	0	1	0	1	0	16	9
Banff, with Macduff,	8,334	23	3	13	0	0	0	0	0	0	0	0	0	4	0
Blairgowrie,	4,254	7	2	5	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,158	5	0	2	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,233	28	3	12	0	0	0	0	0	0	0	1	0	1	0
Cathcart (Landward),	7,833	16	0	4	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	40,938	134	18	70	0	1	3	0	1	0	0	4	1	24	1
Crieff,	5,744	8	2	7	0	0	0	0	0	0	0	0	0	0	0
Dumbarton,	20,221	65	6	34	0	0	0	0	0	0	0	1	0	9	4
Dumfries, with Troqueer,	24,870	46	9	46	0	0	0	0	0	0	0	1	0	5	4
Dunfermline,	32,098	4	15	40	0	1	0	1	0	0	0	3	0	7	4
Dunoon,	9,153	18	4	14	0	0	0	0	0	0	0	0	0	5	1
Eastwood (Landward),	15,582	39	5	15	0	0	1	0	1	0	0	1	0	4	1
Elgin,	11,704	2	5	14	0	0	0	0	0	0	0	0	0	4	2
Falkirk,	38,212	99	15	63	0	5	0	5	0	0	0	0	0	13	8
Forfar,	12,784	32	1	32	0	1	0	1	0	2	0	0	1	8	2
Galashiels,	13,554	35	10	14	0	0	0	0	0	0	0	0	0	3	1
Govan—(1) Plantation (Landward),	27,874	82	9	39	0	0	0	0	0	0	0	1	0	9	7
(2) Govan (Landward),	58,806	149	18	125	7	2	2	2	1	3	0	1	0	35	13
(3) Partick (Landward),	57,054	140	22	75	0	1	0	4	2	0	0	1	0	13	8
Haddington,	5,115	11	0	11	0	0	0	0	1	1	0	0	0	2	1
Hawick, with Wilton,	18,260	21	7	35	0	0	0	0	0	0	0	0	0	8	5
Inverness,	27,427	51	17	47	0	0	0	2	0	0	0	0	1	6	9
Kilmarnock, with Riccarton,	37,957	97	14	60	0	1	0	0	0	0	0	2	0	12	7
Kilmore and Kilbride (Oban),	6,376	14	2	6	1	0	0	0	0	0	0	0	0	0	2
Kinning Park (Landward),	13,874	40	6	22	0	1	0	0	0	0	0	0	0	10	3
Kirkcaldy and Abbotshall,	23,716	57	11	23	0	0	0	1	0	0	0	0	0	3	1
Kirkcudbright,	3,289	8	1	2	0	0	0	0	0	0	0	0	0	1	0
Largs, with Skelmorlie,	5,524	5	3	3	0	0	0	0	0	0	0	0	1	0	0
Logie (Bridge of Allan),	4,455	4	1	5	0	1	0	0	0	0	0	1	0	0	0
Moffat,	2,778	3	2	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	23	11	31	0	0	0	0	0	0	0	1	0	12	3
Moulin (Pitlochry),	2,217	7	1	3	0	0	0	0	0	0	0	1	0	1	0
Nairn,	5,795	9	1	6	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,185	123	16	61	0	0	2	3	0	0	0	2	0	13	8
North Berwick,	3,734	7	1	7	0	0	0	0	0	1	0	0	0	1	2
Peterhead, with Boddam,	15,063	29	6	20	0	0	0	3	0	0	0	0	0	7	0
Rothesay,	9,412	22	6	13	0	0	0	0	0	0	0	0	0	3	2
St Andrews and St Leonards,	9,495	14	3	6	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward),	23,653	64	7	24	0	0	1	0	1	0	0	0	0	5	3
Stirling,	16,532	44	9	37	0	1	1	0	1	0	0	0	0	11	2
Stranraer,	6,017	13	1	13	0	0	0	0	0	0	0	1	0	1	1
Wick,	11,237	19	2	21	0	0	0	0	0	0	0	1	0	1	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 152 feet above the sea-level.

For the month of MARCH 1902.

Mean barometric pressure, 29·674 inches; less than the average for the same month of 1856–1900 by 0·152 inch.

Barometric monthly range, 1·177 inch; less by 0·259 inch.

Mean temperature, 42°·7; greater by 2°·4.

Mean daily range of temperature, 11°·6; being the average.

Mean humidity, 82; less by 1°·5.

Rain, number of days, 20; greater by 5 days.

Rain, depth in inches, 2·00; less by 0·59 inch.

Wind, pressure on square foot, 2·75 lbs; greater by 0·74 lb.

Wind, direction of, E. to W. as 2 to 14, and N. to S. as 3 to 11; the average being E. to W. as 7 to 12, and N. to S. as 6 to 6.

Hence the weather of March 1902 was characterised by a mean barometric pressure considerably below the average, with a low monthly range; a mean temperature decidedly above the average, with a mean daily range equal to the average; a slightly low mean humidity; a mean rainfall greatly under the average, but falling on 5 days more than the average number; a marked deficiency of easterly winds and a notable excess of south-westerly winds with a mean force considerably above the average.

The mean barometric pressure was 29·674 inches, or 0·152 inch below the average. It was very much higher in the south than in the north, forming a fairly steep gradient for the warm winds from S.W. and S. which blew on 8 days more than the average number. The only great fluctuation of pressure occurred on the 19th, when the mercury fell about three-quarters of an inch, and a moderate gale, with sleet and rain, blew from W.S.W.

The mean temperature was 42°·7, or 2°·4 above the average, the days being 2°·4 and the nights 2°·3 above the average. The excess was least, 1°·5, at Aberdeen, and greatest, 4°·1, at Paisley. The last ten days of the month were comparatively cold, the absolute minimum being very generally registered on 24th or 25th. The absolutely highest temperature, 58°·2, was recorded at Paisley on the 10th, and the lowest, 22°·0, at Greenock on the 25th.

The mean rainfall was 2·00 inches, or 23 per cent. below the average. In the west there was a very slight excess, but in the Edinburgh district a deficiency of about 40 per cent., at Dundee of 46 per cent., and at Aberdeen of 41 per cent. In the west the rainfall was fairly well distributed throughout the month, the number of rainy days being very large; in the east most of the rain fell after the 19th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MARCH 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·208	29·691	1·143	55·9	28·8	42·5	27·1	11·2	19·6	41·3	39·0	36·1	·213	2·47	82	17	0·82	1	0	1	1	6	11	7	3	1	2·82
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·487	29·669	1·194	57·4	27·0	41·5	30·4	12·5	18·5	40·8	39·1	36·9	·219	2·55	87	12	1·00	0	4	0	4	0	13	3	7	0	3·13
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·591	29·641	1·225	55·0	28·0	41·5	27·0	13·5	21·6	40·5	38·2	35·3	·206	2·39	82	18	1·35	3	0	1	1	3	15	5	3	0	1·23
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·568	29·686	1·149	58·2	28·0	44·1	30·2	11·6	19·0	43·6	41·1	38·1	·230	2·66	81	29	2·63	2	1	1	3	9	8	6	1	0	1·69
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·597	29·682	1·173	56·7	30·1	44·0	26·6	10·6	15·3	43·4	40·7	37·5	·224	2·58	79	18	0·92	0	1	2	2	2	6	16	1	1	2·76
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	238	..	..	..	52·7	22·0	42·5	30·7	10·1	19·7	42·6	40·0	36·8	·219	2·54	81	27	5·30	0	0	1	3	1	13	7	5	1	4·88
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Means	152	29·490	29·674	1·177	58·2	22·0	42·7	28·5	11·6	19·0	42·0	39·7	36·8	·219	2·53	82	20	2·00	1	1	1	2	4	11	7	3	1	2·75

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 29 247.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of April 1902 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4747 children, of whom 2398 were males, and 2349 females. Of these 4450 were legitimate and 297 illegitimate. The illegitimate births thus constituted 6·3 per cent. of the whole, or one birth in every 16·0 was illegitimate. In Paisley, 2·4 per cent. of the births were illegitimate; in Perth, 2·6; in Greenock, 4·7; in Leith, 5·0; in Glasgow, 5·7; in Aberdeen, 7·6; in Dundee, 8·1; and in Edinburgh, 8·7 per cent.

The Marriages recorded in these towns during April amounted to 1251, being 71 above the average for the month during the last ten years, allowing for increase of population.

The Deaths of 3136 persons were registered in these eight towns during the month, of whom 1591 were males, and 1545 females. This number is 180 above the average for the same month during the last ten years, allowance being made for increase of population.

A comparison of the deaths registered shows that during April the mortality was at the annual rate of 19·0 deaths per thousand persons in Leith; 19·7 in Edinburgh; 20·5 in Aberdeen; 20·7 in Paisley; 20·9 in Dundee; 23·8 in Perth; 24·9 in Glasgow; and 27·6 in Greenock.

Of the 1586 deaths registered in Glasgow, 277 were of infants under one year of age, and 363 of persons over 60 years; of the 524 in Edinburgh, 87 were of infants under one year, and 171 of persons over 60 years; of the 279 in Dundee, 43 were of infants under one year, and 84 of persons over 60 years; of the 265 in Aberdeen, 58 were under one, and 74 over 60; of the 138 in Paisley, 24 were under one, and 44 over 60; of the 123 in Leith, 36 were under one, and 28 over 60; of the 156 in Greenock, 30 were under one, and 36 over 60; and of the 65 in Perth, 10 were under one year, and 21 over 60 years.

Of the whole 3136 deaths, 946, or 30·2 per cent., were of children under five years of age. In Edinburgh the deaths of children of this age formed 24·8 per cent. of the total; in Perth, 26·2; in Paisley, 26·8; in Dundee, 28·7; in Glasgow, 30·8: in Greenock, 32·7; in Aberdeen, 33·2; and in Leith, 44·7 per cent.

From the seven principal Epidemic diseases 252 deaths were registered, forming 8·0 per cent. of the total mortality. This rate was exceeded in Greenock from the prevalence of Scarlet Fever, in Dundee and in Perth from that of Measles, and in Aberdeen from that of Hooping-cough.

Seven deaths from Small-pox were recorded in Glasgow. During March 15 deaths from Small-pox were recorded, all of which occurred in Glasgow, and during February 20, of which 19 occurred in Glasgow and 1 in Perth.

Measles caused 64 deaths, or 2·0 per cent. of the total mortality. In Dundee the percentage of deaths from this disease was 6·1, and in Perth, 10·8.

To Scarlet Fever 23 deaths were ascribed, of which 8 occurred in Greenock, being 5·1 per cent. of the deaths there.

Hooping-cough caused 101 deaths, or 3·2 per cent. of the whole. The heaviest mortality from this disease occurred in Aberdeen, where 10·9 per cent. of the deaths resulted therefrom.

Diphtheria caused 21 deaths, of which 14 occurred in Glasgow, and 3 in Leith.

From Fevers 19 deaths resulted, 18 being due to Enteric, and 1 to Simple Continued Fever.

Seventeen deaths were attributed to Diarrhœa.

From Alcoholism 7 deaths resulted; from Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 151; from Diseases of the Heart, 281; and from Premature Birth Debility, 94.

To Puerperal Septicæmia and Puerperal Fever 12 deaths were ascribed.

To Carcinoma, Sarcoma, and Cancer the deaths of 117 persons were attributed.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 746 or 23·8 per cent. of the whole. Those from Pulmonary Tuberculosis and Phthisis amounted together to 284 or 9·1 per cent. Three deaths resulted from Croup.

The deaths from Violent Causes numbered 137, of which 4 were Suicidal (2 each by Cut-Throat and Hanging). Of the 137 Violent Deaths, 85 occurred in Glasgow, a large proportion of these resulting from the disaster at Ibrox Football Field on the 5th of the month.

Six males and 11 females were aged 90 years and upwards, the eldest being a widow aged 99 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, APRIL 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	1268	1239	2507	2364	143	646	807	779	1586
EDINBURGH, .	276,652	317,459	322,066	376	373	749	684	65	255	278	246	524
DUNDEE, . .	154,118	161,173	162,078	183	186	369	339	30	148	131	148	279
ABERDEEN, .	124,943	153,503	157,505	211	212	423	391	32	57	131	134	265
PAISLEY, . .	66,425	79,363	81,150	111	101	212	207	5	56	62	76	138
LEITH, . .	68,707	77,439	78,605	105	114	219	208	11	32	69	54	123
GREENOCK, .	63,423	68,142	68,756	104	88	192	183	9	40	83	73	156
PERTH, . .	29,919	32,873	33,262	40	36	76	74	2	17	30	35	65
TOTAL, .	1,443,380	1,651,661	1,679,923	2398	2349	4747	4450	297	1251	1591	1545	3136
APRIL 1901, ...	Mean Temp. 45°·6			2242	2144	4386	4095	291	1246	1587	1629	3216
APRIL 1900, ...	Mean Temp. 46°·3			2230	2234	4464	4170	294	1314	1431	1421	2852
APRIL 1899, ...	Mean Temp. 44°·1			2137	2055	4192	3920	272	1230	1299	1261	2560
APRIL 1898, ...	Mean Temp. 47°·1			2198	2110	4308	4043	265	1098	1495	1411	2906
APRIL 1897, ...	Mean Temp. 42°·8			2132	2052	4184	3918	266	974	1489	1423	2912
APRIL 1896, ...	Mean Temp. 48°·5			2266	2080	4346	4061	285	1166	1238	1224	2462
APRIL 1895, ...	Mean Temp. 46°·3			2175	2107	4282	3982	300	1121	1473	1460	2933
APRIL 1894, ...	Mean Temp. 47°·4			1993	1981	3974	3712	262	981	1186	1219	2405
APRIL 1893, ...	Mean Temp. 47°·8			2058	1935	3993	3730	263	990	1353	1300	2653
APRIL 1892, ...	Mean Temp. 44°·0			2064	1951	4015	3740	275	885	1357	1309	2666

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of APRIL 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	7	4	1	9	5	1	0
Camlachie, .	0	3	0	7	1	0	0
Dennistoun, .	0	4	0	0	1	0	1
Calton, .	0	0	0	1	1	0	0
Blackfriars, .	0	1	0	1	0	0	0
St Rollox, .	0	0	0	3	0	0	1
Blythswood, .	0	3	0	0	0	0	0
Milton, .	0	2	0	0	0	0	1
Kelvin, .	0	0	0	1	0	0	1
Anderston, .	0	0	1	3	1	0	0
Hutchesontown,	0	3	0	9	0	1	1
Gorbals, .	0	0	0	1	0	0	1
Tradeston, .	0	0	0	0	0	1	0
Kinning Park,	0	0	1	0	1	0	0
Cathcart, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	0	0	0	0
Maryhill, .	0	1	7	9	4	10	2
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, . .	0	0	0	0	0	0	0
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	2	2	2	0	0	0
St Andrew, .	0	4	0	1	0	0	0
Canongate, .	0	2	1	4	2	1	0
St Giles, .	0	1	0	1	0	0	0
Newington, .	0	2	0	1	0	0	0
Portobello, .	0	0	0	0	0	1	0

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	1	0	0	0
South Leith, .	0	0	0	0	0	0	0
DUNDEE—							
St Peter, .	0	1	0	3	0	0	1
St Mary, .	0	6	0	3	0	0	3
St Clement, .	0	0	0	0	0	0	0
St Andrew, .	0	6	1	3	0	0	1
Lochee, .	0	4	0	0	0	0	0
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	0	1	15	0	0	2
St Machar, .	0	0	0	11	0	1	1
Woodside, .	0	0	0	0	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg, . .	0	0	0	3	0	0	0
PAISLEY, . .	0	4	0	1	0	0	0
LEITH—							
North, . .	0	0	0	3	2	0	0
South, . .	0	0	0	1	1	1	0
GREENOCK—							
East, . .	0	1	1	1	0	0	0
West, . .	0	3	7	0	1	2	0
PERTH, .	0	7	0	3	1	0	1

DEATHS FROM ALL CAUSES at Four Periods of Life,

Registered during the Month of April 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3136	488	108	627	363	1586	130	30	193	171	524	80	15	100	84	279	88	26	77	74	265
A. GENERAL DISEASES –	1062	219	55	203	39	516	67	15	72	33	187	45	8	38	7	98	46	15	22	5	88
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	203	66	10	22	11	109	15	1	6	5	27	3	1	4	3	11	9	–	11	1	21
2. „ Organs of Special Sense – –	7	1	1	2	–	4	1	–	–	–	1	–	–	–	–	–	–	2	–	–	2
3. „ Heart – – –	281	5	8	53	56	122	–	6	24	23	53	1	2	17	15	35	–	4	9	21	34
4. „ Blood Vessels –	169	3	1	27	42	73	–	–	11	27	38	–	–	5	17	22	–	–	2	8	10
5. „ Respiratory System	746	116	13	159	116	404	24	6	43	39	112	19	3	18	25	65	16	2	17	18	53
6. „ Digestive System –	166	24	4	45	16	89	13	2	8	8	31	3	–	3	–	6	6	1	5	5	17
7. „ Lymphatic and Ductless Glands	5	–	–	1	1	2	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–
8. „ Urinary System –	84	1	1	24	12	38	–	–	13	7	20	–	1	6	4	11	–	–	3	1	4
9. „ Generative System	12	–	–	5	–	5	–	–	2	–	2	–	–	1	–	1	–	–	1	–	1
10. „ Pregnancy and Childbirth –	11	–	–	5	–	5	–	–	2	–	2	–	–	2	–	2	–	–	1	–	1
11. „ Locomotor System	12	–	4	3	1	8	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4
12. „ The Skin – –	7	–	–	–	3	3	–	–	–	2	2	–	–	–	–	–	–	–	1	–	1
C. OTHER SPECIFIED DISEASES – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DIS.	234	42	–	24	57	123	7	–	1	24	32	5	–	–	10	15	6	–	1	14	21
E. VIOLENT DEATHS –	137	11	11	54	9	85	3	–	10	3	16	4	–	4	3	11	3	1	4	–	8
A. GENERAL DISEASES.																					
Small-pox { Vaccinated –	2	–	–	2	–	2		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated	4	2	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – –	64	21	–	–	–	21	10	–	1	–	11	16	1	–	–	17	–	–	–	–	–
Epidemic Rose Rash – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – –	23	3	6	1	–	10	2	1	–	–	3	1	–	–	–	1	1	–	–	–	1
Typhus – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – –	52	–	–	7	8	15	–	–	7	12	19	–	–	1	–	1	–	1	1	2	4
Hooping-cough – – –	101	44	–	–	–	44	10	–	–	–	10	9	–	–	–	9	27	2	–	–	29
Mumps – – – –	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup	21	11	2	1	–	14	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Enteric Fever – – –	18	1	3	9	–	13	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Asiatic Cholera – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa	17	4	–	2	2	8	–	–	–	–	–	4	–	1	–	5	3	–	–	–	3
Dysentery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of APRIL 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
TOTAL DEATHS (All Causes) -	37	9	48	44	138	55	9	31	28	123	51	21	48	36	156	17	4	23	21	65
A. GENERAL DISEASES - -	11	5	23	7	46	21	6	12	7	46	20	12	16	2	50	13	3	13	2	31
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	9	3	2	-	14	7	1	-	-	8	6	2	2	1	11	1	-	1	-	2
2. ,, ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. ,, HEART - - -	-	1	4	2	7	-	-	4	8	12	-	-	4	8	12	-	-	2	4	6
4. ,, BLOOD VESSELS -	-	-	4	5	9	-	-	1	5	6	-	-	5	2	7	-	-	-	4	4
5. ,, RESPIRATORY SYSTEM	10	-	10	12	32	13	1	7	4	25	14	2	12	16	44	2	-	4	5	11
6. ,, DIGESTIVE SYSTEM -	1	-	-	2	3	5	1	1	-	7	3	2	3	1	9	-	-	2	2	4
7. ,, LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. ,, URINARY SYSTEM -	-	-	1	2	3	-	-	2	2	4	1	-	1	2	4	-	-	-	-	-
9. ,, GENERATIVE SYSTEM	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
10. ,, PREGNANCY AND CHILDBIRTH -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
11. ,, LOCOMOTOR SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12. ,, THE SKIN - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES -	6	-	2	14	22	7	-	-	2	9	5	-	1	2	8	1	-	-	3	4
E. VIOLENT DEATHS - -	-	-	1	-	1	1	-	3	-	4	1	3	4	2	10	-	1	-	1	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	-	-	4	-	-	-	-	-	4	-	-	-	4	6	-	1	-	7
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	6	2	-	-	8	-	-	-	-	-
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	5	3	9	1	-	2	-	3	-	-	-	1	1	-	-	-	-	-
Hooping-cough - - - -	1	-	-	-	1	4	-	-	-	4	1	-	-	-	1	3	-	-	-	3
Mumps - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup -	-	-	-	-	-	2	-	1	-	3	1	-	-	-	1	-	1	-	-	1
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Syphilis	8	5	-	-	-	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	7	-	-	2	-	2	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Erysipelas	7	1	-	-	1	2	-	-	-	1	1	-	1	-	-	1	-	-	1	-	1
Septicæmia (not Puerperal)	6	1		1	-	2	-	-	-	-	-	1	-	-	1	2	-	-	1	-	1
Pyæmia (not Puerperal)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	3	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-		-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	30	-	3	10	-	13	-	-	8	1	9	-	1	4	-	5	-	1	1	-	2
Phthisis Pulmonalis (not otherwise defined)	254	4	21	102	3	130	3	5	33	3	44	1	4	13	-	18	-	4	8	-	12
Tubercular Meningitis	52	17	7	-	-	24	10	2	-	-	12	2	1	1	-	4	2	2	-	-	4
Tubercular Peritonitis	15	7	1	2	-	10	-	-	-	-	-	-	-	1	1	2	-	1	-	-	1
Tabes Mesenterica	16	8	1	-	-	9	3	1	-	-	4	-	-	1	-	1	1	-	-	-	1
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	7	2	-	1	-	3	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-
General Tuberculosis	34	7	6	7	-	20	1	1	2	-	4	-	-	2	-	2	1	2	-	-	3
Scrofula	3	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Starvation	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	7	-	-	4	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning:—																					
By Lead	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Puerperal Fever (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Phthisis Pulmonalis (not otherwise defined)	–	1	14	–	15	2	3	6	2	13	–	6	9	–	15	–	1	6	–	7
Tubercular Meningitis	1	–	–	–	1	2	–	–	–	2	1	3	–	–	4	1	–	–	–	1
Tubercular Peritonitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Tabes Mesenterica	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	1	2	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	8	-	1	4	-	5	-	-	-	1	1	-	-	-	-	-	-	2	-	-	2
Rheumatism of Heart	4	-	-	-	1	1	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-
Chronic Rheumatism	7	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	1	1	2
Rheumatic Arthritis, Rheumatic Gout	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	44	-	-	13	8	21	-	-	5	2	7	-	-	2	5	7	-	-	4	1	5
Sarcoma	6	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-	2	-	2
Cancer, Malignant Disease (not otherwise defined)	67	-	-	24	10	34	-	-	8	9	17	-	-	6	-	6	-	-	-	1	1
Rickets	10	4	-	-	-	4	-	-	-	-	-	2	-	-	-	2	2	-	-	-	2
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	11	-	1	1	4	6	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	4	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	94	57	-	-	-	57	12	-	-	-	12	7	-	-	-	7	7	-	-	-	7
Congenital Defects	17	9	-	-	-	9	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Injury at Birth	4	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Atelectasis	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	11	6	-	-	-	6	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
B. LOCAL DISEASES.																					
Diseases of Nervous System.																					
Meningitis, Inflammation of Brain	78	38	7	4	-	49	8	1	2	-	11	-	-	1	-	1	1	-	1	-	2
Softening of Brain	7	-	-	-	1	1	-	-	-	1	1	-	-	1	3	4	-	-	1	-	1
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	9	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	6	-	6
Chorea	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	9	-	-	4	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Convulsions	54	25	1	1	-	27	5	-	-	-	5	1	-	1	-	2	8	-	-	-	8
Laryngismus Stridulus	6	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Locomotor Ataxy	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Paraplegia, and Dis. of Cord	12	-	1	4	2	7	-	-	-	2	2	-	-	-	-	-	-	-	1	1	2
Neuritis, Peripheral, Poly-Neuritis	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	5	-	1	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Other Dis. of Nervous System	19	2	-	6	7	15	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-
Diseases of Organs of Special Sense.																					
Otitis, Mastoid Disease	6	1	1	1	-	3	1	-	-	-	1	-	-	-	-	-	-	2	-	-	2
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Heart.																					
Valvular Dis., Endocarditis (not Infective)	92	-	6	21	19	46	-	4	12	7	23	-	-	6	2	8	-	1	1	6	8
Pericarditis	3	1	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Dilatation of Heart	3	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	7	-	-	-	1	1	-	-	2	4	6	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not Specified)	172	4	1	31	34	70	-	1	9	12	22	1	2	11	13	27	-	3	7	15	25

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of April 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	1	–	1
Sarcoma	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	2	3	5	–	–	–	–	–	–	–	2	1	3	–	–	–	1	1
Rickets	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Diabetes Mellitus	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Birth	3	–	–	–	3	5	–	–	–	5	1	–	–	–	1	2	–	–	–	2
Congenital Defects	–	–	–	–	–	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	5	2	–	–	7	1	1	–	–	2	4	1	1	–	6	–	–	–	–	–
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Convulsions	3	–	–	–	3	5	–	–	–	5	2	–	–	–	2	1	–	1	–	2
Laryngismus Stridulus	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Diseases of Nervous System	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	–	–	–	–	–	1	4	5	–	–	–	1	1	–	–	–	1	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	–	1	3	2	6	–	–	3	4	7	–	–	4	6	10	–	–	2	3	5

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis	60	1	-	7	13	21	-	-	4	13	17	-	-	4	9	13	-	-	-	2	2
Apoplexy, Hemiplegia	91	2	1	18	24	45	-	-	5	11	16	-	-	1	6	7	-	-	1	5	6
Aneurism	5	-	-	1	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Embolism, Thrombosis (not Cerebral)	4	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Varicose Veins	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	3	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic or Membranous)	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	290	43	2	47	64	156	5	-	12	15	32	6	-	5	17	28	7	-	6	9	22
Lobar, Croupous, Pneumonia	64	1	3	16	6	26	1	1	9	4	15	-	-	7	2	9	1	2	4	1	8
Catarrhal, Lobular, Broncho-Pneumonia	100	42	1	2	1	46	14	3	-	1	18	9	2	-	1	12	7	-	1	1	9
Pneumonia (not otherwise defined)	238	21	7	78	35	141	4	2	18	16	40	3	1	5	4	13	1	-	5	3	9
Emphysema, Asthma	5	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	2	2
Pleurisy	13	-	-	9		9		-	2	1	3	-	-	-	-	-	-	-	1	-	1
Fibroid Disease of Lung	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	29	5	-	5	9	19	-	-	1	2	3	1	-	1	1	3	-	-	-	2	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth or Pharynx (not Specific)	5	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
Gastric Ulcer	6	-	-	4	-	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Gastric Catarrh	13	1	-	4	-	5	2	-	-	1	3	-	-	-	-	-	1	-	1	-	2
Other Diseases of Stomach (not Malignant)	9	1	-	3	-	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Enteritis (not Epidemic)	17	4	-	4	1	9	2	-	-	-	2	1	-	-	-	1	1	-	-	1	2
Gastro-enteritis	29	13	1	5	-	19	3	-	-	-	3	2	-	-	-	2	1	-	-	-	1
Appendicitis, Perityphlitis	10	-	-	2	1	3	1	2	1	1	5	-	-	1	-	1	-	-	1	-	1
Hernia	11	1	-	4	3	8	-	-	1	1	2		-	-	-	-	-	-	-	1	1
Intestinal Obstruction	15	-	-	7	6	13	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Intestines	1	-	-	-	-	-	-	-	-	1	1		-	-	-	-				-	-
Peritonitis (not Puerperal)	20	-	-	5	1	6	3	-	2	1	6	-	-	1	-	1	1	-	-	1	2
Cirrhosis of Liver	11	-	-	3	2	5	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2
Other Diseases of Liver and Gall Bladder	13	2	1	3	2	8	2	-	-	2	4	-	-	-	-	-	1	-	-	-	1
Other Dis. of Digestive System	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Dis. of Supra Renal Capsules	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	21	1	1	8	1	11	-	-	1	-	1	-	1	4	-	5	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	45	-	-	13	9	22	-	-	8	4	12	-	-	2	2	4	-	-	2	-	2
Calculus (not Biliary)	2	-	-	-	-		-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Dis. of Bladder and of Prostate	12	-	-	2	2	4	-	-	1	2	3	-	-	-	2	2	-	-	-	1	1
Other Dis. of Urinary System	4	-	-	1	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	2	1	3	–	–	–	2	2	–	–	2	–	2	–	–	–	–	–
Apoplexy, Hemiplegia	–	–	2	3	5	–	–	–	3	3	–	–	3	2	5	–	–	–	4	4
Aneurism	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	–	3	7	16	5	–	1	1	7	5	–	3	12	20	2	–	2	5	9
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	1	1	–	2	1	1	2	–	4	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	2	–	1	–	3	6	–	–	1	7	5	–	–	–	5	–	–	–	–	–
Pneumonia (not otherwise defined)	2	–	6	5	13	–	–	5	2	7	2	1	7	4	14	–	–	1	–	1
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	1	–	–	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2
Enteritis (not Epidemic)	–	–	–	–	–	1	–	–	–	1	1	1	–	–	2	–	–	–	–	–
Gastro-enteritis	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	–	–	–	–	1	–	–	1	1	1	1	–	3	–	–	–	1	1
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–		–	–	–	2	–	2	1	–	–	1	2	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	1	1	2	–	–	–	1	1	–	–	1	1	2	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of April 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	5	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Dis. of Uterus and Vagina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	3	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - -	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	6	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
Arthritis, Periostitis - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	5	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	4	-	-	-	3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility - -	66	31	-	4	-	35	5	-	1	-	6	5	-	-	-	5	4	-	-	-	4
Old Age - - - -	116	-	-	-	50	50	-	-	-	23	23	-	-	-	10	10	-	-	-	13	13
Dropsy, Ascites, Anasarca -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	3	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	11	1	-	6	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other ill-defined causes -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - -	31	8	-	11	6	25	1	-	-	-	1	-	-	-	-	-	2	-	1	-	3
E. VIOLENT DEATHS.																					
In Mines and Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - -	5	1	1	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	14	3	2	2	-	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3
Poisons, Poisonous Vapours -	6	-	-	3	-	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	11	-	1	3	-	4	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2
Suffocation { From Overlaying	8	2	-	-	-	2	-	-	-	-	-	3	-	-	-	3	2	-	-	-	2
Suffocation { Otherwise -	5	2	-	-	-	2	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
Falls - - - - -	3	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	80	3	5	41	8	57	1	-	5	2	8	1	-	3	3	7	-	-	1	-	1
Homicide - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	4	-	-	3	-	3	-	-	1		1	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of APRIL 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	5	–	1	–	6	6	–	–	–	6	3	–	–	–	3	1	–	–	–	1
Old Age	–	–	–	13	13	–	–	–	2	2	–	–	–	2	2	–	–	–	3	3
Dropsy, Ascites, Anasarca	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Causes not specified	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	1	–	2	–	–	2	–	1	–	–	1
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	1	–	–	2	1	3	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	1	–	1	–	–	2	–	2	–	1	2	1	4	–	–	–	–	–
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—APRIL 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	48	10	33	0	0	0	1	1	0	0	0	0	13	2
Ayr,	30,859	93	14	57	0	1	0	0	0	0	0	0	0	9	9
Banff, with Macduff,	8,334	15	1	13	0	0	0	0	0	0	0	1	0	2	2
Blairgowrie,	4,254	5	2	7	0	0	0	0	0	0	0	0	0	1	1
Callander,	2,158	4	0	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	24	1	17	0	0	0	2	0	0	0	0	0	2	3
Cathcart (Landward),	7,833	22	1	16	0	0	0	0	0	0	0	0	0	5	3
Coatbridge,	40,938	134	22	66	0	1	0	1	0	0	0	1	0	16	5
Crieff,	5,744	6	2	12	0	0	0	0	0	0	0	0	0	5	1
Dumbarton,	20,221	57	5	34	0	0	0	0	0	0	0	1	0	7	3
Dumfries, with Troqueer,	24,870	53	16	43	0	0	0	0	0	0	0	2	0	9	6
Dunfermline,	32,098	79	15	49	0	0	2	0	0	0	0	0	0	5	6
Dunoon,	9,153	13	2	9	0	0	0	0	0	0	0	0	0	1	2
Eastwood (Landward),	15,582	45	9	29	0	0	1	0	1	0	0	1	0	9	4
Elgin,	11,704	36	4	28	0	0	0	0	0	0	0	1	0	8	3
Falkirk,	38,212	110	7	66	0	9	0	2	0	0	0	3	0	16	12
Forfar,	12,784	27	4	28	0	0	0	0	0	0	0	0	0	4	2
Galashiels,	13,554	29	8	22	0	0	0	0	0	0	0	1	0	5	4
Govan—(1) Plantation (Landward),	27,874	92	6	39	0	1	0	2	0	0	0	1	0	11	1
(2) Govan (Landward),	58,806	218	37	167	4	2	3	0	0	3	0	2	0	41	23
(3) Partick (Landward),	57,051	189	29	89	0	0	0	5	0	0	0	5	2	24	11
Haddington,	5,115	6	3	9	0	0	0	0	0	0	0	0	0	1	3
Hawick, with Wilton,	18,260	30	9	26	0	0	0	0	0	0	0	1	0	4	5
Inverness,	27,427	72	13	63	0	0	0	4	0	0	0	0	0	12	9
Kilmarnock, with Riccarton,	37,957	103	18	62	0	0	0	0	0	0	0	4	0	11	5
Kilmore and Kilbride (Oban),	6,376	17	5	8	2	0	0	0	0	0	0	0	0	1	2
Kinning Park (Landward),	13,874	48	14	20	0	0	0	0	0	0	0	0	1	8	4
Kirkcaldy and Abbotshall,	23,716	66	11	30	0	0	0	0	0	0	0	1	1	6	0
Kirkcudbright,	3,289	7	0	6	0	0	0	0	0	0	0	1	0	0	2
Largs, with Skelmorlie,	5,524	6	1	10	0	0	0	0	0	0	0	0	0	2	0
Logie (Bridge of Allan),	4,455	8	3	9	0	0	0	0	0	0	0	0	0	1	2
Moffat,	2,778	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	19	6	35	0	0	0	0	0	0	0	3	0	7	0
Moulin (Pitlochry),	2,217	5	0	3	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,795	14	1	12	0	0	0	0	0	0	0	0	0	3	0
New Monkland (Airdrie),	37,185	139	15	61	0	0	0	3	1	1	0	3	0	15	6
North Berwick,	3,734	7	0	5	0	0	0	0	0	0	0	0	0	0	1
Peterhead, with Boddam,	15,063	45	11	30	0	0	0	5	0	0	0	1	1	7	2
Rothesay,	9,412	22	1	24	0	0	0	0	0	0	0	0	1	7	1
St Andrews and St Leonards,	9,495	14	0	14	0	0	0	0	0	0	0	0	0	2	1
Shettleston (Landward),	23,653	85	7	29	0	1	0	3	1	0	0	0	0	10	1
Stirling,	16,532	35	11	38	0	0	0	1	0	0	0	0	0	11	3
Stranraer,	6,017	24	2	10	0	0	0	0	0	0	0	0	1	2	0
Wick,	11,237	25	1	14	0	0	0	0	0	0	0	0	0	0	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of APRIL 1902.

Mean barometric pressure, 29·923 inches; greater than the average for the same month of 1856–1900 by 0·023 inch.

Barometric monthly range, 1·029 inch; less by 0·183 inch.

Mean temperature, 45°·0; being the average.

Mean daily range of temperature, 14°·4; greater by 0°·5.

Mean humidity, 77; less by 2·9.

Rain, number of days, 13; being the average.

Rain, depth in inches, 1·51; less by 0·66 inch.

Wind, pressure on square foot, 1·82 lb; being the average.

Wind, direction of, E. to W. as 9 to 9, and N. to S. as 5 to 7; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

Hence the month of April 1902 was characterised by a mean barometric pressure slightly above the average, with a low monthly range; an average mean temperature, with a mean daily range half a degree above the average; a low mean humidity; a mean rainfall greatly under the average, but falling on the average number of days; a 2 days' excess of south-easterly winds with an average mean force.

The mean barometric pressure was 29·923 inches, or 0·023 inch above the average. The excess above the average was slightly greater in the east than in the west. The month was unmarked by any great fluctuations of pressure.

The mean temperature was 45°·0, being about the average. The days were 0°·1 above and the nights 0°·3 below their respective averages. Temperature was above the average at Leith, Glasgow, and Paisley, the greatest excess being 1°·0 at Paisley. At the other towns temperature was below the average, the greatest deficiency, 0°·9, being at Aberdeen. During the first ten days of the month the sheltered minimum thermometer frequently fell below freezing on the east coast, and ground frosts were generally reported throughout the country. The absolutely highest temperature, 63°·0, was recorded at Aberdeen on the 25th, and the lowest, 27°·0, at Dundee on the 7th.

The mean rainfall was 1·51 inch, or 30 per cent. below the average. At Aberdeen there was an excess of 30 per cent., but at the other towns the rainfall was deficient. At Glasgow only one-fifth of the average amount was registered, and at Paisley about one-half. At Leith the deficiency was 23 per cent., and at Paisley 54. The rain fell chiefly from the 2nd to the 5th, from the 11th to the 15th, and on the 21st and 22nd. Falls of snow and sleet were generally reported on the 3rd, and during the rainless spell from the 6th to the 10th a good deal of fog occurred on the Clyde.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of April 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables. 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	WINDS. Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·860	29·920	1·000	61·0	32·8	45·6	28·2	14·4	20·3	45·9	42·9	39·5	·244	2·79	79	11	0·35	1	2	16	1	1	2	5	2	0	0·69
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·448	29·931	1·018	58·4	29·9	44·2	28·5	12·3	21·2	43·0	40·0	36·4	·215	2·50	78	15	1·05	1	2	6	3	6	3	5	3	1	1·37
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·748	29·929	1·040	62·2	27·0	44·4	35·2	16·1	27·7	43·3	41·4	39·2	·239	2·75	85	8	1·71	0	4	1	9	0	10	3	3	0	1·71
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	66	29·870	29·920	1·121	63·0	28·0	43·9	35·0	15·4	26·6	43·5	41·0	38·0	·229	2·65	80	14	2·69	2	1	3	3	8	5	4		0	1·74
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·800	29·918	1·005	62·0	29·0	46·0	33·0	16·3	23·0	45·2	41·5	37·3	·223	2·57	74	16	0·87	2	5	2	5	3	4	5	2	2	1·28
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·838	29·922	0·988	61·8	33·9	46·0	27·9	12·8	22·0	45·3	42·0	38·2	·231	2·67	77	13	1·30	1	3	7	2	3	2	8	3	1	1·96
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	..	..	..	57·9	31·2	44·8	26·7	13·3	19·3	44·8	40·3	35·1	·205	2·38	69	14	2·61	0	4	5	3	0	7	5	6	0	4·00
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Means	160	29·761	29·923	1·029	63·0	27·0	45·0	30·6	14·4	22·9	44·4	41·3	37·7	·227	2·62	77	13	1·51	1	3	5	4	3	4	5	4	1	1·82

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 55′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of May 1902 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth the Births of 4320 children, of whom 2235 were males, and 2085 females. Of these, 4040 were legitimate, and 280 illegitimate. The illegitimate births thus constituted 6·5 per cent. of the whole, or one birth in every 15·4 was illegitimate. In Perth, 1·9 per cent. of the births were illegitimate; in Paisley, 2·9; in Greenock, 3·4; in Leith, 4·5; in Glasgow, 6·1; in Edinburgh, 7·2; in Aberdeen, 8·4; and in Dundee, 10·0 per cent.

513 Marriages were registered in these towns during the month, being 65 below the average for May during the last ten years, allowing for increase of population.

The Deaths of 2735 persons were registered in these eight towns during May, of whom 1415 were males, and 1320 females. Allowance being made for increase of population, this number is 106 below the average for the same month during the last decennium.

The mortality for the month gives an annual death-rate of 11·8 per thousand of population in Leith; 17·4 in Edinburgh; 18·0 in Greenock; 18·7 in Aberdeen; 18·8 in Dundee; 20·5 in Perth; 20·7 in Glasgow; and 21·0 in Paisley.

Of the 1361 deaths registered in Glasgow, 242 were of infants under one year of age, and 299 of persons over 60 years; of the 478 in Edinburgh, 76 were of

infants under one year, and 136 of persons over 60 years; of the 259 in Dundee, 65 were of infants under one, and 66 of persons over 60; of the 250 in Aberdeen, 56 were under one, and 79 over 60; of the 145 in Paisley, 23 were under one, and 41 over 60; of the 79 in Leith, 14 were under one, and 26 over 60; of the 105 in Greenock, 25 were under one, and 20 over 60; and of the 58 in Perth, 9 were under one year, and 17 over 60 years.

Of the whole 2735 deaths, 852, or 31·2 per cent., were of children under five years of age. In Leith the deaths of children of this age formed 22·8 per cent. of the total; in Edinburgh, 24·3; in Paisley, 31·7; in Glasgow, 32·0; in Perth, 32·8; in Aberdeen, 34·4; in Dundee, 35·1; and in Greenock, 38·1 per cent.

From the seven principal Epidemic diseases 228 deaths were registered, being 8·3 per cent. of the total mortality. This proportion was exceeded in Greenock, chiefly due to Measles and Scarlet Fever; in Aberdeen, from the prevalence of Hooping-cough; and in Paisley and Perth, from the prevalence of Measles.

One death from Small-pox was recorded in Glasgow. During April 7 deaths were due to this disease, and during March 15, all of which occurred in Glasgow.

Measles caused 63 deaths, or 2·3 per cent. of the total. The heaviest relative mortality from Measles occurred in Paisley and Perth, where 7·6 and 13·8 per cent. of the deaths were respectively due to this cause.

The deaths from Scarlet Fever amounted to 15, and formed 3·8 per cent. of those in Greenock.

From Hooping-cough there resulted 90 deaths, or 3·3 per cent. of the total, and of these 22 occurred in Aberdeen, being 8·8 per cent. of the deaths there.

Diphtheria caused 12 deaths, Fevers 13 (all Enteric), and Diarrhœa and Dysentery 34.

Six deaths resulted from Puerperal Septicæmia and Puerperal Fever.

Carcinoma, Sarcoma, and Cancer caused 133 deaths.

From Alcoholism there resulted 12 deaths; from Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 126; from Diseases of the Heart, 235; and from Premature Birth Debility, 80.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 561, or 20·5 per cent. of the whole. Those returned as due to Pulmonary Tuberculosis and Phthisis amounted together to 262, or 9·6 per cent. Two deaths resulted from Croup.

The deaths of 115 persons were due to Violent Causes, of which 8 were Suicidal (3 by Drowning, 2 each by Hanging and Poisoning, and 1 by Cut-Throat).

Two males and 8 females were aged 90 years and upwards, the eldest of whom was the widow of a tailor aged 100 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	775,601	1090	1005	2095	1967	128	242	700	661	1361
EDINBURGH,	276,652	317,459	322,966	386	376	762	707	55	108	256	222	478
DUNDEE,	154,118	161,173	162,078	212	198	410	369	41	52	128	131	259
ABERDEEN,	124,943	153,503	157,505	212	194	406	372	34	57	126	124	250
PAISLEY,	66,425	79,363	81,150	130	108	238	231	7	15	85	60	145
LEITH,	68,707	77,439	78,605	83	96	179	171	8	13	44	35	79
GREENOCK,	63,423	68,142	68,756	91	85	176	170	6	20	48	57	105
PERTH,	29,919	32,873	33,262	31	23	54	53	1	6	28	30	58
TOTAL,	1,443,380	1,651,661	1,679,923	2235	2085	4320	4040	280	513	1415	1320	2735
MAY 1901,	Mean Temp. 52°·2			2260	2176	4436	4163	273	497	1471	1371	2842
MAY 1900,	Mean Temp. 50°·2			2209	2159	4368	4083	285	472	1418	1218	2636
MAY 1899,	Mean Temp. 47°·2			2459	2327	4786	4467	319	659	1324	1264	2588
MAY 1898,	Mean Temp. 48°·6			2296	2223	4519	4214	305	569	1405	1429	2834
MAY 1897,	Mean Temp. 48°·2			2152	2035	4187	3887	300	639	1415	1398	2813
MAY 1896,	Mean Temp. 54°·4			2105	2002	4107	3836	271	502	1222	1151	2373
MAY 1895,	Mean Temp. 52°·7			2192	2068	4260	3928	332	439	1347	1266	2613
MAY 1894,	Mean Temp. 47°·0			2055	1971	4026	3726	300	498	1235	1174	2409
MAY 1893,	Mean Temp. 53°·3			2221	2235	4456	4124	332	567	1378	1313	2691
MAY 1892,	Mean Temp. 50°·6			2160	2020	4180	3875	305	546	1346	1350	2696

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of MAY 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	1	3	2	3	2	4	4
Camlachie,	0	4	0	4	0	0	0
Dennistoun,	0	2	1	2	0	0	3
Calton,	0	0	0	1	0	0	1
Blackfriars,	0	0	0	2	0	0	0
St Rollox,	0	0	0	0	0	0	2
Blythswood,	0	0	0	3	0	0	0
Milton,	0	1	0	0	0	0	0
Kelvin,	0	1	0	4	1	0	1
Anderston,	0	1	0	7	1	0	2
Hutchesontown,	0	1	1	5	0	0	1
Gorbals,	0	0	0	1	0	0	1
Tradeston,	0	1	0	2	0	0	1
Kinning Park,	0	1	0	2	0	0	0
Cathcart,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	1	3	7	3	3	0
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	0	0	0	0
Partick,	0	0	0	0	0	0	0
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	6	0	2	1	0	2
St Andrew,	0	1	0	0	0	0	0
Canongate,	0	5	2	5	1	0	2
St Giles,	0	1	0	1	0	0	0
Newington,	0	1	0	3	1	1	1
Portobello,	0	2	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	1	1	2	1	0	0
St Mary,	0	1	0	1	0	0	1
St Clement,	0	2	0	0	0	0	2
St Andrew,	0	1	0	1	0	1	2
Lochee,	0	4	0	1	0	0	0
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	0	0	11	1	0	2
St Machar,	0	0	0	10	0	0	1
Woodside,	0	0	0	0	0	0	0
Old Aberdeen,	0	0	0	1	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	0	0	1	0
PAISLEY,	0	11	0	2	0	2	1
LEITH—							
North,	0	0	0	2	0	0	0
South,	0	0	0	1	0	0	0
GREENOCK—							
East,	0	0	0	0	0	0	1
West,	0	3	4	1	0	1	1
PERTH,	0	8	1	3	0	0	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2735	436	119	507	299	1361	116	27	199	136	478	91	17	85	66	259	86	18	67	79	250
A. GENERAL DISEASES -	991	184	67	171	36	458	70	13	87	23	193	54	12	37	13	116	43	10	22	13	88
B. LOCAL DISEASES:—																					
1. Dis. of Nervous System	191	63	14	20	8	105	8	-	6	6	20	7	4	3	5	19	11	1	5	1	18
2. ,, Organs of Special Sense - -	5	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1	-	-	-	-	-
3. ,, Heart - - -	235	3	4	44	52	103	2	1	27	15	45	-	-	11	8	19	1	1	8	14	24
4. ,, Blood Vessels -	148	-	1	30	33	64	-	-	10	21	31	-	-	5	11	16	-	-	6	6	12
5. ,, Respiratory System	561	90	8	137	82	317	14	4	30	35	83	16	1	13	17	47	14	3	12	18	47
6. ,, Digestive System -	158	24	9	26	12	71	11	5	12	6	34	4	-	2	2	8	9	2	5	1	17
7. ,, Lymphatic and Ductless Glands	7	1	-	3	1	5	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
8. ,, Urinary System -	78	-	3	19	6	28	1	1	8	8	18	-	-	4	3	7	-	-	6	6	12
9. ,, Generative System	10	-	-	4	-	4	-	-	1	1	2	-	-	1	-	1	-	-	-	1	1
10. ,, Pregnancy and Childbirth -	12	-	-	8	-	8	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
11. ,, Locomotor System	4	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
12. ,, The Skin - -	5	1	-	1	2	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	214	58	3	12	60	133	4	-	1	12	17	5	-	-	6	11	5	1	-	18	24
E. VIOLENT DEATHS -	115	12	9	31	7	59	4	3	14	7	28	3	-	6	1	10	3	-	3	-	6
A. GENERAL DISEASES.																					
Small-pox — Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox — Not Vaccinated	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox — No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	63	15	1	-	-	16	14	2	-	-	16	9	-	-	-	9	-	-	-	-	-
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	15	5	2	-	-	7	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	19	-	1	2	4	7	-	-	1	4	5	-	-	1	1	2	-	-	1	1	2
Hooping-cough - - -	90	37	6	-	-	43	11	-	-	-	11	5	-	-	-	5	21	1	-	-	22
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	12	4	3	-	-	7	1	1	1	-	3	1	-	-	-	1	-	1	-	-	1
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	13	-	3	4	-	7	1	-	-	-	1	-	1	-	-	1	-	-	1	-	1
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	33	10	1	2	2	15	4	-	-	1	5	5	-	-	-	5	3	-	-	-	3
Dysentery - - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of MAY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	46	12	46	41	145	18	11	24	26	79	40	13	32	20	105	19	3	19	17	58
A. GENERAL DISEASES - –	21	7	15	4	47	7	4	11	6	28	16	7	12	2	37	12	1	5	6	24
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	10	4	1	–	15	1	1	–	1	3	7	2	–	–	9	1	1	–	–	2
2. ,, ORGANS OF SPECIAL SENSE – –	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	–	9	7	16	1	–	1	7	9	–	–	5	6	11	–	–	4	4	8
4. ,, BLOOD VESSELS –	–	–	2	7	9	–	–	2	2	4	–	–	3	4	7	–	–	1	4	5
5. ,, RESPIRATORY SYSTEM	8	–	7	12	27	3	3	4	5	15	9	2	5	2	18	2	1	3	1	7
6. ,, DIGESTIVE SYSTEM –	2	1	7	–	10	2	1	3	–	6	4	–	4	1	9	1	–	2	–	3
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	1	–	4	1	6	–	–	1	2	3	–	–	1	–	1	1	–	2	–	3
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	3	–	–	9	12	2	–	–	2	4	4	1	–	4	9	2	–	–	2	4
E. VIOLENT DEATHS – –	–	–	1	1	2	2	1	2	–	5	–	1	1	1	3	–	–	2	–	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	10	1	–	–	11	–	–	–	–	–	2	1	–	–	3	8	–	–	–	8
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	–	–	–	–	–	–	–	–	–	–	3	1	–	–	4	1	–	–	–	1
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hooping-cough – – – –	2	–	–	–	2	3	–	–	–	3	1	–	–	–	1	2	1	–	–	3
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	–	2	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	–	–	–	1	1	–	–	–	–	–	2	–	–	–	2	–	–	1	1	2
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Syphilis	5	3	-	1	-	4	-	-	-	-		1	-	-	-	1	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Septicæmia, Sapræmia	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Erysipelas	10	1	-	3	3	7	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Septicæmia (not Puerperal)	6	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Pyæmia (not Puerperal)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Phagedæna	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Infective Endocarditis	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	34	3	5	6	1	15	1	-	3	-	4	1	1	4	-	6	3	2	1	1	7
Phthisis Pulmonalis (not otherwise defined)	228	7	18	91	2	118	-	2	45	2	49	1	2	19	3	25	-	4	8	-	12
Tubercular Meningitis	50	19	12	-	-	31	5	3	1	-	9	4	-	-	-	4	3	-	-	-	3
Tubercular Peritonitis	30	10	3	4	-	17	2	1	-	-	3	-	3	-	-	3	2	1	1	-	4
Tabes Mesenterica	18	8	-	-	-	8	2	-	1	-	3	2	1	-	-	3	2	-	-	-	2
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	8	2	1	2	-	5	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	27	5	7	2	-	14	4	-	-	-	4	1	3	-	1	5	-	1	-	-	1
Scrofula	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	3	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	12	-	-	5	-	5	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																					
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Phthisis Pulmonalis (not otherwise defined)	-	3	4	-	7	-	1	7	1	9	-	2	4	-	6	-	-	2	-	2
Tubercular Meningitis	-	1	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Tubercular Peritonitis	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																				
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Tota .
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	12	–	2	5	–	7	–	1	1	–	2	–	–	–	–	–	–	–	1	–	1
Rheumatism of Heart	3	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	1	–	–	–	1	1	–	–	–	–	–		–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	5	–	–	–	1	1	–	–	–	1	1	–	–	1	–	1	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	49	–	–	11	9	20	–	–	9	2	11	–	–	4	1	5	–	–	1	4	5
Sarcoma	8	–	–	1	1	2	–	–	2	1	3	–	–	–	–	–	–	–	1	1	2
Cancer, Malignant Disease (not otherwise defined)	76	–	–	19	9	28	–	–	15	11	26	–	–	4	6	10	–	–	–	2	2
Rickets	3	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	1	1	–	–	–	1	–		–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	11	1	–	4	1	6	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Diabetes Mellitus	11	–	–	3	1	4	–	1	1	1	3	–	–	–	–	–	–	–	1	–	1
Premature Birth	80	34	–	–	–	34	17	–	–	–	17	16	–	–	–	16	6	–	–	–	6
Congenital Defects	7	3	–	–	–	3	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	7	1	–	–	–	1	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	18	10	–	–	–	10	–	–	–	–	–	3	–	–	–	3	1	–	–	–	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	81	30	11	6	–	47	5	–	–	–	5	4	3	1	–	8	6	1	–	–	7
Softening of Brain	7	–	–	–	1	1	–	–	–	–	–	–	–	–	4	4	–	–	–	1	1
General Paralysis of Insane	4	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
Insanity (not Puerperal)	4	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	2	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	1	1	2	–	–	1	2	3	–	1	1	–	2	–	–	–	–	–
Convulsions	48	28	1	–	–	29	3	–	–	–	3	3	–	–	–	3	4	–	–	–	4
Laryngismus Stridulus	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	2	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Paraplegia, and Dis. of Cord	12	–	2	5	3	10	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
Neuritis, Peripheral, Poly-Neuritis	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Brain Tumour (not Specific)	3	1	–	1		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Nervous System	19	3	–	4	2	9	–	–	2	2	4	–	–	1	–	1	1	–	–	–	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	4	–	–	–	–	–	1	–	–	1	2	1	–	–	–	1	–	–	–	–	–
Epistaxis and Disease of Nose	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	66	–	2	18	11	31	–	–	10	5	15	–	–	2	–	2	–	1	1	4	6
Pericarditis	3	–	1	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Dilatation of Heart	4	–	–	1	1	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	11	–	–	1	5	6	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–
Syncope, Heart Disease (not Specified)	148	3	1	24	33	61	2	–	13	9	24	–	–	8	8	16	1	–	6	10	17

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatism of Heart	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	2	–	2	–	–	3	1	4	–	–	1	–	1	–	–	–	1	1
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	3	1	4	–	–	1	2	3	–	–	1	–	1	–	–	–	2	2
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	1	–	1
Diabetes Mellitus	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Premature Birth	2	–	–	–	2	3	–	–	–	3	2	–	–	–	2	–	–	–	–	–
Congenital Defects	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	1	–	–	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	3	–	–	–	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	5	3	–	–	8	–	1	–	–	1	1	2	–	–	3	1	1	–	–	2
Softening of Brain	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	–	–	–	4	1	–	–	–	1	4	–	–	–	4	–	–	–	–	–
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Nervous System	1	1	1	–	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	2	1	3	–	–	1	3	4	–	–	2	1	3	–	–	2	–	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	–	–	6	6	12	1	–	–	4	5	–	–	3	4	7	–	–	2	4	6

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	62	–	–	12	16	28	–	–	2	10	12	–	–	2	7	9	–	–	3	3	6
Apoplexy, Hemiplegia –	64	–	1	12	13	26	–	–	6	8	14	–	–	2	2	4	–	–	2	2	4
Aneurism – – – –	9	–	–	4	2	6	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Senile Gangrene – – –	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) – – –	4	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Phlebitis – – – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	7	–	–	1	1	2	–	–	1	1	2	–	–	–	2	2	–	–	–	1	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	5	2	–	2	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	2	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Larynx –	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis – – – –	207	28	1	43	44	116	4	–	5	17	26	5	–	6	8	19	7	–	6	7	20
Lobar, Croupous, Pneumonia	40	2	–	15	4	21	1	–	6	2	9	–	–	1	1	2	–	2	1	3	6
Catarrhal, Lobular, Broncho-Pneumonia – – –	77	29	2	6	–	37	6	2	2	3	13	7	–	1	2	10	5	–	–	–	5
Pneumonia (not otherwise defined) – – – –	176	19	5	57	27	108	3	2	11	9	25	3	1	5	4	13	1	1	3	2	7
Emphysema, Asthma – –	9	–	–	2	2	4	–	–	1	1	2	–	–	–	1	1	–	–	–	1	1
Pleurisy – – – –	12	–	–	5	–	5	–	–	3	1	4	–	–	–	–	–	–	–	–	1	1
Fibroid Disease of Lung –	5	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	3	4
Other Dis. of Respiratory Syst.	27	8	–	7	5	20	–	–	1	2	3	–	–	–	1	1	1	–	1	–	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Diseases of Mouth or Pharynx (not Specific) – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Gastric Ulcer – – –	9	–	–	2	–	2	–	–	3	–	3	–	–	2	–	2	–	–	–	–	–
Gastric Catarrh – – –	19	2	–	3	4	9	2	–	2	–	4	–	–	–	1	1	2	–	–	–	2
Other Diseases of Stomach (not Malignant) – –	6	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic) –	16	5	1	2	2	10	2	–	–	–	2	1	–	–	–	1	2	–	–	–	2
Gastro-enteritis – – –	25	8	1	1	–	10	4	–	–	–	4	2	–	–	–	2	4	–	–	–	4
Appendicitis, Perityphlitis –	13	–	3	2	–	5	–	3	2	–	5	–	–	–	–	–	–	2	–	–	2
Hernia – – – –	8	–	–	2	–	2	–	–	1	3	4	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction – –	17	5	–	2	1	8	1	–	–	1	2	1	–	–	–	1	–	–	1	1	2
Other Diseases of Intestines –	5	–	–	2	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal) –	12	2	2	2	–	6	–	2	–	1	3	–	–	–	–	–	–	–	1	–	1
Cirrhosis of Liver – –	6	–	1	2	–	3	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
Other Diseases of Liver and Gall Bladder – – –	16	1	–	4	3	8	1	–	1	1	3	–	–	–	1	1	1	–	–	–	1
Other Dis. of Digestive System	3	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	3	1	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body –	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Supra Renal Capsules	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	22	–	3	6	–	9	1	1	2	3	7	–	–	2	1	3	–	–	1	–	1
Chronic Bright's Disease, Albuminuria – – –	38	–	–	12	3	15	–	–	6	2	8	–	–	1	1	2	–	–	4	3	7
Calculus (not Biliary) – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Bladder and of Prostate	13	–	–	1	3	4	–	–	–	1	1	–	–	–	1	1	–	–	1	3	4
Other Dis. of Urinary System	5	–	–	–	–	–	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of May 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
3. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	1	2	3	–	–	1	1	2	–	–	–	1	1	–	–	–	1	1
Apoplexy, Hemiplegia	–	–	1	4	5	–	–	1	1	2	–	–	3	3	6	–	–	–	3	3
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	–	5	6	16	–	–	–	2	2	4	1	2	1	8	–	–	–	–	–
Lobar, Croupous, Pneumonia	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	1	–	1	2	4	2	–	1	–	3	2	–	–	1	3	2	–	–	–	2
Pneumonia (not otherwise defined)	2	–	–	2	4	1	3	3	3	10	3	1	1	–	5	–	–	3	1	4
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Pleurisy	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	–	–	1	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
Enteritis (not Epidemic)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastro-enteritis	–	–	1	–	1	–	1	–	–	1	2	–	1	–	3	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Hernia	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	2	–	2
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Chronic Bright's Disease, Albuminuria	–	–	1	1	2	–	–	1	1	2	–	–	–	–	–	1	–	1	–	2
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	2	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Urinary System	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	2	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary –	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Dis. of Uterus and Vagina	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Generative and Mammary Organs – –	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage – –	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Puerperal Mania – – –	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions – –	3	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding –	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth – –		–	–	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis – – –	3	–	1	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Locom. System	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore – – –	3	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin –	2	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases –	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility – –	71	45	1	1	–	47	4	–	–	–	4	5	–	–	–	5	4	–	–	–	4
Old Age – – – –	107	–	–	–	55	55	–	–	–	12	12	–	–	–	6	6	–	–	–	17	17
Dropsy, Ascites, Anasarca –	4	–	1	1	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour – – – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess – – – –	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage – – –	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	6	2	–	2	2	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other ill-defined causes –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified – –	22	9	1	6	1	17	–	–	1	–	1	–	–	–	–	–	1	1	–	1	3
E. VIOLENT DEATHS.																					
In Mines and Quarries – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses – –	3	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations – –	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Machinery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements –	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds – – –	17	5	–	6	1	12	1	2	–	–	3	–	–	–	–	–	2	–	–	–	2
Poisons, Poisonous Vapours –	9	–	–	3	1	4	–	–	2	2	4	–	–	–	–	–	–	–	–	–	–
Drowning – – – –	10	1	1	5	–	7	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1
Suffocation { From Overlaying	6	2	–	–	–	2	–	–	–	–	–	3	–	–	–	3	1	–	–	–	1
Suffocation { Otherwise –	6	–	–	1	–	1	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Falls – – – – –	9	–	1	1	2	4	–	–	1	3	4	–	–	–	–	–	–	–	–	–	–
Weather Agencies – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated –	45	4	5	14	3	26	–	–	7	1	8	–	–	2	1	3	–	–	1	–	1
Homicide – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide – – – –	8	–	–	1	–	1	–	1	1	1	3	–	–	3	–	3	–	–	1	–	1
Execution – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	3	–	–	–	3	2	–	–	–	2	4	–	–	–	4	2	–	–	–	2
Old Age	–	–	–	9	9	–	–	–	2	2	–	–	–	4	4	–	–	–	2	2
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	–	–	–	–	1	2	–	3	–	1	1	1	3	–	–	1	–	1
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—MAY 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	47	5	40	0	0	0	1	0	0	0	2	0	8	4
Ayr,	30,859	68	5	52	0	0	0	0	0	0	0	1	0	14	8
Banff, with Macduff,	8,384	25	0	12	0	0	0	0	1	0	0	2	0	3	1
Blairgowrie,	4,254	10	1	5	0	0	0	0	0	0	0	0	0	1	1
Callander,	2,158	2	0	2	0	0	0	0	0	0	0	1	0	0	0
Campbeltown,	10,233	35	0	14	0	0	0	2	0	0	0	0	1	3	1
Cathcart (Landward),	7,833	14	0	10	0	1	0	0	0	0	0	0	0	2	0
Coatbridge,	40,938	136	11	72	0	2	0		0	0	0	3	0	13	4
Crieff,	5,744	17	0	9	0	0	0	0	0	0	0	0	1	1	2
Dumbarton,	20,221	73	1	38	0	0	2	0	0	0	0	2	1	7	2
Dumfries, with Troqueer,	24,870	79		45	0	1	1	0	0	1	0	1	0	7	6
Dunfermline,	32,098	66	2	44	0	0	0	1	0	0	0	0	0	7	5
Dunoon,	9,153	13	2	16	0	0	0	0	0	0	0	1	0	1	1
Eastwood (Landward),	15,582	52	2	27	0	0	0	0	0	1	0	0	0	5	6
Elgin,	11,704	29	4	15	0	0	0	0	0	0	0	0	0	2	4
Falkirk,	38,212	123	4	81	0	2	0	6	0	0	0	1	0	23	7
Forfar,	12,784	29	2	20	0	0	0	0	2	0	0	0	0	0	4
Galashiels,	13,554	33	3	18	0	0	0	0	0	1	0	0	0	1	6
Govan—(1) Plantation (Landward),	27,874	84	3	44	0	0	0	1	0	0	0	1	0	14	3
(2) Govan (Landward),	58,806	195	10	126	2	1	1	0	0	1	0	4	0	24	19
(3) Partick (Landward),	57,054	155	16	68	0	2	0	1	0	0	0	3	0	17	5
Haddington,	5,115	12	1	13	0	0	0	0	1	0	0	1	0	0	2
Hawick, with Wilton,	18,260	32	0	21	0	0	0	0	0	1	0	0	1	1	6
Inverness,	27,427	52	6	56	0	0	0	0	0	0	0	0	0	10	14
Kilmarnock, with Riccarton,	37,957	89	6	53	0	0	0	0	0	1	0	1	0	6	9
Kilmore and Kilbride (Oban),	6,376	12	1	10	0	0	0	0	0	1	0	0	0	1	1
Kinning Park (Landward),	13,874	44	10	21	0	0	0	1	0	0	0	1	0	8	0
Kirkcaldy and Abbotshall,	23,716	58	4	30	0	0	0	0	0	1	0	0	0	5	3
Kirkcudbright,	3,289	6	0	6	0	0	0	0	0	0	0	1	0	1	0
Largs, with Skelmorlie,	5,524	3	2	6	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,455	10	0	8	0	0	0	0	0	0	0	[illegible]	0	1	1
Moffat,	2,778	9	0	3	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	25	3	33	0	0	0	0	0	0	0	1	0	7	3
Moulin (Pitlochry),	2,217	5	1	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	6	0	11	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,185	112	6	51	0	1	0	3	0	0	0	2	1	14	3
North Berwick,	3,734	7	1	5	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	15,063	44	4	37	0	0	0	2	1	1	0	1	0	9	4
Rothesay,	9,412	24	3	25	0	0	0	1	0	0	0	0	0	3	2
St Andrews and St Leonards,	9,495	16	0	19	0	0	0	1	0	0	0	0	0	2	1
Shettleston (Landward),	23,653	71	2	32	0	0	0	0	0	2	0	0	0	7	5
Stirling,	16,532	39	6	33	0	0	1	0	0	0	0	0	0	8	5
Stranraer,	6,017	7	3	6	0	2	0	0	0	0	0	0	0	0	1
Wick,	11,237	20	3	19	0	0	0	0	0	0	0	0	0	3	3

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of MAY 1902.

Mean barometric pressure, 29·947 inches; being equal to the average for the same month of 1856–1900.

Barometric monthly range, 1·205 inch; greater by 0·107 inch.

Mean temperature, 46·7; less by 3·1.

Mean daily range of temperature, 13°·7; less by 1°·2.

Mean humidity, 77 per cent.; being the average.

Rain, number of days, 20; greater by 6 days.

Rain, depth in inches, 2·34; greater by 0·17 inch.

Wind, pressure on square foot, 2·44 lbs.; greater by 0·89 lb.

Wind, direction of, E. to W. as 6 to 12, and N. to S. as 9 to 4; the average being E. to W. as 10 to 9, and N. to S. as 5 to 6.

Hence the month of May 1902 was characterised by an average mean barometric pressure, with a slightly high monthly range; an exceedingly low mean temperature, with a rather low mean daily range; an average mean humidity; a mean rainfall slightly above the average, and falling on an unusually large number of days; a 6 days' excess of winds from between N.W. and N.E., with a high mean force.

The mean barometric pressure was 29·947 inches, or exactly the average. It was above the average in the west and south-west, and below the average in the north-east. The periods of highest pressure were from the 3rd to the 8th, from the 19th to the 21st, and from the 29th to the 31st. Pressure was lowest on the morning of the 17th.

The mean temperature was 46°·7, or 3°·1 below the average. The only mean temperatures for May lower than this during the last 46 years are 45°·8 in 1869 and 46°·6 in 1885. The days were 3°·7 and the nights 2°·4 below their respective means. Temperature was everywhere considerably below the average, by more than 4 degrees in the Border district, the south, and at Fort-William. The defect was less than 3 degrees at Paisley and Aberdeen, and at Leith only 1°·9. The cold was relatively most intense on the Borders, in the Nith Valley, and along the Caledonian Canal. During the fourth week some very high temperatures were registered in the east; especially in Aberdeenshire. At Aberdeen on the 23rd the maximum thermometer rose to 78°·0. The absolutely lowest temperature recorded at any of the principal towns was 31°·5 at Paisley on the 10th.

The mean rainfall was 2·34 inches, or 8 per cent. above the average. At Paisley the amount registered was just equal to the average; but at Glasgow there was a deficiency of 43 per cent., and at Greenock of 17. The rainfall was defective in the south-west. In Aberdeenshire there was a very heavy excess, amounting at Aberdeen to 89 per cent. At Dundee there was an excess of 12, and at Leith of 23 per cent. Some very heavy falls occurred on the east coast on the 31st, when an easterly gale blew.

Early in the month snow fell in Aberdeenshire, Perthshire, and the Border districts, and again, in the north, on the 13th and 14th. Hail fell at Leith on the 6th, 7th, 12th, and 19th. The weather of the month was, except for three or four days in the fourth week, of an exceptionally trying sort.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH, During the Month of MAY 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·900	29·960	1·180	61·8	32·2	47·4	29·6	14·5	25·0	47·4	43·6	39·4	·241	2·78	75	15	1·29	4	0	10	0	1	2	6	7	1	0·55
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·470	29·954	1·218	63·1	32·9	45·2	30·2	11·4	19·8	44·4	41·2	37·5	·224	2·60	76	23	2·11	5	2	2	2	2	3	9	5	1	1·59
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·757	29·939	1·270	73·5	32·2	46·1	41·3	14·6	26·0	45·9	42·9	39·5	·244	2·61	79	17	2·10	4	10	1	5	0	4	4	3	0	4·00
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	66	29·875	29·924	1·155	78·0	33·5	46·3	44·5	13·8	36·0	45·6	43·4	40·7	·257	2·92	85	23	3·89	5	5	0	2	2	3	4	10	0	2·62
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·841	29·959	1·166	66·5	31·5	47·9	34·0	16·2	26·9	47·8	43·8	39·4	·242	2·78	73	21	2·17	7	3	1	0	1	5	7	6	1	1·28
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·864	29·948	1·240	65·8	35·9	47·6	29·9	12·1	19·1	46·9	43·3	39·3	·240	2·62	75	21	2·28	5	3	4	2	0	1	11	4	1	2·79
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	..	..	..	60·2	33·9	46·1	26·3	13·6	24·6	45·9	42·0	37·5	·226	2·61	73	21	2·72	1	3	2	2	0	2	12	9	0	4·28
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Means	160	29·784	29·947	1·205	78·0	31·5	46·7	33·7	13·7	25·3	46·3	42·9	39·0	·239	2·70	77	20	2·37	4	4	3	2	1	3	7	6	1	2·44

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 55′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of June 1902 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth the Births of 4219 children, of whom 2174 were males, and 2045 females. Of these, 3946 were legitimate, and 273 illegitimate. The illegitimate births thus constituted 6·5 per cent. of the whole, or one birth in every 15·5 was of this nature. In Greenock, 1·6 per cent. of the births were illegitimate; in Perth, 2·7; in Paisley, 3·9; in Leith, 5·1; in Glasgow, 6·0; in Aberdeen, 8·1; in Edinburgh, 8·2; and in Dundee, 9·9 per cent.

During June 2335 Marriages were registered in these eight towns, being 180 above the average for the month during the last ten years, allowing for increase of population.

The Deaths of 2544 persons were registered in these towns during the month, of whom 1329 were males, and 1215 females. After allowance is made for the increase of population, this number is found to be 26 below the average for June during the last ten years.

The mortality for the month is equivalent to an annual death-rate of 13·3 per thousand persons in Leith; 15·9 in Aberdeen; 17·4 in Edinburgh; 17·6 in Dundee; 19·4 in Perth; 19·5 in Glasgow; 20·0 in Greenock; and 22·0 in Paisley.

Of the 1241 deaths registered in Glasgow, 234 were of infants under one year of

age, and 270 of persons over 60 years; of the 463 in Edinburgh, 79 were of infants under one year, and 118 of persons over 60 years; of the 235 in Dundee, 59 were of infants under one, and 61 of persons over 60; of the 206 in Aberdeen, 43 were under one, and 61 over 60; of the 147 in Paisley, 21 were under one, and 40 over 60; of the 86 in Leith, 13 were under one, and 28 over 60; of the 113 in Greenock, 20 were under one, and 34 over 60; and of the 53 in Perth, 6 were under one year, and 16 over 60 years.

Of the whole 2544 deaths, 832, or 32·7 per cent., were of children under five years of age. In Leith the deaths of children of this age formed 25·6 per cent. of the total; in Perth, 26·4; in Aberdeen, 29·1; in Edinburgh and in Greenock, 29·2; in Glasgow, 34·4; in Paisley, 36·7; and in Dundee, 37·0 per cent.

From the seven principal Epidemic diseases 223 deaths were registered, forming 8·8 per cent. of the total mortality. This rate was exceeded in Edinburgh and Paisley, from the prevalence of Measles, and in a less degree from Hooping-cough; in Dundee, where Diarrhœa was the most fatal of these diseases; and in Perth, from the prevalence of Measles and Hooping-cough.

Measles caused 78 deaths, or 3·1 per cent. of the whole mortality. In Edinburgh the percentage of deaths from this cause was 4·3; in Perth, 7·5; and in Paisley, 10·2.

From Hooping-cough there resulted 67 deaths, being 2·6 per cent. of the total. To this disease were due 2·6 per cent. of the deaths in Edinburgh; 2·8 per cent. of those in Glasgow; 4·8 per cent. of those in Paisley; and 7·5 per cent. of those in Perth.

Scarlet Fever caused 18 deaths, Diphtheria 14, and Fevers 10 (all Enteric).

Diarrhœa caused 36 deaths in all, and constituted 4·7 per cent. of those in Dundee.

Eleven deaths resulted from Puerperal Septicæmia and Puerperal Fever.

Carcinoma, Sarcoma, and Cancer or Malignant Disease caused 133 deaths.

Alcoholism accounted for 9 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia for 138; Diseases of the Heart for 189; and Premature Birth Debility for 77.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 456, representing 17·9 per cent. of the total mortality. Those returned as due to Pulmonary Tuberculosis and Phthisis amounted together to 260, or 10·2 per cent. of the whole. Four deaths were caused by Croup.

The deaths of 117 persons were due to Violent Causes, of which 12 were Suicidal (3 each by Cut-Throat and Hanging, 2 by Drowning, and 1 each by Precipitation, Poisoning, Cutting an Artery, and Wounding of Chest).

One male and 5 females were aged 90 years and upwards, the oldest of whom was the widow of a farmer who was aged 102 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JUNE 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	775,601	1091	1031	2122	1995	127	1149	676	565	1241
EDINBURGH,	276,652	317,459	322,966	351	311	662	608	54	480	244	219	463
DUNDEE,	154,118	161,173	162,078	183	201	384	346	38	170	112	123	235
ABERDEEN,	124,943	153,503	157,505	193	192	335	354	31	229	99	107	206
PAISLEY,	66,425	79,363	81,150	114	93	207	199	8	71	72	75	147
LEITH,	68,707	77,439	78,605	100	95	195	185	10	91	39	47	86
GREENOCK,	63,423	68,142	68,756	105	86	191	188	3	100	62	51	113
PERTH,	29,919	32,873	33,262	37	36	73	71	2	45	25	28	53
TOTAL,	1,443,380	1,651,661	1,679,923	2174	2045	4219	3946	273	2335	1329	1215	2544
JUNE 1901,			Mean Temp. 55°·4	2085	2098	4183	3895	288	2015	1222	1144	2366
JUNE 1900,			Mean Temp. 56°·7	2236	2126	4362	4061	301	2225	1237	1134	2371
JUNE 1899,			Mean Temp. 58°·6	2150	2152	4302	4015	287	2235	1225	1152	2377
JUNE 1898,			Mean Temp. 55°·7	2179	2178	4357	4071	286	2261	1338	1347	2685
JUNE 1897,			Mean Temp. 54°·8	2213	2198	4411	4135	276	2224	1329	1202	2531
JUNE 1896,			Mean Temp. 57°·2	2179	2193	4732	4033	339	2089	1219	1183	2402
JUNE 1895,			Mean Temp. 56°·7	2054	1903	3957	3657	300	1847	1157	1069	2226
JUNE 1894,			Mean Temp. 54°·8	1935	1911	3846	3585	261	1747	1078	1087	2165
JUNE 1893,			Mean Temp. 58°·4	2103	2004	4107	3802	305	1663	1349	1214	2563
JUNE 1892,			Mean Temp. 54°·0	2121	2062	4183	3842	341	1796	1141	1143	2284

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of JUNE 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	0	4	5	2	1	3	0
Camlachie,	0	9	0	7	0	0	3
Dennistoun,	0	6	0	2	0	0	0
Calton,	0	2	0	2	0	0	1
Blackfriars,	0	0	0	5	0	0	0
St Rollox,	0	2	0	2	0	0	2
Blythswood,	0	0	0	2	0	0	0
Milton,	0	0	0	0	0	0	2
Kelvin,	0	0	1	0	0	0	2
Anderston,	0	2	0	5	1	0	0
Hutchesontown,	0	2	0	2	0	0	1
Gorbals,	0	1	0	1	0	0	1
Tradeston,	0	0	0	0	0	0	0
Kinning Park,	0	0	0	0	0	0	1
Cathcart,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	0	3	4	2	1	0
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	1	0	0	0	0
Partick,	0	0	0	1	0	0	0
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	6	0	5	2	1	1
St Andrew,	0	4	0	3	0	0	1
Canongate,	0	7	3	2	2	1	0
St Giles,	0	0	0	1	0	1	1
Newington,	0	0	0	1	0	0	1
Portobello,	0	3	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	0	0	1	0	1	0
St Mary,	0	0	1	2	1	0	1
St Clement,	0	4	0	1	1	0	0
St Andrew,	0	0	1	0	0	0	9
Lochee,	0	2	0	0	0	0	1
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	0	0	3	3	0	2
St Machar,	0	0	0	2	0	0	2
Woodside,	0	0	0	0	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	0	0	0	0
PAISLEY,	0	15	1	7	0	0	1
LEITH—							
North,	0	1	0	0	0	0	0
South,	0	1	0	0	0	0	1
GREENOCK—							
East,	0	1	1	0	0	0	1
West,	0	2	1	0	0	2	0
PERTH,	0	4	0	4	1	0	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2544	427	101	443	270	1241	135	38	172	118	463	87	16	71	61	235	60	17	68	61	206
A. GENERAL DISEASES -	971	185	51	168	48	452	72	19	68	22	181	42	10	30	18	100	25	12	34	10	81
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	156	65	11	10	3	89	13	1	5	4	23	4	–	3	2	9	9	–	2	1	12
2. ,, Organs of Special Sense - -	4	–	1	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
3. ,, Heart - - -	189	1	8	36	30	75	–	2	18	14	34	1	–	8	8	17	–	1	10	14	25
4. ,, Blood Vessels -	153	1	1	26	41	69	3	–	9	19	31	–	–	5	7	12	1	1	2	12	16
5. ,, Respiratory System	456	88	15	87	66	256	16	4	22	21	63	23	2	15	12	52	10	–	7	6	23
6. ,, Digestive System -	177	33	5	31	19	88	13	4	18	8	43	4	–	5	2	11	4	2	3	7	16
7. ,, Lymphatic and Ductless Glands	5	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
8. ,, Urinary System -	81	2	–	31	10	43	–	3	10	4	17	–	–	2	3	5	–	–	2	1	3
9. ,, Generative System	8	1	–	4	1	6	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
10. ,, Pregnancy and Childbirth -	8	–	–	3	–	3	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
11. ,, Locomotor System	12	3	2	–	2	7	1	–	2	–	3	–	2	–	–	2	–	–	–	–	–
12. ,, The Skin - -	4	–	–	1	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DIS.	203	41	3	14	43	101	9	–	3	17	29	7	1	–	8	16	9	–	–	8	17
E. VIOLENT DEATHS -	117	7	4	31	7	49	7	5	13	8	33	5	–	3	1	9	2	1	6	2	11
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox - - -	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - - -	78	27	–	1	–	28	19	1	–	–	20	6	–	–	–	6	–	–	–	–	–
Epidemic Rose Rash - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - - -	18	6	4	–	–	10	2	1	–	–	3	1	1	–	–	2	–	–	–	–	–
Typhus - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza - - - -	20	–	–	3	3	6	–	1	2	2	5	–	–	–	–	–	–	1	1	2	4
Hooping-cough - - -	67	34	1	–	–	35	9	3	–	–	12	4	–	–	–	4	5	–	–	–	5
Mumps - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup	14	3	1	–	–	4	2	2	–	–	4	2	–	–	–	2	2	1	–	–	3
Cerebro-spinal Fever - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - - -	10	–	1	3	–	4	–	1	2	–	3	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa	35	8	–	1	3	12	2	–	–	2	4	8	2	1	–	11	3	–	–	1	4
Dysentery - - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of JUNE 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	54	6	47	40	147	22	6	30	28	86	33	17	29	34	113	14	4	19	16	53
A. GENERAL DISEASES – –	36	3	22	3	64	14	5	11	5	35	11	12	10	4	37	9	3	7	2	21
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	1	–	2	3	6	2	–	3	2	7	4	1	1	1	7	2	–	1	–	3
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
3. ,, HEART – – –	–	1	8	6	15	–	–	2	8	10	–	–	3	3	6	–	–	2	5	7
4. ,, BLOOD VESSELS –	–	–	–	7	7	–	–	3	2	5	–	–	2	10	12	–	–	1	–	1
5. ,, RESPIRATORY SYSTEM	11	1	7	8	27	2	1	2	3	8	7	1	5	6	19	1	–	5	2	8
6. ,, DIGESTIVE SYSTEM –	–	–	3	3	6	–	–	–	1	1	2	2	1	2	7	1	1	2	1	5
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
8. ,, URINARY SYSTEM –	–	–	2	–	2	–	–	6	1	7	–	–	3	–	3	–	–	1	–	1
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
0. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
1. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	4	–	1	8	13	3	–	–	6	9	6	–	2	6	14	–	–	–	4	4
E. VIOLENT DEATHS – –	2	–	2	2	6	1	–	1	–	2	3	1	1	1	6	–	–	–	1	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	15	–	–	–	15	2	–	–	–	2	2	1	–	–	3	2	1	1	–	4
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	1	–	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	1	–	2	1	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hooping-cough – – – –	7	–	–	–	7	–	–	–	–	–	–	–	–	–	–	4	–	–	–	4
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1	–	–	–	1	1
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	5	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1
Syphilis	10	1	–	–	1	2	3	–	–	–	3	2	–	–	–	2	2	–	–	–	2
Gonorrhœa, Stricture of Urethra	2	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	8	–	–	4	–	4	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Erysipelas	8	1	–	3	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	2	2
Septicæmia (not Puerperal)	6	–	1	1	1	3	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1
Pyæmia (not Puerperal)	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	25	2	3	3	–	8	–	–	3	1	4	1	1	3	–	5	–	1	3		4
Phthisis Pulmonalis (not otherwise defined)	235	3	21	94	4	122	2	2	28	1	33	1	1	9	2	13	–	6	19	–	25
Tubercular Meningitis	47	12	5	–	–	17	7	2	3	–	12	4	1	–	–	5	4	–	–	–	4
Tubercular Peritonitis	16	7	3	2	–	12	1	1	–	–	2	–	–	–	–	–	1	–	–	–	1
Tabes Mesenterica	17	6	2	–	–	8	2	2	1	–	5	1	–	1	–	2	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	16	1	3	3	–	7	1	–	–	–	1	–	2	2	1	5	–	–	–	–	–
General Tuberculosis	29	6	–	4	1	11	2	1	2	–	5	1	2	1	–	4	–	2	2	–	4
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	3	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	9	–	–	3	1	4	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																					
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	1	–	–	1	–	1	1	–	2	–	–	1	–	1
Phthisis Pulmonalis (not otherwise defined)	–	2	9	–	11	1	2	10	2	15	–	5	6	1	12	–	1	3	–	4
Tubercular Meningitis	2	1	–	–	3	3	1	–	–	4	1	1	–	–	2	–	–	–	–	–
Tubercular Peritonitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	1	–	1	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
General Tuberculosis	–	–	–	–	–	1	1	–	–	2	1	1	1	–	3	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	8	–	1	1	2	4	–	2	–	–	2	–	–	–	–	–	–	–	1	–	1
Rheumatism of Heart	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	6	–	–	–	1	1	–	–	1	–	1	–	–	–	1	1	–	–	–	1	1
Rheumatic Arthritis, Rheumatic Gout	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	52	–	–	10	14	24	–	–	5	3	8	–	–	6	7	13	–	–	3	1	4
Sarcoma	10	–	–	2	1	3	–	–	1	1	2	–	–	–	2	2	–	–	2	1	3
Cancer, Malignant Disease (not otherwise defined)	71	2	1	21	12	36	–	–	8	11	19	–	–	3	5	8	–	–	1	1	2
Rickets	5	1	1	–	–	2	2	–	–	–	2	–	–	–	–	–	–	1	–	–	1
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	10	1	1	2	3	7	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
Diabetes Mellitus	8	–	–	2	1	3	–	–	1	1	2	–	–	1	–	1	1	–	–	–	1
Premature Birth	77	42	–	–	–	42	12	–	–	–	12	7	–	–	–	7	4	–	–	–	4
Congenital Defects	11	7	–	–	–	7	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–
Injury at Birth	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	5	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	2	–	–	–	2
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	17	10	–	–	–	10	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	52	26	9	3	1	39	4	1	1	–	6	–	–	–	–	–	–	–	–	–	–
Softening of Brain	7	–	–	–	1	1	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–
General Paralysis of Insane	3	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Chorea	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	1	–	1	–	–	–	1	1	–	–	–	1	1	–	–	1	–	1
Convulsions	59	34	–	–	–	34	9	–	–	–	9	4	–	–	–	4	9	–	–	–	9
Laryngismus Stridulus	3	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	6	–	–	2	–	2	–	–	–	–	–	–	–	1	1	2	–	–	–	1	1
Neuritis, Peripheral, Poly-Neuritis	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	3	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Dis. of Nervous System	12	2	1	1	1	5	–	–	–	1	1	–	–	1	–	1	–	–		–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	3	–	1	–	–	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	53	–	3	14	4	21	–	1	6	5	12	–	–	4	1	5	–	–	3	3	6
Pericarditis	3	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	5	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Dilatation of Heart	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Fatty Degeneration of Heart	10	–	–	1	3	4	–	–	2	3	5	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	115	1	4	18	20	43	–	1	9	6	16	1	–	4	7	12	–	1	6	10	17

DEATHS FROM ALL CAUSES at Four Periods of Life, Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	–	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	1	1	2	–	–	–	1	1	–	–	–	1	1	–	–	1	1	2
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes Mellitus	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Birth	6	–	–	–	6	3	–	–	–	3	1	–	–	–	1	2	–	–	–	2
Congenital Defects	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	1	–	–	–	1	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	1	–	–	–	1	1	–	–	–	1	2	–	–	–	2	2	–	1	–	3
Softening of Brain	–	–	–	–	–	–	–	2	–	2	–	–	–	1	1	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	1	–	–	–	1	2	–	–	–	2	–	–	–	–	–
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	–	–	1	2	3	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	1	1	2	–	–	1	3	4	–	–	2	–	2	–	–	1	–	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	–	1	7	4	12	–	–	1	4	5	–	–	1	3	4	–	–	1	5	6

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	64	1	1	11	11	24	2	–	4	8	14	–	–	2	3	5	1	1	–	9	11
Apoplexy, Hemiplegia – –	74		–	15	26	41	1	–	4	7	12	–	–	1	3	4	–	–	2	1	3
Aneurism – – – –	3	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1
Senile Gangrene – – –	7	–	–	–	2	2	–	–	–	3	3	–	–	–	1	1	–	–	–	1	1
Embolism, Thrombosis (not Cerebral) – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis – – – –	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Varicose Veins – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	3	–	–	–	1	1	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	4	2	1	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis – – – –	178	26	1	28	41	96	4	1	6	11	22	16	–	7	4	27	3	–	2	4	9
Lobar, Croupous, Pneumonia	32	1	3	10	3	17	1	–	6	1	8	–	–	2	–	2	1	–	2	1	4
Catarrhal, Lobular, Broncho-Pneumonia – – –	70	30	1	4	2	37	5	–	–	1	6	6	1	2	4	13	3	–	–	–	3
Pneumonia (not otherwise defined) – – – –	129	13	6	39	19	77	3	2	8	3	16	1	1	3	4	9	3	–	2	–	5
Emphysema, Asthma – –	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pleurisy – – – –	15	1	3	3	–	7	2	1	2	–	5	–	–	1	–	1	–	–	–	1	1
Fibroid Disease of Lung –	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
Other Dis. of Respiratory Syst.	23	13	–	3	1	17	–	–	–	3	3	–	–	–		–	–	–	–	–	–
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	5	1	1	1	1	4	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific) – – –	5	2	–	1	–	3	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer – – –	5	–	–	–	1	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Gastric Catarrh – – –	23	4	1	4	2	11	4	–	2	–	6	–	–	–	–	–	–	–	–	3	3
Other Diseases of Stomach (not Malignant) – –	4	–	–	1	–	1	2	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic) –	12	3	–	1	2	6	2	–	–	–	2	1	–	–	–	1	2	–	–	–	2
Gastro-enteritis – – –	24	12	1	2	1	16	1	–	–	–	1	3	–	1	–	4	2	–	–	–	2
Appendicitis, Perityphlitis –	7	–	–	1		1	–	–	5	–	5	–	–	1	–	1	–	–	–	–	–
Hernia – – – –	10	1	–	3	–	4	–	–	1	1	2	–	–	1	–	1	–	–	–	1	1
Intestinal Obstruction – –	23	1	–	7	1	9	1	3	2	2	8	–	–	–	1	1	–	2	–	1	3
Other Diseases of Intestines –	6	1	–	3	–	4	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal) –	20	2	1	3	3	9	–	1	2	1	4	–	–	1	–	1	–	–	2	–	2
Cirrhosis of Liver – –	8	–	–	1	1	2	–	–	3	–	3	–	–	–	1	1	–	–	–	–	–
Other Diseases of Liver and Gall Bladder – – –	15	2	1	2	5	10	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Other Dis. of Digestive System	10	4	–	1	2	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body –	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Dis. of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	17	1	–	7	–	8	–	1	–	–	1	–	–	2	–	2	–	–	1	–	1
Chronic Bright's Disease, Albuminuria – – –	48	–	–	20	5	25	–	2	7	4	13	–	–	–	2	2	–	–	–	1	1
Calculus (not Biliary) – –	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dis. of Bladder and of Prostate	11	–	–	3	5	8	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Other Dis. of Urinary System	4	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	1	1	–	–	2	2	4	–	–	1	4	5	–	–	–	–	–
Apoplexy, Hemiplegia	–	–	–	6	6	–	–	–	–	–	–	–	1	6	7	–	–	1	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	1	2	3	12	1	–	2	1	4	2	–	2	4	8	–	–	–	–	–
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	4	–	1	–	5	1	–	–	–	1	4	–	–	–	4	1	–	–	–	1
Pneumonia (not otherwise defined)	–	–	3	4	7	–	1	–	1	2	1	1	2	2	6	–	–	5	2	7
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	1	–	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2
Gastric Catarrh	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	2
Other Diseases of Stomach (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Gastro-enteritis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Other Dis. of Lymphatic System	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–	–	–	–	–	4	–	4	–	–	1	–	1	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	2	–	2	–	–	2	1	3	–	–	1	–	1	–	–	1	–	1
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	6	1	1	-	2	4	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Arthritis, Periostitis - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	4	1	1	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility - -	70	29	1	3	-	33	9	-	-	-	9	6	1	-	-	7	7	-	-	-	7
Old Age - - - -	97	-	-	-	41	41	-	-	-	17	17	-	-	-	7	7	-	-	-	8	8
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	3	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Hæmorrhage - - -	3	-		1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	9	1	-	4	1	6	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1
Other ill-defined causes -	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - -	19	10	2	5	1	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
E. VIOLENT DEATHS.																					
In Mines and Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - -	9	1	-	3	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	14	1	1	3	1	6	1	1	-	-	2	-	-	1	-	1	2	-	1	1	4
Poisons, Poisonous Vapours -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	8	1	1	2	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation { From Overlaying	8	2	-	-	-	2	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Suffocation { Otherwise -	9	2	-	1	1	4	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Falls - - - - -	5	-	-	1	-	1	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Weather Agencies - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	48	-	2	18	5	25	2	2	4	3	11	-	-	1	1	2	-	1	4	1	6
Homicide - - - -	2	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Suicide - - - -	12	-	-	3	-	3	-	-	3	4	7	-	-	1	-	1	-	-	1	-	1
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	4	–	–	–	4	3	–	–	–	3	6	–	1	–	7	–	–	–	–	–
Old Age	–	–	–	8	8	–	–	–	6	6	–	–	–	6	6	–	–	–	4	4
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	1	1	2	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	1	1	2	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JUNE 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	43	20	28	0	0	0	3	0	1	0	0	0	3	1
Ayr,	30,859	68	41	54	0	0	0	0	1	2	0	1	1	8	5
Banff, with Macduff,	8,334	18	4	14	0	0	0	0	0	0	0	1	0	0	3
Blairgowrie,	4,254	5	8	2	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,158	2	1	3	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	25	16	17	0	0	0	0	0	0	0	1	0	1	1
Cathcart (Landward),	7,833	11	5	9	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	40,938	150	53	58	0	1	0	0	0	1	0	1	0	9	5
Crieff,	5,744	12	9	9	0	0	0	0	0	0	0	0	0	0	2
Dumbarton,	20,221	52	19	32	0	2	0	1	0	1	0	1	0	4	7
Dumfries, with Troqueer,	24,870	45	25	38	0	0	0	0	0	0	0	3	1	5	4
Dunfermline,	32,098	65	34	34	0	0	0	0	0	1	0	0	0	3	2
Dunoon,	9,153	16	6	12	0	0	0	0	0	0	0	0	0	2	0
Eastwood (Landward),	15,582	37	11	22	0	0	0	0	0	0	0	0	0	7	4
Elgin,	11,704	33	13	11	0	0	0	0	0	0	0	1	0	1	2
Falkirk,	38,212	114	40	65	0	0	0	0	0	0	0	4	0	21	6
Forfar,	12,784	27	12	23	0	0	0	0	1	0	0	1	0	6	0
Galashiels,	13,554	24	22	19	0	0	0	0	0	0	0	0	0	1	2
Govan—(1) Plantation (Landward),	27,874	78	11	27	0	0	0	0	0	0	0	1	0	7	1
(2) Govan (Landward),	58,806	205	55	138	2	0	1	0	1	0	0	1	0	26	23
(3) Partick (Landward),	57,054	168	82	54	0	4	0	4	0	1	0	1	0	7	4
Haddington,	5,115	15	5	5	0	0	0	0	0	0	0	0	0	1	1
Hawick, with Wilton,	18,260	22	23	22	0	0	0	0	0	1	0	1	0	2	9
Inverness,	27,427	51	39	53	0	0	0	2	0	0	0	0	0	8	7
Kilmarnock, with Riccarton,	37,957	104	58	53	0	1	0	0	0	0	0	1	0	8	3
Kilmore and Kilbride (Oban),	6,376	15	12	5	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	13,874	43	22	20	0	0	0	0	0	0	0	0	0	8	2
Kirkcaldy and Abbotshall,	23,716	58	36	26	0	0	0	0	0	1	0	0	0	8	1
Kirkcudbright,	3,289	8	4	6	0	0	0	0	0	0	0	0	0	2	0
Largs, with Skelmorlie,	5,524	6	4	13	0	1	0	0	0	0	0	0	0	1	5
Logie (Bridge of Allan),	4,455	3	3	5	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,778	3	3	4	0	0	0	0	0	0	0	0	0	1	0
Montrose,	13,958	22	18	15	0	0	0	0	0	0	0	0	0	1	0
Moulin (Pitlochry),	2,217	3	0	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	14	6	15	0	0	0	0	0	0	0	0	0	2	2
New Monkland (Airdrie),	37,185	103	42	45	0	1	0	0	0	0	0	0	0	6	4
North Berwick,	3,734	7	2	1	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	45	8	18	0	0	0	1	1	0	0	2	1	2	2
Rothesay,	9,412	12	10	6	0	0	0	0	0	0	0	0	0	3	0
St Andrews and St Leonards,	9,495	16	9	6	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward),	23,653	72	20	28	0	1	1	0	0	2	0	0	0	5	6
Stirling,	16,532	29	28	33	0	0	0	0	0	0	0	0	0	3	4
Stranraer,	6,017	19	5	9	0	2	0	0	0	0	0	0	1	1	2
Wick,	11,237	29	8	13	0	0	0	0	0	0	0	0	1	1	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of JUNE 1902.

Mean barometric pressure, 29·939 inches; less than the average for the same month of 1856–1900 by 0·005 inch.

Barometric monthly-range, 0·785 inch; less by 0·145 inch.

Mean temperature, 53°·5; less by 2°·3.

Mean daily range of temperature, 14°·1; less by 1°·2.

Mean humidity, 83; greater by 5·4.

Rain, number of days, 15; greater by 2 days.

Rain, depth in inches, 1·88; less by 0·68 inch.

Wind, pressure on square foot, 1·18 lb.; less by 0·15 lb.

Wind, direction of, E. to W. as 14 to 4, and N. to S. as 7 to 5; the average being E. to W. as 8 to 10, and N. to S. as 4 to 6.

Hence the month of June 1902 was characterised by a mean barometric pressure almost equal to the average, with an unusually low monthly range; an exceedingly low mean temperature, with a rather low mean daily range; a high mean humidity; a low mean rainfall falling on rather less than the usual number of days; a 9 days' excess of winds from an easterly quarter, with a moderate mean force.

The mean barometric pressure was 29·939 inches, or 0·005 inch below the average. In the north and east pressure was above the average, in Shetland by 0·060 inch; in the south and west below, at Mull of Galloway by 0·046 inch. Thus a steep gradient was formed for the unusual amount of winds from N. and N.E., which were the determining factor of the weather of the month.

The mean temperature was 53°·5, or 2°·3 below the average. This is the lowest mean temperature for June since 1888, when the mean was 52°·5. The days were 3°·0, and the nights 1°·8, below their respective means. Temperature was everywhere below the average, but the deficiency in the west was slight—scarcely amounting to 1°. In the east, however,—owing to the great excess of cold winds from N.E. and E.—the deficiencies were very large. The mean temperatures for Edinburgh and Leith were each 3°·5 below their averages, that of Dundee 3°·3 below and of Aberdeen 2°·5 below. The first week of the month was cold, and the second and third abnormally cold, with mean temperatures for the two weeks at places as much as 5° to 6° below the average. The last few days of the month brought a large amount of sunshine, temperature was everywhere above the average, and maximum temperatures of 80° and upwards were not infrequent. At Paisley the thermometer rose above that figure on three consecutive days, 25th to 27th. The absolutely highest temperature recorded at any of the principal towns was 86°·2 at Glasgow on the 25th, and the absolutely lowest 34°·5 at Perth on the 9th.

The mean rainfall was 1·88 inch, or 27 per cent. below the average. In the East there were two well-defined areas of excess, in the Lothians and along the shores of the Moray Firth, another result of the direction of the prevailing winds. Thus, at Edinburgh there was an excess of 19 per cent. and at Inverness of 98 per cent. Except for a slight excess in the extreme south-west, the rainfall was elsewhere on the mainland deficient by varying amounts. At Greenock and Glasgow the deficiency was 48 per cent., at Dundee 19 per cent., and at Aberdeen 16 per cent. The greater part of the rain fell during the first two weeks of the month.

A little thunder of moderate intensity was reported during the month. On the East coast a large amount of fog prevailed but very little on the west.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of June 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Dew-point Temperature.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Elastic Force of Vapour.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	WINDS. Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·864	29·924	0·768	86·2	38·2	55·9	48·0	17·5	40·2	55·4	52·1	48·9	·348	3·89	80	15	1·36	5	4	13	1	1	1	2	3	0	0·21
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·473	29·952	0·768	78·3	37·5	51·4	40·8	12·0	25·9	50·4	48·2	45·9	·310	3·48	85	16	2·33	2	10	8	2	0	3	3	1	1	1·00
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·772	29·951	0·791	74·5	38·2	52·5	36·3	13·8	26·6	51·6	49·6	47·6	·330	3·48	86	15	1·67	0	8	3	13	1	2	2	1	0	1·56
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	66	29·903	29·953	0·795	74·0	39·0	52·3	35·0	12·8	24·2	51·3	49·1	46·8	·322	3·60	85	16	1·59	4	7	2	4	4	4	0	5	0	1·44
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·812	29·929	0·764	85·3	39·2	55·7	46·1	16·2	33·2	54·4	51·2	48·1	·335	3·78	79	16	1·98	4	11	4	1	2	2	2	3	1	0·83
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·862	29·945	0·824	76·9	40·4	52·5	36·5	10·4	25·7	51·6	49·5	47·4	·328	3·69	85	16	2·32	1	7	11	3	1	1	4	0	2	1·90
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	..	..	..	82·0	41·7	54·1	40·3	13·3	30·8	54·1	51·5	49·0	·346	3·93	82	15	1·83	0	1	5	15	0	2	4	3	0	2·06
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	29·824	29·939	0·786	79·5	34·5	53·8	45·0	16·7	30·0	52·7	50·4	48·1	·336	3·78	85	9	1·93	2	4	15	1	5	1	1	0	1	0·41
Means	160	29·787	29·939	0·785	86·2	34·5	53·5	41·0	14·1	29·6	52·7	50·2	47·7	·332	3·70	83	15	1·88	2	7	8	5	1	2	2	2	1	1·18

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of July 1902 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth the Births of 4420 children, of whom 2241 were males, and 2179 females. Of these, 4131 were legitimate, and 289 illegitimate. The illegitimate births thus constituted 6·5 per cent. of the whole, being in the proportion of one illegitimate in every 15·3 births. In Leith, 3·6 per cent. of the births were illegitimate; in Perth, 4·3; in Greenock, 4·6; in Edinburgh, 6·1; in Dundee, 6·2; in Aberdeen, 6·6; in Glasgow, 7·2; and in Paisley, 7·3 per cent.

During July 1726 Marriages were recorded in these eight towns, being 182 below the average for the month during the last ten years, allowing for increase of population.

The Deaths of 2309 persons were registered in these towns during the month, of whom 1207 were males, and 1102 females. After the necessary correction has been made for the increase of population, this number is found to be 247 below the July average of the last ten years.

The mortality for the month was at the annual rate of 12·9 per thousand persons in Leith; 13·5 in Aberdeen; 14·2 in Perth; 14·9 in Greenock; 15·4 in Paisley; 16·5 in Glasgow; 17·1 in Edinburgh; and 18·6 in Dundee.

Of the 1085 deaths registered in Glasgow, 228 were of infants under one year of

age, and 216 of persons over 60 years; of the 468 in Edinburgh, 91 were of infants under one year, and 119 of persons over 60 years; of the 256 in Dundee, 52 were of infants under one, and 59 of persons over 60; of the 181 in Aberdeen, 41 were under one, and 56 over 60; of the 106 in Paisley, 17 were under one, and 21 over 60; of the 86 in Leith, 19 were under one, and 23 over 60; of the 87 in Greenock, 20 were under one, and 14 over 60; and of the 40 in Perth, 3 were under one year, and 16 over 60 years.

Of the whole 2309 deaths, 782, or 33·9 per cent., were of children under five years of age. In Perth the deaths of children of this age formed 17·5 per cent. of the total; in Aberdeen, 29·3; in Leith, 30·2; in Paisley, 33·0; in Glasgow and in Edinburgh, 34·6; in Dundee, 34·8; and in Greenock, 40·2 per cent.

From the seven principal Epidemic diseases 214 deaths were registered, constituting 9·3 per cent. of the total mortality. This rate was exceeded in Perth, attributable to Measles and Diphtheria; in Greenock from the combined mortality from Measles, Scarlet Fever, Enteric Fever, and Diarrhœa; in Edinburgh from the prevalence of Measles; and in Paisley from the prevalence of Measles and Enteric Fever.

Measles caused 66 deaths, being 2·9 per cent. of the whole. In Perth, Measles caused 5·0 per cent. of the deaths; in Paisley, 7·5; and in Edinburgh, 7·7.

Fourteen deaths were attributed to Scarlet Fever.

From Hooping-cough there resulted 60 deaths, or 2·6 per cent. of the total.

Diphtheria caused 13 deaths in all, and constituted 5·0 per cent. of those in Perth.

From Enteric Fever 15 deaths resulted. In Paisley the percentage of deaths from this disease was 4·7.

Diarrhœa caused 46 deaths, or 2·0 per cent. of the total mortality. In Dundee, 4·7 per cent. of the deaths were from this cause.

Ten deaths were due to Puerperal Septicæmia and Puerperal Fever.

The deaths of 131 persons were caused by Carcinoma, Sarcoma, and Cancer or Malignant Disease.

Seven deaths were due to Alcoholism; 111 to Cerebral Hæmorrhage, Apoplexy, and Hemiplegia; 172 to Diseases of the Heart; and 77 to Premature Birth Debility.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 343, constituting 14·9 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 241, being 10·4 per cent. of the total. A single death was caused by Croup.

The deaths of 104 persons were due to Violence, of which 4 were Suicidal (2 by Cut-Throat, and 1 each by Shooting and Hanging).

Two males and 7 females were aged 90 years and upwards, the oldest of whom were two widows aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JULY 1902.

TOWNS	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	775,601	1101	1050	2151	1996	155	808	575	510	1085
EDINBURGH,	276,652	317,459	322,966	395	376	771	724	47	391	242	226	468
DUNDEE,	154,118	161,173	162.078	209	179	388	364	24	190	129	127	256
ABERDEEN,	124,943	153,503	157,505	205	218	423	395	28	145	94	87	181
PAISLEY,	66,425	79,363	81,150	100	118	218	202	16	57	51	55	106
LEITH,	68,707	77,439	78,605	100	124	224	216	8	59	40	46	86
GREENOCK,	63,423	68,142	68,756	93	82	175	167	8	32	52	35	87
PERTH,	29,919	32,873	33,262	38	32	70	67	3	44	24	16	40
TOTAL,	1,443,380	1,651,661	1,679,923	2241	2179	4420	4131	289	1726	1207	1102	2309
JULY 1901,			Mean Temp. 62°·5	2399	2145	4544	4257	287	2004	1415	1267	2682
JULY 1900,			Mean Temp. 60°·6	2231	2108	4339	4024	315	1972	1233	1227	2460
JULY 1899,			Mean Temp. 60°·3	2135	2084	4219	3913	306	2109	1185	1076	2261
JULY 1898,			Mean Temp. 58°·3	2174	1968	4142	3859	283	1864	1294	1179	2473
JULY 1897,			Mean Temp. 59°·3	2086	2059	4145	3829	316	1828	1209	1178	2387
JULY 1896,			Mean Temp. 58°·1	2075	2013	4088	3794	294	1780	1229	1152	2381
JULY 1895,			Mean Temp. 57°·2	2120	2070	4190	3887	303	1705	1221	1255	2476
JULY 1894,			Mean Temp. 59°·5	2038	1859	3897	3589	308	1614	1018	1003	2021
JULY 1893,			Mean Temp. 58°·7	1974	1916	3890	3594	296	1514	1305	1283	2588
JULY 1892,			Mean Temp. 55°·9	1981	1810	3791	3510	281	1407	1112	996	2108

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of JULY 1902.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	0	4	5	2	5	2	2
Camlachie,	0	2	1	1	0	0	5
Dennistoun,	0	1	0	6	0	0	2
Calton,	0	2	0	1	0	0	1
Blackfriars,	0	1	0	2	0	0	0
St Rollox,	0	0	0	2	0	0	2
Blythswood,	0	0	0	1	0	0	0
Milton,	0	0	0	0	1	0	1
Kelvin,	0	0	0	0	0	0	3
Anderston,	0	0	0	4	0	0	1
Hutchesontown,	0	1	1	4	0	1	2
Gorbals,	0	0	0	2	0	0	0
Tradeston,	0	0	0	0	0	0	0
Kinning Park,	0	0	0	1	0	0	0
Cathcart,	0	0	0	0	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	1	3	2	0	1	0
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	0	0	0	0
Partick,	0	0	0	0	0	0	0
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	6	0	6	2	1	0
St Andrew,	0	4	0	1	0	0	0
Canongate,	0	18	1	3	1	1	2
St Giles,	0	3	0	2	0	0	0
Newington,	0	3	0	2	0	1	6
Portobello,	0	1	0	0	0	0	9
EDINBURGH—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	1	0	0	0	0	0
South Leith,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	0	0	0	0	0	1
St Mary,	0	1	0	2	0	1	4
St Clement,	0	1	0	4	0	0	2
St Andrew,	0	0	1	1	0	0	4
Lochee,	0	3	0	0	0	0	1
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	0	0	2	0	0	1
St Machar,	0	0	0	2	1	0	1
Woodside,	0	0	0	1	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	0	0	0	0
PAISLEY,	0	8	0	3	0	5	0
LEITH—							
North,	0	0	0	1	0	0	0
South,	0	0	0	2	0	0	1
GREENOCK—							
East,	0	2	0	0	0	0	1
West,	0	1	2	0	1	2	2
PERTH,	0	2	0	0	2	0	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2309	375	101	393	216	1085	162	36	151	119	468	89	16	92	59	256	53	15	57	56	18
A. GENERAL DISEASES -	928	162	56	150	39	407	104	21	72	29	226	42	6	35	14	97	25	7	26	10	6
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	160	56	8	14	13	91	8	2	3	3	16	8	2	10	3	23	4	1	4	1	1
2. ,, Organs of Special Sense - -	5	1	-	-	-	1	-	-	-	1	1	3	-	-	-	3	-	-	-	-	
3. ,, Heart - - -	172	2	6	25	26	59	-	3	19	19	41	1	2	14	8	25	-	1	6	13	2
4. ,, Blood Vessels -	127	-	-	27	28	55	-	-	6	15	21	-	-	4	7	11	-	-	4	9	1
5. ,, Respiratory System	343	62	6	79	35	182	24	1	20	15	60	20	2	10	12	44	7	-	2	6	1
6. ,, Digestive System -	163	28	7	24	17	76	8	3	11	6	28	7	3	4	3	17	8	2	7	3	2
7. ,, Lymphatic and Ductless Glands	7	-	1	3	-	4		-	1	1	2	-	-	-	1	1	-	-	-	-	
8. ,, Urinary System -	80	3	3	21	12	39	-	-	11	6	17	-	-	7	2	9	-	-	2	3	
9. ,, Generative System	17	2	-	7	2	11	-	-	1	1	2	-	-	1	-	1	-	-	-	-	
10. ,, Pregnancy and Childbirth -	7	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
11. ,, Locomotor System	18	1	5	1	1	8	3	1	-	-	4	-	-	-	1	1	1	1	2	-	
12. ,, The Skin - -	4	1	-	-	1	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
D. ILL-DEFINED AND NOT SPECIFIED DIS.	174	50	2	9	32	93	11	-	-	20	31	6	-	1	8	15	5	-	1	8	1
E. VIOLENT DEATHS -	104	7	7	30	10	54	4	5	5	3	17	1	1	6	-	8	2	3	3	3	1
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox { Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox { No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chicken-pox - - -	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Measles - - - -	66	12	-	-	-	12	33	1	2	-	36	5	-	-	-	5	-	-	-	-	
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	14	8	2	-	-	10	1	-	-	-	1	1	-	-	-	1	-	-	-	-	
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	9	-	-	2	-	2	-	-	-	3	3	-	-	-	1	1	-	-	-	1	
Hooping-cough - - -	60	25	3	-	-	28	14	-	-	-	14	7	-	-	-	7	5	-	-	-	
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria, Membranous Croup	13	5	1	-	-	6	3	-	-	-	3	-	-	-	-	-	1	-	-	-	
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - - -	15	-	2	2	-	4	-	1	2	-	3	-	-	1	-	1	-	-	-	-	
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa, Choleraic Diarrhœa	44	16	-	-	3	19	7	-	-	1	8	11	-	1	-	12	2	-	-	-	
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of JULY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	35	15	35	21	106	26	8	29	23	86	35	11	27	14	87	7	5	12	16	40
A. GENERAL DISEASES - –	21	7	15	6	49	13	3	10	2	28	18	5	10	3	36	5	4	6	2	17
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	2	2	2	1	7	4	2	–	1	7	4	1	–	–	5	–	–	1	–	1
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	1	3	1	5	–	1	5	4	10	–	–	4	1	5	–	–	2	5	7
4. ,, BLOOD VESSELS –	–	–	2	6	8	–	–	4	3	7	–	–	5	3	8	–	–	–	4	4
5. ,, RESPIRATORY SYSTEM	4	1	4	1	10	6	1	3	4	14	9	–	1	2	12	1	–	2	3	6
6. ,, DIGESTIVE SYSTEM –	2	2	3	1	8	1	–	3	2	6	2	2	2	–	6	–	–	1	1	2
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	–	1	1	2	–	–	–	4	4	–	–	2	1	3	–	1	–	–	1
9. ,, GENERATIVE SYSTEM	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
0. ,, PREGNANCY AND CHILDBIRTH –	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
1. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
2. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	6	–	–	4	10	1	–	–	3	4	2	1	–	2	5	1	–	–	1	2
E. VIOLENT DEATHS – –	–	2	2	–	4	1	1	2	–	4	–	1	3	2	6	–	–	–	–	–
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	8	–	–	–	8	–	–	–	–	–	3	–	–	–	3	2	–	–	–	2
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough – – – –	3	–	–	–	3	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	2
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	–	1	4	–	5	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Diarrhœa, Choleraic Diarrhœa –	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	2	–	1	–	3	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Gonorrhœa, Stricture of Urethra	2	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	5	–	–	2	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	5	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	7		–	1	–	1	–	–	1	1	2	–	–	1	2	3	–	–	–	–	–
Septicæmia (not Puerperal)	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	25	1	1	2	–	4	–	6	7	1	14	–	1	4	–	5	–	–	–	1	–
Phthisis Pulmonalis (not otherwise defined)	216	2	21	84	4	111	2	6	31	3	42	–	3	16	2	21	3	6	6	1	16
Tubercular Meningitis	60	15	10	2	–	27	12	1	2	–	15	5	–	–	–	5	2	1	1	–	4
Tubercular Peritonitis	18	7	4	1	–	12	1	1	–	–	2	–	1	1	–	2	–	–	–	–	–
Tabes Mesenterica	19	6	1	–	–	7	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	15	1	6	2	1	10	–	2	1	–	3	–	1	1	–	2	–	–	–	–	–
General Tuberculosis	28	8	4	2	–	14	2	1	2	–	5	–	–	2	–	2	–	–	3	–	3
Scrofula	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	2	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	7	–	–	3	–	3	–	–	2	1	3	–	–	–	–	–	–	–	1	–	1
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																					
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20 60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	1	3	–	–	–	3	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Phthisis Pulmonalis (not otherwise defined)	–	3	6	–	9	–	1	9	–	10	–	1	3	–	4	–	1	2	–	3
Tubercular Meningitis	4	1	–	–	5	2	–	–	–	2	1	1	–	–	2	–	–	–	–	–
Tubercular Peritonitis	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	1	2	–	–	–	2	1	3	1	–	5	–	1	–	–	1
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	–	1	–	–	1	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	7	–	–	1	–	1	–	1	2	–	3	–	–	–	–	–	–	–	1	1	2
Rheumatism of Heart	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1
Chronic Rheumatism	5	–	–	2	2	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	52	–	–	11	11	22	–	–	5	8	13	–	–	3	2	5	–	–	7	2	9
Sarcoma	4	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	2	–	2
Cancer, Malignant Disease (not otherwise defined)	75	–	–	23	15	38	–	–	4	9	13	–	–	5	5	10	–	–	3	2	5
Rickets	5	1	–	–	–	1	1	–	–	–	1	2	–	–	–	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	8	1	–	2	–	3	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1
Diabetes Mellitus	9	–	–	2	1	3	–	1	2	1	4	–	–	–	1	1	–	–	1	–	1
Premature Birth	77	38	–	–	–	38	16	–	–	–	16	7	–	–	–	7	6	–	–	–	6
Congenital Defects	10	5	–	–	–	5	1	–	–	–	1	1	–	–	–	1	2	–	–	–	2
Injury at Birth	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	6	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–	2	–	–	–	2
Want of Breast Milk	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Teething	10	6	–	–	–	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	52	27	4	3	–	34	4		–	–	4	4	1	2	1	8	2	–	–	–	2
Softening of Brain	3	–	–	–	2	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	7	–	–	–	3	3	–	–	–	2	2	–	–	–	1	1	–	–	–	1	1
Chorea	4	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1
Epilepsy	6	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2
Convulsions	43	24	1	–	1	26	3	–	–	–	3	4	–	–	–	4	2	–	–	–	2
Laryngismus Stridulus	3	1	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Paraplegia, and Dis. of Cord	10	1	1	2	3	7	–	1	–	–	1	–	–	1	–	1	–	–	1	–	1
Neuritis, Peripheral, Polyneuritis	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Brain Tumour (not Specific)	10	–	–	3	–	3	–	1	2	–	3	–	–	3	–	3	–	–	–	–	–
Other Dis. of Nervous System	16	3	1	1	3	8	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	4	1	–	–	–	1	–	–	–	1	1	2	–	–	–	2	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	56	–	4	10	7	21	–	1	8	2	11	–	2	5	–	7	–	1	2	2	5
Pericarditis	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	4	–	–	–	3	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	5	–	–	–	2	2	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	105	2	2	15	14	33	–	1	10	13	24	1	–	9	8	18	–	–	4	11	15

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	1	4	5	-	-	-	-	-	-	-	1	1	2	-	-	1	1	2
Rickets	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Anæmia, Leucocythæmia	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	3	-	-	-	3	3	-	-	-	3	3	-	-	-	3	1	-	-	-	1
Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	1	-	-	-	1	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	-	-	-	1	4	-	-	-	4	3	-	-	-	3	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	1	-	1	2	-	1	-	1	2	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	1	2	-	3	-	-	2	1	3	-	-	3	-	3	-	-	-	3	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not Specified)	-	-	1	1	2	-	1	3	3	7	-	-	1	1	2	-	-	2	2	4

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		5–0	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.
B. LOCAL DISEASES—*contd.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	37	–	–	8	8	16	–	–	1	5	6	–	–	2	3	5	–	–	2	2
Apoplexy, Hemiplegia	74		–	15	19	34	–	–	4	6	10	–	–	1	3	4	–	–	1	6
Aneurism	7	–	–	3	–	3	–	–	1	1	2	–	–	–	–	–	–	–	1	–
Senile Gangrene	5	–	–	–	1	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels	3	–	–	–	–	–	–	–	–	2	2	–	–	1	–	1	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	119	16	–	28	20	64	7	–	1	6	14	11	–	2	5	18	1	–	1	4
Lobar, Croupous, Pneumonia	9	–	2	4	1	7	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	60	21	2	4	2	29	8	–	2	1	11	4	–	–	2	6	4	–	–	–
Pneumonia (not otherwise defined)	106	13	2	33	10	58	6	–	11	3	20	3	1	6	4	14	1	–	–	2
Emphysema, Asthma	8	–	–	1	1	2	–	–	–	4	4	–	–	–	–	–	1	–	1	–
Pleurisy	13	2	–	3	–	5	1	1	1	1	4	1	–	1	–	2	–	–	–	–
Fibroid Disease of Lung	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Other Dis. of Respiratory Syst.	22	8	–	5	1	14	1	–	5	–	6	–	–	–	1	1	–	–	–	–
DIS. OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	2	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	5	–	–	1	–	1	–	–	1	1	2	–	–	–	1	1	–	–	1	–
Gastric Catarrh	18	5	–	3	1	9	2	–	1	–	3	1	–	–	–	1	1	–	–	2
Other Diseases of Stomach (not Malignant)	12	3	–	2	3	8	–	–	1	–	1	–	–	–	–	–	–	–	1	–
Enteritis (not Epidemic)	14	6	2	1	–	9	1	–	–	–	1	3	–	–	–	3	1	–	–	–
Gastro-enteritis	20	10	1	–	1	12	1	–	–	–	1	2	–	1	–	3	3	–	–	–
Appendicitis, Perityphlitis	9	–	–	3	–	3	–	1	2	–	3	–	1	–	–	1	–	–	1	–
Hernia	13	–	1	2	3	6	1	–	–	2	3	1	–	1	–	2	–	–	–	–
Intestinal Obstruction	15	1	–	6	–	7	–	–	1	–	1	–	–	–	–	–	1	2	–	–
Other Diseases of Intestines	6	–	–	–	1	1	1	–	–	1	2	–	–	1	1	2	1	–	–	–
Peritonitis (not Puerperal)	14	–	2	3	1	6	–	2	1	–	3	–	2	–	–	2	–	–	1	1
Cirrhosis of Liver	8	–	–	–	3	3	–	–	2	1	3	–	–	–	–	–	1	–	–	–
Other Diseases of Liver and Gall Bladder	17	2	–	3	3	8	2	–	1	–	3	–	–	–	1	1	–	–	1	–
Other Dis. of Digestive System	10	–	1	–	1	2	–	–	–	1	1	–	–	1	–	1	–	–	2	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Dis. of Supra Renal Capsules	3	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	18	3	1	4	3	11	–	–	3	–	3	–	–	2	–	2	–	–	–	–
Chronic Bright's Disease, Albuminuria	44	–	–	15	6	21	–	–	6	4	10	–	–	4	–	4	–	–	1	2
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Bladder and of Prostate	14	–	–	2	3	5	–	–	2	2	4	–	–	–	2	2	–	–	1	1
Other Dis. of Urinary System	4	–	2	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
3. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	1	1	–	–	1	1	2	–	–	2	1	3	–	–	–	–	–
Apoplexy, Hemiplegia	–	–	2	5	7	–	–	3	2	5	–	–	3	1	4	–	–	–	3	3
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	–	1	1	5	2	–	1	3	6	3	–	–	1	4	–	–	–	2	2
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	1	–	–	–	1	2	–	–	–	2	5	–	–	–	5	1	–	1	–	2
Pneumonia (not otherwise defined)	–	–	3	–	3	2	1	1	1	5	1	–	1	–	2	–	–	1	–	1
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–		–	–	–
Other Diseases of Stomach (not Malignant)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Enteritis (not Epidemic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastro-enteritis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	–	–	–	1	–	–	–	1	1	1	–	–	2	–	–	–	1	1
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	1	1	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	–	–	1	1	–	–	–	2	2	–	1	–	–	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	1	–	1	–	–	–	3	3	–	–	2	–	2	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	3	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	5	-	-	2	1	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Uterus and Vagina	5	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs	3	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis	11	-	3	-	1	4	2	1	-	-	3	-	-	-	1	1	-	-	2	-	2
Arthritis, Periostitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	7	1	2	1	-	4	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Pemphigus	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility	80	48	-	1	-	49	11	-	-	-	11	5	-	1	-	6	4	-	-	-	4
Old Age	75	-	-	-	30	30	-	-	-	20	20	-	-	-	8	8	-	-	-	8	8
Dropsy, Ascites, Anasarca	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hæmorrhage	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified	9	2	1	4	1	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
E. VIOLENT DEATHS.																					
In Mines and Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Ships, Boats, Docks (not Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	12	1	1	3	1	6	2	-	1	1	4	-	-	-	-	-	-	1	-	-	1
Poisons, Poisonous Vapours	9	1	-	3	1	5	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Drowning	17	-	1	9	2	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Suffocation { From Overlaying	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation { Otherwise	5	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-	1	-	-	-	1
Falls	5	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Weather Agencies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated	46	3	3	13	5	24	-	4	1	1	6	-	1	5	-	6	1	1	-	2	4
Homicide	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	1	1	-	1	-	1	2	-	-	-	-	-	-	-	1	-	1
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	6	–	–	–	6	1	–	–	–	1	2	–	–	–	2	1	–	–	–	1
Old Age	–	–	–	4	4	–	–	–	3	3	–	–	–	1	1	–	–	–	1	1
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Poisons, Poisonous Vapours	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	1	2	–	3	–	1	–	–	1	–	–	–	2	2	–	–	–	–	–
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—JULY 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	50	33	35	0	8	0	2	0	0	0	0	0	6	1
Ayr,	30,859	80	15	43	0	0	0	0	1	0	0	2	0	5	6
Banff, with Macduff,	8,334	13	5	4	0	0	0	0	0	0	0	0	0	0	0
Blairgowrie,	4,254	10	2	5	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,158	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	22	1	12	0	0	0	2	0	0	0	0	0	1	0
Cathcart (Landward),	7,833	22	4	6	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	40,938	121	49	46	0	1	0	1	1	1	0	4	0	2	9
Crieff,	5,744	10	2	6	0	0	0	0	0	0	0	1	0	1	2
Dumbarton,	20,221	49	10	29	0	0	0	0	0	0	0	0	0	4	5
Dumfries, with Troqueer,	24,870	68	16	37	0	0	0	0	0	0	0	0	0	5	7
Dunfermline,	32,098	92	49	47	0	0	0	1	0	0	0	1	0	7	3
Dunoon,	9,153	26	2	9	0	0	0	0	1	0	0	0	0	0	0
Eastwood (Landward),	15,582	36	12	9	0	0	0	0	0	0	0	0	0	1	0
Elgin,	11,704	19	8	11	0	0	0	1	0	0	0	0	0	1	1
Falkirk,	38,212	150	41	55	0	0	0	2	0	1	0	0	0	10	2
Forfar,	12,784	31	13	26	0	0	0	0	0	0	0	0	0	4	1
Galashiels,	13,554	24	9	12	0	0	0	0	0	1	0	0	0	0	2
Govan—(1) Plantation (Landward),	27,874	86	13	31	0	0	0	2	0	0	0	2	0	6	2
(2) Govan (Landward),	78,806	200	50	106	0	0	2	2	3	2	0	4	0	20	16
(3) Partick (Landward),	57,054	176	38	48	0	1	0	0	0	0	0	2	0	4	5
Haddington,	5,115	7	2	5	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	18,260	31	12	21	0	1	0	0	0	0	0	1	0	3	3
Inverness,	27,427	68	24	38	0	0	0	2	0	0	0	0	0	7	6
Kilmarnock, with Riccarton,	37,957	108	19	44	0	0	2	1	0	2	0	0	0	3	4
Kilmore and Kilbride (Oban),	6,376	13	6	12	0	0	0	0	0	0	0	1	0	1	1
Kinning Park (Landward),	13,874	49	16	24	0	0	0	0	0	0	0	2	0	7	4
Kirkcaldy and Abbotshall,	23,716	52	29	21	0	0	0	0	0	0	0	1	0	2	6
Kirkcudbright,	3,289	4	2	2	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,524	14	1	8	0	0	0	0	0	0	0	1	0	2	0
Logie (Bridge of Allan),	4,455	10	1	3	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,778	2	3	8	0	0	0	0	0	0	0	0	0	1	0
Montrose,	3,958	4	11	15	0	0	0	0	0	0	0	1	0	2	2
Moulin (Pitlochry),	2,217	3	3	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	16	0	15	0	0	0	0	0	0	0	0	0	3	1
New Monkland (Airdrie),	37,185	143	51	49	0	0	0	2	1	2	0	0	1	5	3
North Berwick,	3,734	8	3	7	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	15,063	39	12	13	0	0	0	0	0	0	0	0	0	2	1
Rothesay,	9,412	20	3	12	0	0	0	0	0	0	0	0	0	2	2
St Andrews and St Leonards,	9,495	17	4	11	0	0	0	0	0	1	0	0	0	1	0
Shettleston (Landward),	23,653	72	16	36	0	0	2	1	2	1	0	1	0	4	2
Stirling,	16,532	53	19	23	0	0	1	0	0	0	0	0	0	3	5
Stranraer,	6,017	9	0	3	0	0	0	0	0	0	0	0	0	0	0
Wick,	11,237	25	4	24	0	0	0	0	0	0	0	1	0	5	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of JULY 1902.

Mean barometric pressure, 29·947 inches; greater than the average for the same month of 1856–1900 by 0·060 inch.

Barometric monthly range, 0·972 inch; greater by 0·058 inch.

Mean temperature, 55°·7; less by 2°·6.

Mean daily range of temperature, 13°·8; less by 0°·7.

Mean humidity, 80; greater by 1·2.

Rain, number of days, 16; being the average.

Rain, depth in inches, 2·97; less by 0·13 inch.

Wind, pressure on square foot, 1·79 lb.; greater by 0·42 lb.

Wind, direction of, E. to W. as 5 to 15, and N. to S. as 6 to 5; the average being E. to W. as 6 to 13, and N. to S. as 4 to 6.

Hence the month of July 1902 was characterised by a mean barometric pressure somewhat above the average, with a monthly range a little above the average; an exceedingly low mean temperature, with a slightly low mean daily range; a mean humidity slightly above the average; a mean rainfall nearly equal to the average and falling on the average number of days; a 3 days' excess of fairly strong winds from N. and N.W.

The mean barometric pressure was 29·947 inches, or 0·060 inch above the average. At all the chief towns pressure was highest on the 2nd. and lowest on the 26th.

The mean temperature was 55°·7, or 2°·6 below the average. This is the lowest mean temperature for July since 1888, when the mean was 54°·7. The days were 2°·8, and the nights 2°·5, below their respective means. Temperature was everywhere much below the average, but the deficiency was greater in the east than in the west—3°·0 at Dundee and Edinburgh, and 2°·0 at Greenock and Paisley. The fourth week of the month was exceptionally cold, and on the 26th, when a N.E. gale blew with driving rain, some very low mean temperatures for the time of year were recorded. The mean for that day was nowhere much above 50°, and at Aberdeen it was only 46° and at Dundee only 48°. There was a notable absence of high individual readings of the thermometer throughout the month. Thus at Edinburgh temperature never once reached 70°, and at Glasgow it did so on only one day. The absolutely highest temperature recorded at any of the chief towns was 74°·6 at Dundee on the 15th, and the absolutely lowest 40°·0 at Aberdeen on the 25th.

The mean rainfall was 2·97 inches, or 4 per cent. below the average. At Aberdeen there was an excess of 37 per cent., which was due to some very heavy daily falls. At Leith the rainfall was just equal to the average, and at Greenock slightly above. At the other towns it was below the average, the greatest deficiency being 13 per cent., at Edinburgh. On the 26th, some very heavy falls were reported,—1·03 inch at Leith, 0·94 at Aberdeen and 0·90 at Edinburgh.

A little thunder was reported locally; but the month was characterised—as was also June—by an entire absence of severe thunderstorms usually associated with the summer months. It was in this and in almost all other respects in marked contrast to the July of 1901.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of July 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables, 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	WINDS. Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·894	29·954	0·984	73·0	41·2	56·3	31·8	15·5	24·6	56·5	53·6	50·8	·374	4·18	82	13	1·89	2	1	6	1	0	10	4	7	0	2·99
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·482	29·954	0·996	67·9	43·6	54·6	24·3	12·1	19·3	53·5	50·4	47·3	·326	3·67	79	16	2·43	3	2	2	1	2	3	13	5	0	1·54
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·756	29·935	0·980	74·6	40·1	55·6	34·5	15·1	23·0	55·5	52·4	49·4	·354	3·97	80	13	2·81	1	3	1	7	0	6	7	6	0	1·61
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·868	29·917	0·925	72·4	40·0	54·8	32·4	14·3	23·0	54·8	52·6	50·5	·368	4·12	86	15	3·97	3	1	1	3	1	7	7	8	0	1·21
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·840	29·957	0·985	74·5	41·9	56·4	32·6	14·1	26·3	56·0	52·2	48·6	·345	3·86	76	21	2·64	2	3	2	0	3	8	10	2	1	1·12
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·867	29·950	0·991	71·9	43·0	56·7	28·9	12·3	19·8	56·0	52·3	48·8	·345	3·89	77	18	3·02	3	3	5	1	1	3	10	4	1	2·28
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	29·712	29·960	0·945	73·0	41·2	55·5	31·8	13·3	28·5	55·9	52·6	49·5	·357	3·99	80	18	4·03	0	4	1	0	0	5	11	10	0	1·77
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Means	160	29·774	29·947	0·972	74·6	40·0	55·7	30·9	13·8	23·5	55·5	52·3	49·3	·353	3·95	80	16	2·97	2	2	3	2	1	6	9	6	0	1·79

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1128.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of August 1902 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4018 children, of whom 2055 were males, and 1963 females. Of these, 3759 were legitimate, and 259 illegitimate. The illegitimate births thus constituted 6·4 per cent. of the whole, being in the proportion of one illegitimate in every 15·5 births. In Leith, 3·8 per cent. of the births were illegitimate; in Greenock, 4·9; in Paisley, 5·4; in Glasgow, 5·7; in Aberdeen, 7·0; in Dundee, 7·8; in Edinburgh, 8·0; and in Perth, 18·7 per cent.

During August 1065 Marriages were recorded in these eight towns, being 49 above the average for the same month during the last ten years, allowing for increase of population.

The Deaths of 1980 persons were registered in these towns during the month, of whom 998 were males, and 982 females. After allowance has been made for the increase of population, this number is found to be 586 below the average for August during the last ten years.

The mortality for the month was at the annual rate of 8·7 deaths per thousand persons in Leith; 13·1 in Dundee; 14·0 in Edinburgh; 14·1 in Glasgow and in Aberdeen; 14·4 in Paisley; 15·9 in Perth; and 16·3 in Greenock.

Of the 930 deaths registered in Glasgow, 172 were of infants under one year of

age, and 201 of persons over 60 years; of the 383 in Edinburgh, 58 were of infants under one year, and 116 of persons over 60 years; of the 181 in Dundee, 31 were of infants under one, and 50 of persons over 60; of the 189 in Aberdeen, 38 were under one, and 62 over 60; of the 99 in Paisley, 24 were under one, and 17 over 60; of the 58 in Leith, 7 were under one, and 12 over 60; of the 95 in Greenock, 22 were under one, and 25 over 60; and of the 45 in Perth, 5 were under one year, and 20 over 60 years.

Of the whole 1980 deaths, 590, or 29·8 per cent., were of children under five years of age. In Perth the deaths of children of this age formed 11·1 per cent. of the total; in Edinburgh, 25·8; in Dundee, 28·2; in Aberdeen, 30·2; in Greenock, 30·5; in Leith, 31·0; in Glasgow 31·1; and in Paisley, 42·4 per cent.

From the seven principal Epidemic diseases 171 deaths were registered, constituting 8·6 per cent. of the total mortality. This rate was exceeded in Leith from the prevalence of Hooping-cough; and in Paisley from the prevalence of Measles.

Measles caused 25 deaths in all, and constituted 6·1 per cent. of those in Paisley.

Sixteen deaths were attributed to Scarlet Fever.

Hooping-cough caused 73 deaths, or 3·7 per cent. of the total mortality. In Leith, 6·9 per cent. of the deaths were due to Hooping-cough, and in Glasgow, 4·6 per cent.

Seven deaths were caused by Diphtheria, 15 by Enteric Fever, and 35 by Diarrhœa.

Five deaths were due to Puerperal Septicæmia and Puerperal Fever.

From Carcinoma, Sarcoma, and Cancer or Malignant Disease there resulted 123 deaths.

Alcoholism caused 9 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia 113; Diseases of the Heart 177; and Premature Birth Debility 55.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 281, constituting 14·2 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 176, being 8·9 per cent. of the total. Three deaths were caused by Croup.

The deaths of 99 persons were due to Violence, of which 4 were Suicidal (3 by Hanging and 1 by Drowning).

One male and 3 females were aged 90 years and upwards, the oldest of whom was a widow aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
August 1902.

Towns.	Population. Census 1891.	Population. Census 1901.	Population. Estimated to middle of 1902.	Births. Males.	Births. Females.	Births. Total.	Births. Legitimate.	Births. Illegitimate.	Marriages.	Deaths. Males.	Deaths. Females.	Deaths. Total.
Glasgow,	659,193	761,709	775,601	994	960	1954	1842	112	446	476	454	930
Edinburgh,	276,652	317,459	322,966	350	329	679	625	54	226	190	193	383
Dundee,	154,118	161,173	162,078	195	200	395	364	31	80	86	95	181
Aberdeen,	124,943	153,503	157,505	193	177	370	344	26	134	90	99	189
Paisley,	66,425	79,363	81,150	102	100	202	191	11	88	55	44	99
Leith,	68,707	77,439	78,605	98	88	186	179	7	36	30	28	58
Greenock,	63,423	68,142	68,756	97	87	184	175	9	35	47	48	95
Perth,	29,919	32,873	33,262	26	22	48	39	9	20	24	21	45
Total,	1,443,380	1,651,661	1,679,923	2055	1963	4018	3759	259	1065	998	982	1980
August 1901,			Mean Temp. 59°·1	2050	1942	3992	3702	290	942	1345	1249	2594
August 1900,			Mean Temp. 56°·8	2158	2070	4228	3939	289	935	1221	1149	2370
August 1899,			Mean Temp. 61°·0	2191	2046	4237	3958	279	1048	1370	1395	2765
August 1898,			Mean Temp. 58°·5	2136	2177	4313	4015	298	1081	1321	1341	2662
August 1897,			Mean Temp. 60°·2	2091	1949	4040	3744	296	1023	1364	1287	2651
August 1896,			Mean Temp. 56°·4	1996	1945	3941	3643	298	937	1000	1011	2101
August 1895,			Mean Temp. 59°·1	1976	1868	3844	3568	276	871	1122	1071	2193
August 1894,			Mean Temp. 56°·6	1942	1829	3771	3486	285	806	936	1003	1939
August 1893,			Mean Temp. 61°·0	2021	1942	3963	3642	321	869	1243	1228	2471
August 1892,			Mean Temp. 56°·8	1910	1845	3755	3467	288	962	1125	1061	2186

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of August 1902.

Towns and Districts.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
Glasgow—							
Bridgeton,	0	2	5	6	0	2	2
Camlachie,	0	0	0	1	0	0	0
Dennistoun,	0	0	0	2	0	0	2
Calton,	0	0	0	0	1	0	1
Blackfriars,	0	2	0	4	0	0	1
St Rollox,	0	0	0	1	0	0	1
Blythswood,	0	1	0	1	0	0	0
Milton,	0	0	0	1	1	0	2
Kelvin,	0	0	0	2	0	0	0
Anderston,	0	1	0	6	0	0	0
Hutchesontown,	0	1	0	8	0	0	0
Gorbals,	0	0	0	5	0	0	3
Tradeston,	0	1	0	0	0	0	0
Kinning Park,	0	0	0	2	0	0	0
Cathcart,	0	0	0	1	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	0	3	3	1	3	2
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	0	0	0	0
Partick,	0	0	0	0	0	0	0
Rutherglen,	0	0	0	0	0	0	0
Edinburgh—							
St George,	0	2	0	4	1	1	2
St Andrew,	0	1	0	1	0	1	2
Canongate,	0	4	3	4	0	1	2
St Giles,	0	2	0	0	0	0	1
Newington,	0	0	0	2	0	0	0
Portobello,	0	0	0	0	0	0	0
Edinburgh—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith,	0	0	0	0	0	0	0
Dundee—							
St Peter,	0	0	0	2	0	0	0
St Mary,	0	0	1	0	1	0	2
St Clement,	0	0	1	0	0	1	1
St Andrew,	0	0	0	0	0	1	1
Lochee,	0	0	0	1	0	0	0
Mains,	0	0	0	0	0	0	0
Aberdeen—							
St Nicholas,	0	0	0	0	0	2	4
St Machar,	0	0	0	6	0	0	2
Woodside,	0	0	0	1	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	1	0	0	0
Paisley,	0	6	2	3	1	1	2
Leith—							
North,	0	1	0	1	0	0	0
South,	0	1	0	3	0	0	0
Greenock—							
East,	0	0	0	0	0	0	1
West,	0	0	1	0	1	1	1
Perth,	0	0	0	1	0	1	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of August 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	1980	289	91	349	201	930	99	25	143	116	383	51	16	64	50	181	57	10	60	62	189
A. GENERAL DISEASES -	742	128	47	120	32	327	57	15	57	26	155	22	11	28	10	71	22	5	27	8	62
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	129	43	5	9	6	63	11	1	10	3	25	4	-	4	1	9	8	-	3	5	16
2. " Organs of Special Sense - -	8	3	1	1	-	5	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-
3. " Heart - - -	177	1	3	36	39	79	1	1	14	19	35	-	-	4	10	14	-	-	7	14	21
4. " Blood Vessels -	125	1	1	23	28	53	-	-	8	17	25	-	-	8	9	17	-	-	2	9	11
5. " Respiratory System	281	47	10	50	38	145	15	2	18	15	50	14	-	9	12	35	8	1	5	8	22
6. " Digestive System -	143	24	6	23	16	69	3	1	10	7	21	2	2	3	2	9	5	2	8	4	19
7. " Lymphatic and Ductless Glands	5	1	-	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
8. " Urinary System -	82	-	1	21	17	39	-	1	8	6	15	1	1	5	1	8	2	-	2	2	6
9. " Generative System	8	-	-	4	-	4	-	-	3	-	3	-	-	-	-	-	-	-	-	1	1
10. " Pregnancy and Childbirth -	12	-	1	8	-	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
11. " Locomotor System	15	2	3	3	-	8	-	3	1	-	4	-	-	-	-	-	-	1	-	1	2
12. " The Skin - -	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	150	29	3	11	23	66	8	-	1	19	28	5	1	1	5	12	8	-	-	9	17
E. VIOLENT DEATHS -	99	9	10	37	2	58	3	1	12	3	19	3	-	2	-	5	4	1	3	1	9
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	25	7	1	-	-	8	9	-	-	-	9	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	16	4	3	1	-	8	1	2	-	-	3	-	2	-	-	2	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	7	1	-	-	1	2	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1
Hooping-cough - - -	73	40	5	-	-	43	11	-	-	-	11	3	-	-	-	3	8	-	-	-	8
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	7	2	1	-	-	3	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	-	3	2	-	5	-	1	2	-	3	-	1	1	-	2	-	-	2	-	2
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	33	9	-	1	2	12	6	-	1	-	7	4	-	-	-	4	4	-	-	2	6
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of AUGUST 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	42	5	35	17	99	18	8	20	12	58	29	10	31	25	95	5	3	17	20	45
A. GENERAL DISEASES – –	23	3	12	3	41	13	2	9	2	26	18	7	15	5	45	4	–	10	1	15
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	1	2	2	–	5	–	1	–	–	1	3	–	1	1	5	–	–	3	2	5
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	–	3	2	5	–	1	2	2	5	–	–	6	4	10	–	1	1	6	8
4. ,, BLOOD VESSELS –	–	–	3	4	7	–	–	2	1	3	–	–	3	4	7	–	–	1	1	2
5. ,, RESPIRATORY SYSTEM	4	–	7	2	13	1	–	1	–	2	4	1	1	6	12	1	–	1	–	2
6. ,, DIGESTIVE SYSTEM –	6	–	3	1	10	2	3	–	1	6	2	–	2	2	6	–	1	–	2	3
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	–	1	–	1	–	–	3	3	6	–	–	2	1	3	–	1	1	2	4
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
12. ,, THE SKIN – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	7	–	1	5	13	2	1	–	1	4	2	–	–	2	4	–	–	–	6	6
E. VIOLENT DEATHS – –	1	–	2	–	3	–	–	1	2	3	–	1	1	–	2	–	–	–	–	–
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Measles – – – – –	6	–	–	–	6	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	1	–	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Hooping-cough – – – –	3	–	–	–	3	4	–	–	–	4	–	–	–	–	–	1	–	–	–	1
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	1	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	2	–	–	–	2	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	4	–		–	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	3	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	–	1	1	3	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1
Septicæmia (not Puerperal)	5	–	1	3	–	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Pyæmia (not Puerperal)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	7	–	–	4	–	4	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	21	2	4	3	–	9	1	1	6	1	9	–	–	–	–	–	–	–	1	–	1
Phthisis Pulmonalis (not otherwise defined)	155	2	14	54	4	74	–	3	18	2	23	–	3	12	2	17	–	3	10	–	13
Tubercular Meningitis	38	12	3	–	–	15	7	1	2	–	10	1	1	–	–	2	4	1	–	–	5
Tubercular Peritonitis	12	2	1	2	–	5	1	–	–	–	1	1	–	1	–	2	–	1	–	–	1
Tabes Mesenterica	12	2	3	1	–	6	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	11	–	2	4	–	6	–	–	1	1	2	–	1	–	–	1	–	–	2	–	2
General Tuberculosis	20	1	3	2	–	6	4	–	–	–	4	–	1	2	–	3	–	–	1	–	1
Scrofula	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Parasitic Diseases	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	3	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	9	–	–	2	–	2	–	–	–	1	1	–	–	2	–	2	–	–	1	–	1
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																					
By Lead	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Phthisis Pulmonalis (not otherwise defined)	1	1	3	–	5	1	1	6	–	8	1	3	7	2	13	–	–	2	–	2
Tubercular Meningitis	2	–	–	–	2	2	1	–	–	3	–	1	–	–	1	–	–	–	–	–
Tubercular Peritonitis	1	–	–	–	1	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	1	1	2	–	–	–	2	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	–	1	1	–	2	2	–	–	–	2	–	1	–	–	1	1	–	–	–	1
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of August 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	7	–	–	3	–	3	–	2	1	–	3	–	1	–	–	1	–	–	–	–	–
Rheumatism of Heart	8	–	3	1	–	4	–	–	–	1	1	–	1	–	–	1	–	–	1		1
Chronic Rheumatism	4	–	–	–	1	1	–	–	–	1	1		–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	.	.	–	–	–
Carcinoma	56	–	–	7	10	17	–	–	8	6	14	–	–	6	6	12	–	–	6	1	7
Sarcoma	8	–	–	3	1	4	–	1	–	2	3	–	–	–	1	1	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	59	–	–	14	10	24	–	–	11	9	20	–	–	3	–	3	–	–	1	2	3
Rickets	3	1	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	11	–	–	3	–	3	–	–	2	–	2	–	–	1	–	1	–	–	1	1	2
Diabetes Mellitus	11	–	1	5	1	7	–	2	–	1	3	–	–	–	–	–	–	–	–	–	–
Premature Birth	55	23	–	–	–	23	9	–	–	–	9	9	–	–	–	9	2	–	–	–	2
Congenital Defects	10	5	–	–	–	5	4	–	–	–	4	1	–	–	–	1	–	–	–	–	–
Injury at Birth		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	5	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	6	3	–	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																					
Diseases of Nervous System.																					
Meningitis, Inflammation of Brain	42	22	4	2	–	28	2	1	2	1	6	3	–	–	–	3	1	–	–	–	1
Softening of Brain	3	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1
General Paralysis of Insane	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	9	–	–	–	2	2	–	–	–	1	1	–	–	1	–	1	–	–	1	2	3
Chorea	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	1	–	2	–	3	–	–	–	–	–	1	–	–	–	1
Convulsions	28	16	–	–	–	16	6	–	–	–	6	1	–	–	–	1	5	–	–	–	5
Laryngismus Stridulus	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	8	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1	–	–	1	1	2
Neuritis, Peripheral, Polyneuritis	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	7	1	–	–	–	1	–	–	1	1	2	–	–	2	–	2	–	–	1	–	1
Other Dis. of Nervous System	18	2	1	4	3	10	2	–	–	–	2	–	–	–	–	–	1	–	–	1	2
Diseases of Organs of Special Sense.																					
Otitis, Mastoid Disease	8	3	1	1	–	5	–	–	1	1	2	–	1	–	–	1	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Heart.																					
Valvular Dis., Endocarditis (not Infective)	57	1	1	13	11	26	–	1	3	8	12	–	–	2	2	4	–	–	2	3	5
Pericarditis	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Fatty Degeneration of Heart	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Syncope, Heart Disease (not Specified)	111	–	2	23	27	52	1	–	9	10	20	–	–	2	8	10	–	–	4	10	14

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of August 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–		–	–	–	–
Chronic Rheumatism	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	1	2	–	–	2	–	2	–	–	–	1	1	–	–	1	–	1
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	1	1	2	–	–	–	1	1	–	–	3	2	5	–	–	1	–	1
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Diabetes Mellitus	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Premature Birth	2	–	–	–	2	1	–	–	–	1	8	–	–	–	8	1	–	–	–	1
Congenital Defects	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Injury at Birth	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
B. LOCAL DISEASES.																				
Diseases of Nervous System.																				
Meningitis, Inflammation of Brain	–	–	–	–	–	–	–	–	–	–	3	–	1	–	4	–	–	–	–	–
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Paraplegia, and Dis. of Cord	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Nervous System	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3
Diseases of Organs of Special Sense.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Heart.																				
Valvular Disease, Endocarditis (not Infective)	–	–	2	–	2	–	–	1	–	1	–	–	–	1	1	–	1	1	4	6
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Syncope, Heart Disease (not Specified)	–	–	1	2	3	–	1	–	1	2	–	–	6	2	8	–	–	–	2	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		5–0	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	49	1	1	11	12	25	-	-	3	6	9	-	-	3	5	8	-	-	-	3	3
Apoplexy, Hemiplegia – –	64	-	-	10	14	24	-	-	3	8	11	-	-	4	4	8	-	-	1	6	7
Aneurism – – – –	6	-	-	-	1	1	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-
Senile Gangrene – – –	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral) – – –	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels –	3	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic) – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic or Membranous) – – –	3	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx –	1	-	-	-		-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Bronchitis – – – –	94	14	3	10	21	48	5	-	4	8	17	7	-	-	4	11	5	-	1	3	9
Lobar, Croupous, Pneumonia	22	-	1	5	1	7	1	-	-	1	2	-	-	1	4	5	1	-	2	3	6
Catarrhal, Lobular, Broncho-Pneumonia – – –	41	26	-	1	1	28	2	-	-	-	2	5	-	3	-	8	1	-	-	-	1
Pneumonia (not otherwise defined) – – – –	87	3	5	26	11	45	4	2	9	4	19	2	-	3	4	9	1	1	1	1	4
Emphysema, Asthma – –	5	-	-	2	1	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Pleurisy – – – –	13	-	-	1	2	3	2	-	1	2	5	-	-	1	-	1	-	-	1	-	1
Fibroid Disease of Lung –	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	10	3	1	4	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth or Pharynx (not Specific) – – –	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer – – –	8	-	-	4	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	2	2
Gastric Catarrh – – –	10	-	-	3	2	5	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Stomach (not Malignant) – –	6	-	1	2	-	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Enteritis (not Epidemic) –	17	8	-	-	4	12	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis – – –	24	12	2	-	1	15	1	-	-	-	1	1	-	1	-	2	2	-	2	-	4
Appendicitis, Perityphlitis –	8	1	-	4	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hernia – – – –	8	-	-	2	1	3	-	-	1	-	1	-	-	-	1	1	-	-	1	1	2
Intestinal Obstruction – –	19	2	3	-	1	6	1	1	1	2	5	-	1	-	1	2	1	1	-	-	2
Other Diseases of Intestines –	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Peritonitis (not Puerperal) –	17	-	-	3	4	7	-	-	1	-	1	-	1	1	-	2	1	1	1	1	4
Cirrhosis of Liver – –	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver and Gall Bladder – – –	12	1	-	2	3	6	-	-	-	-	-	1	-	-	-	1	1	-	2	-	3
Other Dis. of Digestive System	5	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	32	-	1	5	5	11	-	1	2	2	5	1	1	4	-	6	2	-	-	-	2
Chronic Bright's Disease, Albuminuria – – –	34	-	-	14	8	22	-	-	4	2	6	-	-	1	-	1	-	-	2	1	3
Calculus (not Biliary) – –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	8	-	-	1	4	5	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	7	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	–	–	1	1
Apoplexy, Hemiplegia	–	–	3	3	6	–	–	1	1	2	–	–	2	3	5	–	–	1	–	1
Aneurism	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	1	2	1	–	–	–	1	–	–	–	5	5	–	–	1	–	1
Lobar, Croupous, Pneumonia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Catarrhal, Lobular, Broncho-Pneumonia	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Pneumonia (not otherwise defined)	1	–	6	–	7	–	–	1	–	1	1	1	–	–	2	–	–	–	–	–
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	–	–	–	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–
Gastro-enteritis	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Intestinal Obstruction	1	–	–	–	1	–	–	–	1	1	–	–	1	–	1	–	–	–	1	1
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1
Cirrhosis of Liver	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1
Other Diseases of Digestive System	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	1	–	1	–	–	3	1	4	–	–	1	1	2	–	1	–	–	1
Chronic Bright's Disease, Albuminuria	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	1	–	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - -	7	-	-	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	3	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis - -	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	9	-	3	2	-	5	-	2	-	-	2	-	-	-	-	-	-	1	-	1	2
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility - -	55	24	-	1	-	25	8	-	-	-	8	4	1	1	-	6	5	-	-	-	5
Old Age - - - -	66	-	-	-	20	20	-	-	-	19	19	-	-	-	5	5	-	-	-	8	8
Dropsy, Ascites, Anasarca -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Abscess - - - -	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - -	20	5	3	7	3	18	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
E. VIOLENT DEATHS.																					
In Mines and Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - -	6	1	-	1	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	14	2	3	3	-	8	-	-	4	1	5	-	-	-	-	-	1	-	-	-	1
Poisons, Poisonous Vapours -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - - -	14	-	2	6	-	8	-	-	1	-	1	1	-	-	-	1	-	1	1	-	2
Suffocation { From Overlaying	3	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Suffocation { Otherwise -	4	-	-	2	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Falls - - - - -	4	-	-	2	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated -	47	3	5	22	2	32	1	-	4	1	6	-	-	2	-	2	2	-	2	1	5
Homicide - - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suicide - - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of AUGUST 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	7	–	–	–	7	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–
Old Age	–	–	–	5	5	–	–	–	1	1	–	–	–	2	2	–	–	–	6	6
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	1	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—AUGUST 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	65	12	34	0	0	0	2	0	0	0	1	1	5	5
Ayr,	30,859	81	24	48	0	0	0	0	0	0	0	3	0	7	8
Banff, with Macduff,	8,334	14	3	11	0	0	0	0	0	0	0	0	0	2	2
Blairgowrie,	4,254	9	1	6	0	0	0	1	0	1	0	0	0	0	1
Callander,	2,158	1	0	3	0	0	0	0	0	0	0	0	0	1	1
Campbeltown,	10,233	26	3	7	0	0	0	0	0	0	0	0	0	2	0
Cathcart (Landward),	7,833	14	1	5	0	0	0	0	0	0	0	1	0	1	0
Coatbridge,	40,938	137	21	64	0	1	0	0	1	0	0	1	0	8	10
Crieff,	5,744	10	0	6	0	0	0	0	0	0	0	2	0	0	1
Dumbarton,	20,221	50	8	23	0	0	0	1	0	0	0	1	0	6	3
Dumfries, with Troqueer,	24,870	40	14	35	0	0	0	0	1	0	0	0	0	2	7
Dunfermline,	32,098	65	10	36	0	0	1	0	0	0	0	2	0	2	3
Dunoon,	9,153	18	1	11	0	0	0	0	1	0	0	0	0	3	0
Eastwood (Landward),	15,582	35	9	18	0	0	0	1	1	0	0	0	0	4	2
Elgin,	11,704	25	3	8	0	0	0	0	0	0	0	1	0	0	3
Falkirk,	38,212	102	17	32	0	0	0	0	0	1	0	0	0	6	5
Forfar,	12,784	23	6	14	0	0	0	0	0	0	0	1	0	1	2
Galashiels,	13,554	24	8	14	0	0	0	0	1	0	0	1	0	0	0
Govan—(1) Plantation (Landward),	27,874	72	5	29	0	1	0	1	0	0	0	0	0	5	5
(2) Govan (Landward),	58,806	185	12	109	0	0	1	4	0	0	0	7	0	19	15
(3) Partick (Landward),	57,054	159	24	54	0	1	0	0	0	0	0	8	0	5	9
Haddington,	5,115	6	1	7	0	0	0	1	0	0	0	0	0	1	0
Hawick, with Wilton,	18,260	26	14	19	0	0	0	0	0	0	0	0	0	1	3
Inverness,	27,427	53	13	36	0	0	0	1	0	0	0	0	0	4	3
Kilmarnock, with Riccarton,	37,957	93	28	31	0	0	1	1	0	0	0	2	0	4	2
Kilmore and Kilbride (Oban),	6,376	15	2	9	0	0	0	1	0	0	0	0	0	0	3
Kinning Park (Landward),	13,874	35	6	16	0	0	0	0	0	1	0	1	0	4	2
Kirkcaldy and Abbotshall,	23,716	52	8	25	0	0	0	0	0	0	0	1	1	5	2
Kirkcudbright,	3,289	5	2	7	0	0	0	0	0	0	0	0	0	2	2
Largs, with Skelmorlie,	5,524	9	0	12	0	0	0	0	0	0	0	0	1	2	1
Logie (Bridge of Allan),	4,455	6	2	6	0	0	0	0	0	0	0	0	0	1	0
Moffat,	2,778	3	1	4	0	0	0	0	0	0	0	0	0	2	0
Montrose,	13,958	24	7	24	0	0	0	0	0	0	0	0	0	3	3
Moulin (Pitlochry),	2,217	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	13	2	8	0	0	0	0	1	0	0	0	0	0	1
New Monkland (Airdrie),	37,185	105	11	40	0	0	0	0	1	0	0	3	0	4	6
North Berwick,	3,734	0	4	2	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	38	6	33	0	0	0	2	1	2	0	3	0	3	3
Rothesay,	9,412	21	0	14	0	0	0	0	0	0	0	0	0	4	0
St Andrews and St Leonards,	9,495	15	4	12	0	0	0	1	0	0	0	1	0	0	0
Shettleston (Landward),	23,653	71	8	24	0	0	1	1	1	0	0	1	0	2	6
Stirling,	16,532	36	9	23	0	0	0	0	0	0	0	1	0	5	2
Stranraer,	6,017	12	0	5	0	0	0	0	0	0	0	0	0	1	0
Wick,	11,237	23	3	10	0	0	0	0	0	0	0	0	0	0	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of AUGUST 1902.

Mean barometric pressure, 29·879 inches; greater than the average for the same month of 1856–1900 by 0·019 inch.

Barometric monthly range, 0·631 inch; less by 0·346 inch.

Mean temperature, 55°·4; less by 2°·2.

Mean daily range of temperature, 14°·4; greater by 0°·3.

Mean humidity, 82; greater by 0·6.

Rain, number of days, 15; less by 2 days.

Rain, depth in inches, 2·74; less by 0·72 inch.

Wind, pressure on square foot, 1·09 lb.; less by 0·23 lb.

Wind, direction of, E. to W. as 8 to 13, and N. to S. as 4 to 5; the average being E. to W. as 6 to 12, and N. to S. as 4 to 5.

Hence the month of August 1902 was characterised by a mean barometric pressure slightly above the average, with a remarkably low monthly range; a very low mean temperature with a mean daily range about the average; a mean humidity slightly above the average; a mean rainfall considerably below the average and falling on 2 days less than the average number; a 3 days' excess of moderate winds from an easterly quarter.

The mean barometric pressure was 29·879 inches, or 0·019 inch above the average. The month was remarkably free from large or rapid variations of pressure, and the barometric range was notably small.

The mean temperature was 55°·4, or 2°·2 below the average. This is the lowest mean temperature for August since 1885, when the mean was 54°·6. The days were 2°·0, and the nights 2°·5, below their respective means. Temperature was everywhere much below the average, but the deficiency was less in the west than in the east—1°·8 at Greenock, 2°·8 at Perth, and 3°·0 at Dundee. The first three weeks of the month were exceptionally cold, but thereafter there was a considerable amount of sunshine, and comparatively high temperatures prevailed. The absolutely highest temperature recorded at any of the chief towns was 73°·2 at Dundee on the 15th, and the lowest 36°·0 at Perth on the 31st.

The mean rainfall was 2·74 inches, or 21 per cent. below the average. At Perth there was an excess of 7 per cent., and at Dundee the amount was just equal to the average. Elsewhere there was a more or less heavy deficiency—17 per cent. at Paisley, 27 per cent. at Greenock and Leith, and 48 per cent. at Edinburgh. There were some very heavy falls about the middle of the month; on the 18th, 0·81 inch was reported at Dundee, 0·96 at Leith, 0·83 at Paisley. At Edinburgh and Leith the combined amounts for the 17th and 18th were about half of the entire monthly amounts.

Thunder occurred on one or more days at all the towns, and on the 18th a severe thunderstorm, accompanied by heavy rain, was reported generally over the country.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of August 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·411	29·887	0·612	69·8	40·3	54·2	29·5	12·3	22·2	53·2	50·2	47·4	·327	3·64	81	11	1·30	2	2	4	2	2	5	11	3	0	0·92
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·692	29·871	0·650	73·2	38·2	54·7	35·0	15·4	23·9	53·9	51·6	49·4	·351	3·99	85	19	3·08	0	2	3	11	0	8	3	4	0	0·74
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·761	29·878	0·638	73·1	41·0	56·9	32·1	16·1	28·9	55·4	52·2	49·1	·350	3·94	80	15	2·76	2	5	2	0	3	1	12	2	4	0·60
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·798	29·881	0·663	71·9	42·9	56·5	29·0	13·2	21·6	55·0	52·0	49·1	·349	3·90	81	18	2·13	1	2	8	1	0	3	11	3	2	1·56
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	29·633	29·881	0·608	70·0	43·0	55·3	27·0	12·9	17·8	55·3	52·5	49·8	·359	4·02	82	16	3·89	0	5	3	3	0	4	8	7	1	2·49
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	29·759	29·874	0·616	72·0	36·0	54·6	36·0	16·6	25·0	53·4	51·3	49·2	·350	3·95	86	10	3·49	2	2	5	3	2	2	9	1	5	0·25
Means	160	29·676	29·879	0·631	73·2	36·0	55·4	31·4	14·4	23·2	54·4	51·6	49·0	·348	3·91	82	15	2·74	1	3	4	4	1	4	9	3	2	1·09

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of September 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4007 children, of whom 2061 were males, and 1946 females. Of these, 3719 were legitimate, and 288 illegitimate. The illegitimate births thus constituted 7·2 per cent. of the whole, or one birth in every 13·9 was of this nature. In Greenock, the illegitimate births formed 2·1 per cent. of the total; in Perth, 2·7; in Leith, 4·7; in Paisley, 6·1; in Glasgow, 7·1; in Edinburgh and in Aberdeen, 7·6; and in Dundee, 12·0 per cent.

During the month 1287 marriages were recorded in these eight towns, being 261 above the average for September during the previous decennium, allowing for increase of population.

The Deaths of 2122 persons were registered in these towns during the month, 1067 being of males, and 1055 of females. Allowing for increase of population, this number is 281 below the average for the same month during the last ten years.

The deaths registered during the month give an annual mortality rate of 11·1 per thousand persons in Leith; 13·9 per thousand in Perth; 14·1 in Aberdeen; 14·4 in Edinburgh; 14·6 in Dundee; 16·3 in Paisley; 16·4 in Glasgow; and 16·6 in Greenock.

Of the 1048 deaths registered in Glasgow, 224 were of infants under one year of

age, and 229 of persons over 60 years; of the 383 in Edinburgh, 69 were of infants under one year, and 112 of persons over 60 years; of the 195 in Dundee, 49 were of infants under one, and 49 of persons over 60; of the 183 in Aberdeen, 61 were under one, and 45 over 60; of the 109 in Paisley, 24 were under one, and 27 over 60; of the 72 in Leith, 14 were under one, and 23 over 60; of the 94 in Greenock, 25 were under one, and 20 over 60; and of the 38 in Perth, 9 were under one year, and 13 over 60 years.

Of the whole 2122 deaths, 691, or 32·6 per cent., were of children under five years of age. In Edinburgh 25·3 per cent. of the deaths were of children of this age; in Perth, 28·9 per cent.; in Leith, 29·2; in Glasgow, 32·4; in Dundee, 33·3; in Paisley, 38·5; in Greenock, 40·4; and in Aberdeen, 42·1 per cent.

From the seven principal Epidemic diseases 167 deaths were registered, constituting 7·9 per cent. of the total mortality. This rate was somewhat exceeded in Greenock, attributable to Scarlet Fever and Diarrhœa; in Paisley to the combined mortality from Measles, Hooping-cough, and Diarrhœa; and in Perth to the prevalence of Hooping-cough.

Measles caused 17 deaths in all, and constituted 3·7 per cent. of those in Paisley.

From Scarlet Fever 20 deaths resulted. In Greenock 4·3 per cent. of the deaths were due to this cause.

Thirty-nine deaths were attributed to Hooping-cough. In Perth the percentage of deaths from this disease was 7·9.

Diphtheria caused 12 deaths; and Fevers 22, 21 being due to Enteric and 1 to Simple Continued Fever.

From Diarrhœa 57 deaths resulted, being 2·7 per cent. of the total mortality. It may be noted that as a consequence of the low temperatures which have prevailed during the summer, the deaths for the month from all diarrhœal affections (including here Enteritis and Gastro-enteritis) are 225 below the average for September during the past five years.

Six deaths were due to Puerperal Fever and 2 to Puerperal Septicæmia.

To Carcinoma 61 deaths were attributed, to Sarcoma 9, and to Cancer or Malignant Disease 63.

Alcoholism caused 8 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia 120; Diseases of the Heart 198; and Premature Birth Debility 73.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 311, being 14·7 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 196, or 9·2 per cent. of the whole. One death was caused by Croup.

The deaths of 104 persons were due to Violent Causes, of which 7 were Suicidal (2 each by drowning and cut-throat, and 1 each by hanging, shooting, and precipitation).

Two males and 1 female were aged 90 years and upwards, the oldest being a minister aged 93 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, SEPTEMBER 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	1011	943	1954	1816	138	638	528	520	1048
EDINBURGH, .	276,652	317,459	322,966	330	312	642	593	49	290	192	191	383
DUNDEE, . .	154,118	161,173	162,078	189	177	366	322	44	75	87	108	195
ABERDEEN, .	124,943	153,503	157,505	207	189	396	366	30	143	92	91	183
PAISLEY, . .	66,425	79,363	81,150	99	97	196	184	12	37	54	55	109
LEITH, . .	68,707	77,439	78,605	91	101	192	183	9	44	44	28	72
GREENOCK, .	63,423	68,142	68,756	92	95	187	183	4	36	48	46	94
PERTH, . .	29,919	32,873	33,262	42	32	74	72	2	24	22	16	38
TOTAL, .	1,443,380	1,651,661	1,679,923	2061	1946	4007	3719	288	1287	1067	1055	2122
SEPTEMBER 1901, . . .			Mean Temp. 56°·0	2031	1958	3989	3722	267	1174	1189	1110	2299
SEPTEMBER 1900, . . .			Mean Temp. 54° 9	1946	1842	3788	3504	284	1109	1176	1172	2348
SEPTEMBER 1899, . . .			Mean Temp. 53°·4	2008	1977	3985	3725	260	1001	1351	1280	2631
SEPTEMBER 1898, . . .			Mean Temp. 57°·3	2028	1972	4000	3720	280	1002	1324	1288	2612
SEPTEMBER 1897, . . .			Mean Temp. 52°·4	1915	1944	3859	3560	299	924	1172	1212	2384
SEPTEMBER 1896, . . .			Mean Temp. 53°·3	1982	1913	3895	3626	269	1019	1040	988	2028
SEPTEMBER 1895, . . .			Mean Temp. 58°·0	1866	1785	3651	3385	266	943	1097	1115	2212
SEPTEMBER 1894, . . .			Mean Temp. 52° 5	1765	1591	3356	3110	246	840	916	868	1784
SEPTEMBER 1893, . . .			Mean Temp. 53°·2	1869	1799	3668	3364	304	821	1151	1138	2289
SEPTEMBER 1892, . . .			Mean Temp. 51°·5	1819	1694	3513	3238	275	828	1035	998	2033

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of SEPTEMBER 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	0	3	3	2	1	7	4
Camlachie, .	0	0	0	1	0	0	2
Dennistoun, .	0	1	1	3	0	0	4
Calton, .	0	0	0	1	0	0	1
Blackfriars, .	0	0	0	0	0	0	0
St Rollox, .	0	0	1	0	0	0	3
Blythswood, .	0	0	0	0	0	0	0
Milton, .	0	0	0	3	0	0	5
Kelvin, .	0	0	0	0	0	1	2
Anderston, .	0	0	0	2	1	0	3
Hutchesontown,	0	0	0	2	0	0	5
Gorbals, .	0	0	0	1	0	1	0
Tradeston, .	0	0	0	0	0	0	1
Kinning Park,	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	1	1
Eastwood, .	0	0	0	0	0	0	0
Maryhill, .	0	0	2	3	2	3	2
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, . .	0	0	0	0	0	0	1
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	0	1	0	1	3	0
St Andrew, .	0	0	0	0	1	0	0
Canongate, .	0	4	5	3	0	1	1
St Giles, .	0	1	0	2	1	1	0
Newington, .	0	1	0	1	0	1	4
Portobello, .	0	1	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith, .	0	0	0	0	0	0	0
DUNDEE—							
St Peter, .	0	0	0	3	0	0	2
St Mary, .	0	0	0	0	0	0	1
St Clement, .	0	0	0	0	1	0	0
St Andrew, .	0	1	0	0	1	1	2
Lochee, .	0	0	0	0	0	0	1
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	0	1	3	1	0	2
St Machar, .	0	0	0	1	0	0	1
Woodside, .	0	0	0	0	0	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg, . .	0	0	0	0	0	0	0
PAISLEY, . .	0	4	2	3	0	1	3
LEITH—							
North, . .	0	0	0	0	0	0	1
South, . .	0	0	0	2	0	0	1
GREENOCK—							
East, . .	0	0	0	0	0	0	1
West, . .	0	1	4	0	1	1	2
PERTH, . . .	0	0	0	3	1	0	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2122	340	97	382	229	1048	97	31	143	112	383	65	16	65	49	195	77	12	49	45	183
A. GENERAL DISEASES –	798	151	51	144	39	385	52	24	67	16	159	22	10	29	9	70	38	7	24	13	82
B. LOCAL DISEASES:—																					
1. DIS. OF NERVOUS SYSTEM	150	47	6	17	3	73	13	1	7	2	23	5	2	2	2	11	7	–	2	1	10
2. ,, ORGANS OF SPECIAL SENSE – –	6	1	3	–	–	4	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
3. ,, HEART – – –	198	1	7	47	31	86	–	–	23	30	53	–	–	11	7	18	–	–	8	5	13
4. ,, BLOOD VESSELS –	138	–	1	22	34	57	–	–	12	20	32	–	–	1	10	11	–	–	2	9	11
5. ,, RESPIRATORY SYSTEM	311	58	8	60	45	171	9	1	10	15	35	15	1	11	6	33	10	2	5	7	24
6. ,, DIGESTIVE SYSTEM –	150	35	8	27	8	78	7	2	10	7	26	9	1	2	5	17	9	1	2	3	15
7. ,, LYMPHATIC AND DUCTLESS GLANDS	4	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	60	1	2	14	16	33	1	–	1	5	7	1	2	2	3	8	–	–	–	2	2
9. ,, GENERATIVE SYSTEM	5	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	10	–	–	4	–	4	–	–	2	–	2	–	–	1	–	1	–	1	–	–	1
11. ,, LOCOMOTOR SYSTEM	13	2	3	2	1	8	1	1	–	–	2	–	–	–	–	–	–	1	1	–	2
12. ,, THE SKIN – –	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
C. OTHER SPECIFIED DISEASES – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DIS.	172	38	1	10	45	94	9	–	–	14	23	8	–	1	7	16	10	–	1	3	14
E. VIOLENT DEATHS –	104	6	7	30	6	49	4	2	9	3	18	4	–	5	–	9	2	–	4	2	8
A. GENERAL DISEASES.																					
Small-pox { Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – –	17	4	–	–	–	4	5	2	–	–	7	1	–	–	–	1	–	–	–	–	–
Epidemic Rose Rash – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – –	20	3	4	–	–	7	3	3	–	–	6	–	–	–	–	–	1	–	–	–	1
Typhus – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – –	6	–	–	1	3	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough – – –	39	16	2	–	–	18	6	–	–	–	6	3	–	–	–	3	4	–	–	–	4
Mumps – – – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup	12	1	2	1	–	4	2	1	–	–	3	2	–	–	–	2	1	–	–	–	1
Cerebro-spinal Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	21	1	4	8	–	13	–	2	4	–	6	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis –	6	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa	51	27	2	2	–	31	4	–	–	1	5	6	–	–	–	6	3	–	–	–	3
Dysentery – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of SEPTEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	42	10	30	27	109	21	3	25	23	72	38	10	26	20	94	11	–	14	13	38
A. GENERAL DISEASES – –	20	5	11	1	37	10	2	8	1	21	16	5	6	2	29	6	–	8	1	15
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	3	2	4	3	12	1	–	1	2	4	8	2	3	1	14	1	–	–	2	3
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	–	1	4	5	–	1	5	6	12	–	1	3	5	9	–	–	1	1	2
4. ,, BLOOD VESSELS –	–	–	4	4	8	–	–	2	6	8	–	–	4	3	7	–	–	–	4	4
5. ,, RESPIRATORY SYSTEM	8	1	4	7	20	4	–	3	3	10	6	–	2	2	10	3	–	3	2	8
6. ,, DIGESTIVE SYSTEM –	2	–	2	3	7	1	–	–	–	1	3	–	1	1	5	–	–	–	1	1
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	–	1	2	3	–	–	1	1	2	–	1	1	2	4	–	–	–	1	1
9. ,, GENERATIVE SYSTEM	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	7	–	1	3	11	4	–	–	4	8	5	–	–	–	5	1	–	–	–	1
E. VIOLENT DEATHS – –	2	1	–	–	3	1	–	4	–	5	–	1	5	4	10	–	–	2	–	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	3	1	–	–	4	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	1	1	–	–	2	–	–	–	–	–	3	1	–	–	4	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping-cough – – – –	3	–	–	–	3	2	–	–	–	2	–	–	–	–	–	3	–	–	–	3
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Diarrhœa, Choleraic Diarrhœa –	2	–	–	–	2	1	–	–	–	1	2	–	–	1	3	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	5	-	1	2	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis	11	3	-	1	-	4	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1
Gonorrhœa, Stricture of Urethra	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Septicæmia, Sapræmia	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	6	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Erysipelas	13	-	-	3	2	5	3	-	2	-	5	-	-	-	1	1	-	-	-	1	1
Septicæmia (not Puerperal)	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	5	1	-	2	-	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	23	-	2	5	2	9	-	1	5	-	6	-	1	3	-	4	-	3	1	-	4
Phthisis Pulmonalis (not otherwise defined)	173	4	14	62	3	83	-	5	26	3	34	-	6	11	1	18	-	1	12	-	13
Tubercular Meningitis	32	10	3	2	-	15	3	1	1	-	5	-	2	-	-	2	2	-	1	-	3
Tubercular Peritonitis	17	3	3	2	-	8	-	3	1	-	4	-	-	1	-	1	-	2	-	-	2
Tabes Mesenterica	19	11	3	-	-	14	1	1	-	-	2	-	1	-	-	1	1	-	-	-	1
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	4	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1
General Tuberculosis	21	7	4	1	-	12	1	2	1	-	4	1	-	-	-	1	1	-	1	-	2
Scrofula	5	-	2	-	-	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	8	-	-	2	-	2	-	-	4	-	4	-	-	-	1	1	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning:—																					
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Gonorrhœa, Stricture of Urethra	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis Pulmonalis (not otherwise defined)	-	2	5	-	7	2	2	4	-	8	-	3	2	-	5	-	-	4	1	5
Tubercular Meningitis	2	-	-	-	2	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Tubercular Peritonitis	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning:—																				
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of September 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism of Heart	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	6	–	–	3	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Arthritis, Rheumatic Gout	3	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	61	–	–	14	12	26	–	–	5	5	10	–	–	10	4	14	–	–	3	2	5
Sarcoma	9	1	1	2	1	5	–	–	1	–	1	–	–	–	1	1	–	–	1	1	2
Cancer, Malignant Disease (not otherwise defined)	63	–	–	18	11	29	–	–	13	3	16	–	–	3	–	3	–	–	2	6	8
Rickets	5	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	2	–	–	–	2
Purpura	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	8	–	–	4	1	5	–	–	1	–	1	–	–	–	1	1	–	–	–	1	1
Diabetes Mellitus	8	–	2	2	2	6	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Premature Birth	73	35	–	–	–	35	14	–	–	–	14	5	–	–	–	5	15	–	–	–	15
Congenital Defects	17	11	–	–	–	11	1	–	–	–	1	1	–	–	–	1	3	–	–	–	3
Injury at Birth	2	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Atelectasis	7	2	–	–	–	2	3	–	–	–	3	–	–	–	–	–	1	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	8	4	–	–	–	4	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	68	29	2	5	–	36	8	1	–	–	9	4	1	1	2	8	2	–	–	–	2
Softening of Brain	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	8	–	–	1	–	1	–	–	5	1	6	–	–	–	–	–	–	–	1	–	1
Insanity (not Puerperal)	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	1	–	–	–	1	1	–	–	1	2	–	–	1	–	1	–	–	–	–	–
Convulsions	33	16	2	–	–	18	4	–	–	–	4	1	–	–	–	1	5	–	–	–	5
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	7	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2
Neuritis, Peripheral, Polyneuritis	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	4	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Other Dis. of Nervous System	17	1	1	6	3	11	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	6	1	3	–	–	4	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	63	–	2	11	9	22	–	–	6	11	17	–	–	3	6	9	–	–	4	1	5
Pericarditis	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	2	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	5	–	–	–	2	2	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
Dilatation of Heart	3	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	13	–	–	2	1	3	–	–	4	5	9	–	–	1	–	1	–	–	–	–	–
Syncope, Heart Disease (not Specified)	111	1	5	34	19	59	–	–	9	11	20	–	–	6	1	7	–	–	4	4	8

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	–	–	–	–	–	1	1	2	–	–	2	–	2	–	–	2	–	2
Sarcoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	4	1	5	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes Mellitus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Premature Birth	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	2	–	–	–	2
Congenital Defects	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	1	1	1	–	3	–	–	–	–	–	5	2	1	1	9	1	–	–	–	1
Softening of Brain	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	1	–	–	–	1	–	–	–	1	1	–	–	1	–	1	–	–	–	2	2
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	1	2	3	–	–	1	1	2	–	1	–	3	4	–	–	–	1	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syncope Heart Disease (not Specified)	–	–	–	1	1	–	1	4	5	10	–	–	3	2	5	–	–	1	–	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		5–0	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	46	–	1	7	9	17	–	–	6	9	15	–	–	–	6	6	–	–	–	2	2
Apoplexy, Hemiplegia – –	74	–	–	10	22	32	–	–	4	8	12	–	–	1	3	4	–	–	1	6	7
Aneurism – – – –	7	–	–	5	1	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene – – –	2	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) – – –	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1
Phlebitis – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	6	–	–	–	1	1	–	–	–	3	3	–	–	–	–	–	–	–	1	–	1
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Bronchitis – – – –	134	18	1	23	32	74	7	–	4	8	19	8	–	2	4	14	5	–	–	4	9
Lobar, Croupous, Pneumonia	10	1	–	4	–	5	–	–	–	2	2	–	–	–	–	–	1	–	1	–	2
Catarrhal, Lobular, Broncho-Pneumonia – – –	44	19	–	1	2	22	1	1	–	2	4	4	–	–	1	5	3	–	–	2	5
Pneumonia (not otherwise defined) – – – –	79	14	6	21	7	48	–	–	4	1	5	2	1	7	1	11	–	1	3	–	4
Emphysema, Asthma – –	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	1	1
Pleurisy – – – –	9	–	1	5	–	6	–	–	1	1	2	–	–	–	–	–	–	–	1	–	1
Fibroid Disease of Lung –	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory Syst.	22	5	–	6	4	15	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific) – – –	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Gastric Ulcer – – –	8	–	–	1	1	2	–	–	3	–	3	–	–	–	–	–	–	1	1	–	2
Gastric Catarrh – – –	16	3	–	3	–	6	1	–	1	–	2	2	–	–	1	3	3	–	–	1	4
Other Diseases of Stomach (not Malignant) – –	6	–	–	3	–	3	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–
Enteritis (not Epidemic) –	16	4	2	–	1	7	–	–	–	–	–	2	–	–	2	4	2	–	1	–	3
Gastro-enteritis – – –	36	23	1	–	–	24	4	–	–	2	6	4	–	–	–	4	2	–	–	–	2
Appendicitis, Perityphlitis –	5	–	2	1	–	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Hernia – – – –	7	1	–	2	–	3	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction – –	13	2	–	3	2	7	–	2	–	–	2	1	1	–	–	2	–	–	–	–	–
Other Diseases of Intestines –	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal) –	16	1	1	6	–	8	–	–	1	1	2	–	–	–	1	1	1	–	–	–	1
Cirrhosis of Liver – –	7	–	–	2	–	2	–	–	1	3	4	–	–	–	–	–	–	–	–	1	1
Other Diseases of Liver and Gall Bladder – – –	13	–	–	6	3	9	–	–	1	–	1	–	–	–	1	1	–	–	–	1	1
Other Dis. of Digestive System	2	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body –	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	19	–	1	4	4	9	1	–	1	–	2	1	1	–	1	3	–	–	–	–	–
Chronic Bright's Disease, Albuminuria – – –	27	1	1	7	8	17	–	–	–	4	4	–	1	1	–	2	–	–	–	1	1
Calculus (not Biliary) – –	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Bladder and of Prostate	8	–	–	1	3	4	–	–	–	–	–	–	–	–	2	2	–	–	–	1	1
Other Dis. of Urinary System	5	–	–	2	1	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	1	1	2	–	–	–	1	1	–	–	1	1	2	–	–	–	1	1
Apoplexy, Hemiplegia	–	–	3	3	6	–	–	2	5	7	–	–	2	1	3	–	–	–	3	3
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	2	4	8	2	–	1	2	5	3	–	–	–	3	2	–	–	–	2
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	2	–	–	–	2	1	–	–	1	2	3	–	–	–	3	1	–	–	–	1
Pneumonia (not otherwise defined)	3	1	1	1	6	1	–	1	–	2	–	–	2	–	2	–	–	1	–	1
Emphysema, Asthma	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Dis. of Respiratory System	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	1	2	3
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Gastric Catarrh	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Gastro-enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Intestinal Obstruction	–	–	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	1	–	1	1	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	1	1	2	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	–	1	1	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Uterus and Vagina	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs – –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions – –	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1
Placenta Prævia, Flooding –	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth – –	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis – – –	4	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis – –	3	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Other Dis. of Locom. System	6	2	1	2	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema – – – –	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus – – – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of the Skin –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility – –	74	32	1	-	-	33	9	-	-	-	9	8	-	1	-	9	7	-	-	-	7
Old Age – – – –	69	-	-	-	40	40	-	-	-	13	13	-	-	-	7	7	-	-	-	3	3
Dropsy, Ascites, Anasarca –	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour – – – –	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage – – –	4	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes –	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified – –	16	5	-	5	2	12	-	-	-	-	-	-	-	-	-	-	3	-	1	-	4
E. VIOLENT DEATHS.																					
In Mines and Quarries – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses – –	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	1
Ships, Boats, Docks (not Drowning) – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds – – –	10	2	1	2	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours –	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning – – – –	13	1	1	7	1	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Suffocation { From Overlaying	5	1	-	-	-	1	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
Suffocation { Otherwise –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls – – – – –	5	-	-	1	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	-	-
Weather Agencies – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated –	54	1	5	16	2	24	3	-	5	1	9	-	-	5	-	5	1	-	2	2	5
Homicide – – – –	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide – – – –	7	-	-	2	-	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Execution – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	7	–	–	–	7	4	–	–	–	4	4	–	–	–	4	1	–	–	–	1
Old Age	–	–	–	3	3	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Dropsy, Ascites, Anasarca	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	1	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Otherwise, or not stated	1	1	–	–	2	–	–	1	–	1	–	1	3	2	6	–	–	2	–	2
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—SEPTEMBER 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	43	12	24	0	0	0	1	1	0	0	1	0	0	2
Ayr,	30,859	60	32	38	0	0	0	1	1	0	0	4	0	2	0
Banff, with Macduff,	8,334	12	6	8	0	0	2	0	0	0	0	0	0	0	0
Blairgowrie,	4,254	5	2	4	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,158	6	3	6	0	0	0	0	0	0	0	0	0	0	2
Campbeltown,	10,233	23	2	11	0	0	0	1	0	0	0	0	0	0	1
Cathcart (Landward),	7,833	18	2	4	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	40,938	125	27	54	0	0	0	0	1	1	0	6	0	2	5
Crieff,	5,744	7	1	6	0	0	0	0	0	0	0	0	0	0	1
Dumbarton,	20,221	45	7	25	0	0	0	0	1	0	0	3	0	3	2
Dumfries, with Troqueer,	24,870	54	15	35	0	0	0	0	0	0	0	0	0	0	11
Dunfermline,	32,098	73	16	25	0	0	0	0	0	0	0	0	0	5	5
Dunoon,	9,153	14	1	10	0	0	0	0	0	0	0	1	0	3	0
Eastwood (Landward),	15,582	29	10	18	0	0	0	0	0	0	0	0	0	3	3
Elgin,	11,704	32	4	18	0	0	0	0	0	0	0	3	0	2	0
Falkirk,	38,212	108	17	37	0	0	0	0	0	0	0	0	1	6	5
Forfar,	12,784	28		11	0	0	0	0	0	1	0	0	0	0	1
Galashiels,	13,554	24	6	16	0	0	0	0	0	0	0	1	0	1	0
Govan—(1) Plantation (Landward),	27,874	84	8	31	0	0	0	0	0	0	0	7	1	3	3
(2) Govan (Landward),	58,806	164	34	128	0	0	1	4	1	1	0	22	0	16	15
(3) Partick (Landward),	57,054	137	38	64	0	1	0	1	0	0	0	18	0	7	3
Haddington,	5,115	13	4	5	0	0	0	0	0	1	0	0	0	0	1
Hawick, with Wilton,	18,260	30	14	19	0	0	0	0	1	0	0	0	0	2	1
Inverness,	27,427	51	25	40	0	0	0	0	0	0	0	0	0	3	2
Kilmarnock, with Riccarton,	37,957	79	26	49	0	0	0	0	1	1	0	9	0	4	3
Kilmore and Kilbride (Oban),	6,376	13	3	6	0	0	0	0	0	0	0	0	0	0	0
Kinning Park (Landward),	13,874	46	5	22	0	0	0	0	0	0	0	2	0	4	4
Kirkcaldy and Abbotshall,	23,716	47	12	19	0	0	0	0	0	0	0	2	0	0	1
Kirkcudbright,	3,289	3	1	5	0	0	0	0	0	0	0	0	1	1	0
Largs, with Skelmorlie,	5,524	6	4	6	0	1	1	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,455	2	3	7	0	0	0	0	0	0	0	0	0	1	1
Moffat,	2,778	2	0	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	14	4	27	0	0	0	0	0	0	0	0	0	3	1
Moulin (Pitlochry),	2,217	5	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,795	12	2	9	0	0	0	0	0	0	0	0	0	1	2
New Monkland (Airdrie),	37,185	102	18	30	0	0	0	0	0	0	0	1	0	8	3
North Berwick,	3,734	12	0	8	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	50	12	12	0	0	0	0	0	0	0	1	0	2	2
Rothesay,	9,412	21	4	21	0	0	1	0	0	0	0	2	0	3	0
St Andrews and St Leonards,	9,495	17	5	9	0	0	0	0	0	0	0	0	0	3	2
Shettleston (Landward),	23,653	81	10	20	0	0	0	0	0	0	0	1	0	7	0
Stirling,	16,532	43	11	23	0	0	2	0	0	0	0	0	1	2	0
Stranraer,	6,017	18	2	3	0	0	0	0	0	0	0	0	0	0	0
Wick,	11,237	26	10	18	0	0	0	0	0	0	0	0	0	1	4

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 160 feet above the sea-level.

For the month of SEPTEMBER 1902.

Mean barometric pressure, 30·015 inches; greater than the average for the same month of 1856–1900 by 0·148 inch.

Barometric monthly range, 1·372 inch; greater by 0·176 inch.

Mean temperature, 53°·8; being the average.

Mean daily range of temperature, 12°·7; less by 0°·6.

Mean humidity, 84; greater by 0·6.

Rain, number of days, 15; being one day fewer.

Rain, depth in inches, 2·26; being 1·15 inch below.

Wind, pressure on square foot, 1·22 lb.; less by 0·22 lb.

Wind, direction of, E. to W. as 8 to 10, and N. to S. as 4 to 8; the average being E. to W. as 5 to 10, and N. to S. as 3 to 6.

Hence the month of September 1902 was characterised by a mean barometric pressure considerably above the average, with a rather high monthly range; an average mean temperature with a mean daily range slightly below the normal; a mean humidity about the average; a mean rainfall greatly below the average, and falling on 1 day less than the average number; a 4 days' excess of moderate winds from an easterly quarter.

The mean barometric pressure was 30·015 inches, or 0·148 inch above the average. The lowest reading of the month was everywhere on the 3rd when the barometer at sea-level fell below 29 inches. Pressure was very high during the last six days of the month, and fairly high from the 7th to the 11th and from the 18th to the 21st.

The mean temperature was 53°·8, being exactly the average. The days were 0°·3 below and the nights 0°·3 above their respective means. Temperature was below the average at Aberdeen and Perth, but slightly above at the other principal towns. The second and third weeks of the month were much colder than the average, the minimum temperature being generally recorded on the 13th. From the 23rd to 28th, when the west of Europe was under the influence of a steady anticyclone, warm, bright days prevailed. The absolutely highest temperature recorded at any of the principal towns was 71°·0 at Perth on the 7th, and the lowest 34°·1 at Glasgow on the 13th.

The mean rainfall was 2·26 inches, or 34 per cent. below the average. This is the smallest September rainfall since 1895, when the amount for the month was only 1·17 inches. There was everywhere a well-marked deficiency, but the shortage was greater on the east coast than on the west. Thus the percentage deficiencies were 53 at Aberdeen, 43 at Dundee and 63 at Edinburgh: at Paisley, however, the deficiency was only 7 per cent. and at Greenock 16 per cent. Very little rain fell between the 5th and 14th, and hardly any during the last six days of the month.

On the 3rd a severe gale occurred. The storm centre travelled rapidly from south to north just off the west of Scotland, and heavy rainfalls were recorded in the west.

On the 30th an Aurora was observed at Edinburgh.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of September 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Elastic Force of Vapour.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·959	30·019	1·474	70·2	34·1	55·0	36·1	15·3	20·8	54·	51·	48·9	·348	3·96	81	15	2·13	4	2	14	1	0	0	2	5	2	0·61
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·545	30·023	1·384	67·2	35·7	53·3	31·5	9·3	18·4	52·5	50·1	47·7	·331	3·73	84	14	1·40	1	1	3	3	4	4	12	1	1	1·63
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·831	30·010	1·300	69·6	36·8	53·1	32·8	12·3	18·6	52·4	50·7	49·0	·348	3·93	89	16	1·53	0	4	1	8	0	6	5	6	0	1·08
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·950	29·999	1·190	70·0	37·6	52·1	32·4	12·6	23·6	51·4	49·6	47·8	·333	3·74	88	14	1·36	1	3	1	4	6	7	3	5	0	1·39
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·901	30·018	1·489	69·2	35·5	55·2	33·7	13·4	23·6	54·0	51·4	48·9	·344	3·92	82	20	3·48	1	4	6	1	3	6	6	1	2	0·77
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·935	30·016	1·384	70·3	38·8	55·1	31·5	11·6	16·7	54·1	51·5	49·0	·347	3·93	82	14	0·99	1	1	6	2	2	3	11	2	2	1·59
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	233	29·778	30·026	1·391	68·2	35·7	53·9	32·5	11·6	18·6	53·8	51·4	49·1	·348	3·94	84	18	4·98	0	1	2	7	0	7	7	5	1	2·52
PERTH, JOHN LESLIE, Gardener to Henry Coates.	140	29·894	30·009	1·364	71·0	36·5	52·9	34·5	15·5	24·5	52·6	50·6	48·6	·343	3·86	86	8	2·19	2	2	5	2	4	3	5	2	5	0·14
Means	160	29·849	30·015	1·372	71·0	34·1	53·8	33·1	12·7	20·6	53·2	50·8	48·6	·343	3·88	84	15	2·26	1	2	5	4	2	5	6	3	2	1·22

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 55′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of October 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4437 children, of whom 2264 were males, and 2173 females. Of these, 4127 were legitimate, and 310 illegitimate. The illegitimate births thus constituted 7·0 per cent. of the whole, being in the proportion of one illegitimate in every 14·3 births. In Greenock, 3·4 per cent. of the births were illegitimate; in Leith, 3·6; in Paisley, 4·6; in Glasgow, 6·6; in Aberdeen, 7·8; in Edinburgh, 9·0; in Dundee, 9·4; and in Perth, 11·3 per cent.

The marriages recorded in these eight towns during the month amounted to 1030, being 12 above the average for October during the ten preceding years, allowance being made for increase of population.

The Deaths of 2468 persons were registered in these towns during the month, of whom 1305 were males, and 1163 females. After the necessary correction is made for the increase of population, this number is found to be 132 below the average for the same month during the ten previous years.

During the month the mortality was at the annual rate of 11·4 deaths per thousand persons in Leith; 15·3 in Dundee; 15·6 in Edinburgh; 15·8 in Aberdeen and in Greenock; 17·7 in Paisley; 19·3 in Glasgow; and 19·5 in Perth.

Of the 1270 deaths registered in Glasgow, 371 were of infants under one year of

age, and 229 of persons over 60 years; of the 429 in Edinburgh, 84 were of infants under one year, and 130 of persons over 60 years; of the 211 in Dundee, 62 were of infants under one, and 54 of persons over 60; of the 213 in Aberdeen, 61 were under one, and 64 over 60; of the 122 in Paisley, 34 were under one, and 32 over 60; of the 76 in Leith, 23 were under one, and 13 over 60; of the 92 in Greenock, 23 were under one, and 20 over 60; and of the 55 in Perth, 15 were under one year, and 19 over 60 years.

Of the whole 2468 deaths, 972, or 39·4 per cent., were of children under five years of age. In Edinburgh 28·7 per cent. of the persons who died were under five years of age; in Dundee, 34·1; in Aberdeen, 36·2; in Paisley, 37·7; in Perth, 38·2; in Leith, 42·1; in Glasgow, 44·0; and in Greenock, 45·7 per cent.

From the seven principal Epidemic diseases 210 deaths were registered, constituting 8·5 per cent. of the total mortality. This rate was somewhat exceeded in Paisley, where Scarlet Fever was the predominating cause; and considerably exceeded in Greenock, attributable to the combined mortality from Scarlet Fever, Diphtheria, and Diarrhœa.

Fourteen deaths were caused by Measles.

From Scarlet Fever 32 deaths resulted. In Paisley 4·9 per cent. of the mortality were due to this disease, and in Greenock 7·6 per cent.

To Hooping-cough 43 deaths were ascribed, of which 26 occurred in Glasgow.

Diphtheria caused 32 deaths in all, and constituted 5·4 per cent of those in Greenock.

Sixteen deaths were attributed to Fevers, one (in Glasgow) being due to Typhus and 15 to Enteric Fever.

The Diarrhœal diseases caused 73 deaths, being 3·0 per cent. of the whole mortality. To these diseases were due 5·3 per cent. of the deaths in Leith, and 7·1 per cent. of those in Dundee.

Six deaths were ascribed to Puerperal Fever and 7 to Puerperal Septicæmia.

The deaths of 146 persons resulted from Malignant tumours, of which 56 were returned as due to Carcinoma, 8 to Sarcoma, and 82 to Cancer or Malignant Disease of unspecified nature.

Alcoholism caused 10 deaths; Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 112; Diseases of the Heart, 187; and Premature Birth Debility, 94.

The deaths from Inflammatory Affections of the Respiratory Organs (excluding Phthisis and Hooping-cough) amounted to 526, being 21·3 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 182, or 7·4 per cent. of the whole. Four deaths were caused by Croup.

The deaths of 97 persons resulted from Violent Causes, of which 6 were Suicidal (3 by cut-throat, 2 by hanging, and 1 by precipitation).

Two males and 9 females were aged 90 years and upwards, the oldest being the widow of a mason aged 98 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, OCTOBER 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	11 6	1092	2 8	2082	146	498	686	584	1270
EDINBURGH, .	276,652	317,459	322,966	343	335	678	617	61	212	229	200	429
DUNDEE, . .	154,118	161.173	162.078	244	182	426	383	40	118	106	105	211
ABERDEEN, .	124,943	153 503	157,505	208	203	411	379	32	85	105	108	213
PAISLEY, . .	66,425	79,363	81,150	98	116	214	204	10	38	55	67	122
LEITH, . .	68,707	77,439	78,605	10	118	220	212	8	28	43	33	76
GREENOCK, .	63,423	68,142	68,756	10	103	207	200	7	37	51	41	92
PERTH, . .	29,919	32,373	33,262	29	24	53	47	6	14	30	25	55
TOTAL, .	1,443,380	1.651,661	1,679,923	2264	2173	4437	4127	310	1030	1305	1163	2468
OCTOBER 1901, ...	Mean Temp. 47°·4			2122	2059	4181	3915	266	948	1246	1210	2456
OCTOBER 1900, ...	Mean Temp. 46°·3			2234	2142	4376	4112	264	1028	1338	1317	2655
OCTOBER 1899, ...	Mean Temp. 48°·6			2210	2076	4286	4026	260	1112	1207	1210	2417
OCTOBER 1898, ...	Mean Temp. 50°·9			2268	2028	4296	4010	286	1006	1344	1320	2664
OCTOBER 1897, ...	Mean Temp. 48°·4			2060	1988	4048	3758	290	905	1288	1210	2498
OCTOBER 1896, ...	Mean Temp. 43°·4			2138	1993	4131	3823	308	954	1143	1204	2347
OCTOBER 1895, ...	Mean Temp. 44°·0			1940	1863	3803	3523	280	933	1225	1198	2423
OCTOBER 1894, ...	Mean Temp. 46°·0			2112	2082	4194	3876	318	915	1191	1144	2335
OCTOBER 1893, ...	Mean Temp. 48°·4			2025	1966	3991	3719	272	854	1142	1200	2342
OCTOBER 1892, ...	Mean Temp. 43°·7			2067	1810	3877	3605	272	929	1187	1152	2339

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of OCTOBER 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	0	0	8	3	4	5	6
Camlachie, .	0	0	0	1	0	0	2
Dennistoun, .	0	1	0	1	2	1	2
Calton, .	0	0	0	0	0	0	1
Blackfriars, .	0	0	0	3	0	0	0
St Rollox, .	0	0	0	3	1	0	3
Blythswood, .	0	0	0	0	0	0	1
Milton, .	0	0	0	2	1	0	1
Kelvin, .	0	1	0	0	0	0	2
Anderston, .	0	3	0	3	0	0	2
Hutchesontown,	0	0	1	2	1	0	7
Gorbals, .	0	0	0	4	0	0	0
Tradeston, .	0	1	0	0	0	0	0
Kinning Park,	0	0	0	1	1	0	0
Cathcart, .	0	0	0	0	0	0	1
Eastwood, .	0	0	0	1	0	0	0
Maryhill, .	0	0	3	2	10	1	3
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, . .	0	0	0	0	0	0	0
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	2	0	4	1	0	3
St Andrew, .	0	0	0	2	0	0	1
Canongate, .	0	1	5	2	1	1	1
St Giles, .	0	0	0	0	1	3	2
Newington, .	0	1	1	0	0	1	3
Portobello, .	0	0	0	0	0	0	0
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith, .	0	0	0	0	0	0	0
DUNDEE—							
St Peter, .	0	0	0	0	0	0	3
St Mary, .	0	0	0	0	0	0	1
St Clement, .	0	0	0	1	0	0	3
St Andrew, .	0	0	0	0	0	0	8
Lochee, .	0	0	0	1	0	0	0
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	1	1	0	2	0	3
St Machar, .	0	0	0	2	0	0	1
Woodside, .	0	1	0	1	0	0	0
Old Aberdeen,	0	0	0	0	0	0	1
E. Peterculter,	0	0	0	0	0	0	0
Nigg, . .	0	0	0	0	0	0	0
PAISLEY, . .	0	1	6	2	1	2	4
LEITH—							
North, . .	0	0	0	0	1	0	0
South, . .	0	0	0	1	0	1	
GREENOCK—							
East, . .	0	0	0	0	1	0	3
West, . .	0	1	7	1	4	1	1
PERTH, . . .	0	0	0	0	0	0	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2468	559	87	395	229	1270	123	29	147	130	429	72	11	74	54	211	77	14	58	64	213
A. GENERAL DISEASES -	893	207	45	152	43	447	57	14	66	26	163	35	8	29	13	85	32	5	24	10	71
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	144	44	8	20	2	74	16	1	9	4	30	3	1	3	2	9	6	-	3	-	9
2. ,, Organs of Special Sense - -	4	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1
3. ,, Heart - - -	187	4	5	43	27	79	2	1	21	22	46	1	-	9	10	20	-	1	10	9	20
4. ,, Blood Vessels -	126		-	21	32	53	-	1	6	16	23	-	-	5	11	16	1	-	4	11	16
5. ,, Respiratory System	526	192	5	52	57	306	26	2	14	26	68	12	-	14	8	34	18	3	8	16	45
6. ,, Digestive System -	168	36	8	26	13	83	10	6	12	2	30	9	1	5	1	16	3	2	4	3	12
7. ,, Lymphatic and Ductless Glands	7	-	-	-	2	2	-	-	2	-	2	1	-	1	-	2	-	1	-	-	1
8. ,, Urinary System -	71	3	1	22	6	32	1		7	10	18	1	-	3	2	6	-	1	-	3	4
9. ,, Generative System	8	-	-	5	-	5	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-
10. ,, Pregnancy and Childbirth -	8	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
11. ,, Locomotor System	7	1	3	-	-	4	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-
12. ,, The Skin - -	10	2	-	1	1	5	-	-	-	1	1	2	-	-	-	2	-	-	-	1	1
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	212	64	3	12	39	118	10	-	1	15	26	5	-	-	7	12	15	-	-	8	23
E. VIOLENT DEATHS -	97	5	8	36	7	56	1	2	8	6	17	2	1	3	-	6	1	1	4	3	9
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	-		-	-
Small-pox { No statement -	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
Chicken-pox - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Measles - - - -	14	6	-	-	-	6	4	-	-	-	4	-	-	-	-	-	2	-		-	2
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	32	7	5		-	12	1	4	1	-	6	-	-	-	-	-	1	-	-	-	1
Typhus - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-		-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	12	2	1	4	1	8	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1
Hooping-cough - - -	43	25	1	-	-	26	8		-	-	8	2	-	-	-	2	3	-	-	-	3
Mumps - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diphtheria, Membranous Croup	32	20	-	-	-	20	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	15	-	1	5	-	6	-	1	4	-	5	-	-	-	-	-	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	4	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	67	24	-	2	1	27	9	-	-	1	10	13	-	1	1	15	4	-	-	-	4
Dysentery - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of OCTOBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	46	9	35	32	122	32	4	27	13	76	42	4	26	20	92	21	2	13	19	55
A. GENERAL DISEASES - –	15	6	13	5	39	15	1	8	2	26	27	4	9	3	43	9	2	5	3	19
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	3	1	1	–	5	4	1	2	–	7	4	–	–	1	5	3	–	–	2	5
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	–	2	5	7	–	2	3	2	7	–	–	3	3	6	–	–	–	2	2
4. ,, BLOOD VESSELS –	–	–	4	3	7	1	–	2	2	5	–	–	–	3	3	–	–	1	2	3
5. ,, RESPIRATORY SYSTEM	21	1	6	8	36	8	–	2	2	12	6	–	4	3	13	6	–	2	4	12
6. ,, DIGESTIVE SYSTEM –	2	1	5	1	9	2	–	3	–	5	1	–	5	1	7	1	–	3	2	6
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	–	2	–	2	–	–	3	1	4	–	–	2	2	4	–	–	–	1	1
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	5	–	1	9	15	1	–	1	4	6	4	–	–	4	8	1	–	–	3	4
E. VIOLENT DEATHS – –	–	–	–	1	1	–	–	3	–	3	–	–	2	–	2	1	–	2	–	3
A. GENERAL DISEASES.																				
Small-pox – Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox – No statement – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	3	3	–	–	6	–	–	–	–	–	4	3	–	–	7	–	–	–	–	–
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Hooping-cough – – – –	2	–	–	–	2	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	1	–	–	–	1	1	–	–	–	1	5	–	–	–	5	–	–	–	–	–
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	1	1	–	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	2	–	1	–	3	4	–	–	–	4	3	–	1	–	4	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	1	-		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syphilis	12	3	-		-	3	3	-	-	-	3	1	-	-	-	1	3	1	-	-	4
Gonorrhœa, Stricture of Urethra	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Septicæmia, Sapræmia	7	-	-	3	-	3	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	6	-	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	10	2	-	-	3	5	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-
Septicæmia (not Puerperal)	7	1	-	-	1	2	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
Pyæmia (not Puerperal)	3	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	3	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Pneumonia, Pneumonic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	16	-	1	4	-	5	-	2	4	2	8	-	-	2	-	2	1	-	-	-	1
Phthisis Pulmonalis (not otherwise defined)	166	3	15	69	5	92	-	2	20	1	23	-	5	9	1	15	-	2	17	2	21
Tubercular Meningitis	41	11	9	1	-	21	8	1	2	-	11	1	-	-	-	1	2	-	-	-	2
Tubercular Peritonitis	18	7	3	-	-	10	4	1	-	-	5	1	-	-	-	1	-	1	1	-	2
Tabes Mesenterica	18	6	-	-	-	6	3	-	2	-	5	1	-	2	-	3	2	-	-	-	2
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
General Tuberculosis	25	8	3	1	-	12	3	2	2	-	7	1	2	-	-	3	-	-	-	-	-
Scrofula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	10	-	-	3	-	3	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Industrial Poisoning :—																					
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of OCTOBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Septicæmia (not Puerperal)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis Pulmonalis (not otherwise defined)	–	1	3	–	4	–	1	5	–	6	–	–	2	–	2	–	–	3	–	3
Tubercular Meningitis	1	–	–	–	1	2	–	–	–	2	2	–	–	–	2	–	1	–	–	1
Tubercular Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
General Tuberculosis	–	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning :—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of October 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	5	–	1	1	–	2	–	1	–	–	1	–	1	–	–	1	–	–	1	–	1
Rheumatism of Heart	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	3	–	–	1	–	1	–	–	1	1	2		–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–		–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	56	–	–	18	15	33	–	–	5	1	6	–	–	4	3	7	–	–	–	3	3
Sarcoma	8	–	1	3	1	5	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Cancer, Malignant Disease (not otherwise defined)	82	–	–	21	13	34	–	–	8	15	23	–	–	7	5	12	–	–	1	3	4
Rickets	3	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	15	–	1	4	1	6	–	–	4	1	5	–	–	–	–	–	–	1	–	–	1
Diabetes Mellitus	9	–	1	3	–	4	–	–	1	1	2	–	–	1	1	2	–	–	–	1	1
Premature Birth	94	54	–	–	–	54	6	–	–	–	6	10	–	–	–	10	7	–	–	–	7
Congenital Defects	12	5	–	–	–	5	4	–	–	–	4	–	–	–	–	–	1	–	–	–	1
Injury at Birth	4	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Atelectasis	9	6	–	–	–	6	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1
Teething	10	8	–	–	–	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	46	21	6	2	–	29	4	–	–	–	4	2	1	1	–	4	3	–	1	–	4
Softening of Brain	8	–	–	–	1	1	–	1	1	1	3	–	–	1	2	3	–	–	–	–	–
General Paralysis of Insane	5	–	–	1	–	1	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	2	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Convulsions	42	17	–	1	–	18	11	–	–	–	11	1	–	–	–	1	3	–	–	–	3
Laryngismus Stridulus	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	15	1	–	6	1	8	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Brain Tumour (not Specific)	8	–	1	4	–	5	–	–	1	1	2	–	–	1	–	1	–	–	–	–	–
Other Dis. of Nervous System	10	3	1	2	–	6	1	–	1	–	2	–	–	–	–	–	–	–	1	–	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	3	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–	1
Epistaxis and Disease of Nose	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Dis. of Eye	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	50	–	3	9	8	20	–	–	11	4	15	–	–	2	2	4	–	1	1	2	4
Pericarditis	2	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	5	–	–	3	1	4	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	4	–	–	–	1	1	–	–	–	2	2	–	–	1	–	1	–	–	–	–	–
Fatty Degeneration of Heart	11	–	–	3	3	6	–	–	3	2	5	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	115	4	–	28	14	46	2	1	7	13	23	1	–	6	8	15	–	–	9	7	16

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	-	2	2	-	-	-	2	2	-	-	2	1	3	-	-	-	-	-
Sarcoma	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	2	1	3	-	-	-	-	-	-	-	2	2	4	-	-	-	2	2
Rickets	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	-	-	-	-	-	5	-	-	-	5	6	-	-	-	6	6	-	-	-	6
Congenital Defects	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Injury at Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																				
Diseases of Nervous System.																				
Meningitis, Inflammation of Brain	1	1	-	-	2	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Softening of Brain	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	-	-	-	1	3	-	-	-	3	3	-	-	-	3	2	-	-	-	2
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, and Dis. of Cord	-	-	1	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	2	2
Neuritis, Peripheral, Poly-Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Organs of Special Sense.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Disease of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Disease of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Heart.																				
Valvular Disease, Endocarditis (not Infective)	-	-	-	4	4	-	2	-	-	2	-	-	1	-	1	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope Heart Disease (not Specified)	-	-	2	1	3	-	-	3	2	5	-	-	2	3	5	-	-	-	2	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		5–0	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	41	–	–	3	12	15	–	–	2	5	7	–	–	1	8	9	–	–	1	4	5
Apoplexy, Hemiplegia –	71		–	16	19	35	–	–	3	7	10	–	–	3	3	6	1	–	1	6	8
Aneurism – – – –	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Senile Gangrene – – –	3	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Embolism, Thrombosis (not Cerebral) – – –	5	–	–	1	–	1	–	1	–	1	2	–	–	1	–	1	–	–	–	–	–
Phlebitis – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	4	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	2	–	2
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	7	4	–	–	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	4	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Other Diseases of Larynx –	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Bronchitis – – – –	189	47	–	15	31	93	12	–	2	13	27	8	–	3	5	16	9	–	3	5	17
Lobar, Croupous, Pneumonia	17	1	–	5	–	6	–	–	1	3	4	–	–	3	–	3	1	–	1	1	3
Catarrhal, Lobular, Broncho-Pneumonia – – –	119	80	–	4	1	85	7	–	1	–	8	4	–	1	1	6	6	1	–	1	8
Pneumonia (not otherwise defined) – – – –	136	39	3	18	20	80	5	2	8	8	23	–	–	6	2	8	–	1	1	6	8
Emphysema, Asthma – –	7	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–	–	–	1	2	3
Pleurisy – – – –	15	–	1	5	3	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3
Fibroid Disease of Lung –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory Syst.	31	20	–	4	2	26	1	–	1	1	3	–	–	1	–	1	–	–	–	1	1
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	3	2	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific) – – –	2	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer – – –	8	–	1	2	2	5	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Gastric Catarrh – – –	21	6	1	3	1	11	–	–	1	1	2	6	–	–	–	6	1	–	–	–	1
Other Diseases of Stomach (not Malignant) – –	4	–	–	2	1	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic) –	16	7	–	–	1	8	1	1	–	–	2	1	–	1	1	3	–	–	–	–	–
Gastro-enteritis – – –	24	16	–	–	1	17	3	–	–	–	3	2	–	–	–	2	1	–	–	–	1
Appendicitis, Perityphlitis –	15	–	2	2	–	4	–	3	1	–	4	–	–	–	–	–	–	2	–	1	3
Hernia – – – –	9	–	1	3	1	5	1	–	2	–	3	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction – –	14	1	1	–	1	3	2	1	–	–	3	–	1	–	–	1	1	–	3	1	5
Other Diseases of Intestines –	2	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal) –	17	1	2	6	1	10	1	1	1	–	3	–	–	2	–	2	–	–	–	–	–
Cirrhosis of Liver – –	12	–	–	3	3	6	–	–	3	–	3	–	–	1	–	1	–	–	–	–	–
Other Diseases of Liver and Gall Bladder – – –	18	2	–	2	1	5	1	–	2	–	3	–	–	–	–	–	–	–	1	1	2
Other Dis. of Digestive System	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	3	–	–	–	1	1	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Diseases of Thyroid Body –	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1
Dis. of Supra Renal Capsules	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	21	3	1	6	–	10	–	–	3	2	5	1	–	2	–	3	–	–	–	–	–
Chronic Bright's Disease, Albuminuria – – –	39	–	–	16	5	21	1	–	4	4	9	–	–	1	1	2	–	1	–	2	3
Calculus (not Biliary) – –	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Dis. of Bladder and of Prostate	9	–	–	–	1	1	–	–	–	3	3	–	–	–	1	1	–	–	–	–	–
Other Dis. of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	1	1	1	–	1	–	2	–	–	–	1	1	–	–	–	1	1
Apoplexy, Hemiplegia	–	–	4	2	6	–	–	1	1	2	–	–	–	2	2	–	–	1	1	2
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	10	1	5	5	21	4	–	–	1	5	1	–	–	2	3	2	–	1	4	7
Lobar, Croupous, Pneumonia	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	4	–	–	–	4	3	–	1	–	4	–	–	2	–	2	2	–	–	–	2
Pneumonia (not otherwise defined)	5	–	1	2	8	–	–	1	1	2	3	–	1	1	5	2	–	–	–	2
Emphysema, Asthma	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Gastric Catarrh	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	1	–	1	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Gastro-enteritis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	1	–	–	1	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1
Hernia	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intestinal Obstruction	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
Other Diseases of Liver and Gall Bladder	1	–	–	–	1	1	–	1	–	2	–	–	2	–	2	1	–	–	2	3
Other Diseases of Digestive System	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Chronic Bright's Disease, Albuminuria	–	–	–	–	–	–	–	2	–	2	–	–	1	1	2	–	–	–	–	–
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	1	–	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1	1
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	3	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Other Dis. of Uterus and Vagina	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs – –	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania – – –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions – –	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding –	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth – –	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis – – – –	5	1	2	-	-	3	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis – –	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore – – –	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema – – – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Pemphigus – – –	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of the Skin –	6	3	-	1	-	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility – –	90	51	1	1	-	53	10	-	-	-	10	5	-	-	-	5	13	-	-	-	13
Old Age – – – –	84	-	-	-	34	34	-	-	-	15	15	-	-	-	7	7	-	-	-	8	8
Dropsy, Ascites, Anasarca –	4	-	1	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Tumour – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess – – – –	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage – – –	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified – –	26	10	1	8	4	23	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
E. VIOLENT DEATHS.																					
In Mines and Quarries – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses – –	4	-	-	3	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Ships, Boats, Docks (not Drowning) – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery – – – –	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weapons and Implements –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds – – –	11	3	2	3	2	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Poisons, Poisonous Vapours –	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Drowning – – – –	7	-	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Suffocation { From Overlaying	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Suffocation { Otherwise –	3	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Falls – – – – –	7	-	-	2	-	2	1	-	1	2	4	-	-	-	-	-	-	-	1	-	1
Weather Agencies – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated –	47	-	5	18	4	27	-	2	4	3	9	-	1	1	-	2	-	-	2	2	4
Homicide – – – –	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Suicide – – – –	6	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Execution – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of October 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Placenta Prævia, Flooding	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	5	–	–	–	5	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–
Old Age	–	–	–	9	9	–	–	–	4	4	–		–	4	4	–	–	–	3	3
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	1	–	1	–	–	–	–	–		–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	1		–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–		1	–	–	–	1	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	–	–	–	–	–	–	–	–	–	–	–		–	1	–	–	–	1
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2	1	–	1	–	2
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—OCTOBER 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	50	8	29	0	0	0	0	1	0	0	0	0	6	2
Ayr,	30,859	94	12	37	0	0	0	1	0	1	0	3	0	2	6
Banff, with Macduff,	8,334	14	2	8	0	0	2	0	0	0	0	0	0	3	1
Blairgowrie,	4,254	9	0	10	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,158	3	1	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	24	5	13	0	0	0	0	0	0	0	0	0	2	1
Cathcart (Landward),	7,833	18	1	8	0	0	0	1	0	0	0	0	0	2	1
Coatbridge,	40,938	129	14	44	0	1	0	0	3	0	0	1	1	10	1
Crieff,	5,744	13	0	9	0	0	0	0	0	0	0	0	0	0	3
Dumbarton,	20,221	56	8	19	0	0	0	0	0	0	0	2	0	1	2
Dumfries, with Troqueer,	24,870	47	20	44	0	0	0	0	1	0	0	0	0	2	6
Dunfermline,	32,098	77	10	34	0	0	0	0	0	0	0	2	0	8	1
Dunoon,	9,153	20	7	17	0	0	0	0	0	0	0	0	0	1	2
Eastwood (Landward),	15,582	39	6	19	0	0	0	0	2	2	0	1	0	5	1
Elgin,	11,704	25	3	28	0	0	0	0	0	0	0	2	0	3	2
Falkirk,	38,212	124	13	49	0	0	0	1	1	3	0	1	0	10	3
Forfar,	12,784	24	3	18	0	0	0	0	1	0	0	0	0	2	1
Galashiels,	13,554	13	9	15	0	0	0	0	0	0	0	1	0	1	2
Govan—(1) Plantation (Landward),	27,874	80	18	41	0	0	1	0	1	0	0	4	0	6	3
(2) Govan (Landward),	58,806	202	29	108	0	0	1	2	1	1	0	6	1	21	12
(3) Partick (Landward),	57,054	194	15	60	0	0	1	2	0	0	0	4	1	10	4
Haddington,	5,115	8	1	4	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	18,260	31	3	23	0	1	0	0	0	0	0	2	1	2	2
Inverness,	27,427	50	14	41	0	0	0	1	0	1	0	0	0	3	5
Kilmarnock, with Riccarton,	37,957	94	18	53	0	0	1	1	0	4	0	0	0	7	5
Kilmore and Kilbride (Oban),	6,376	19	4	7	0	0	0	0	0	0	0	0	0	1	0
Kinning Park (Landward),	13,874	49	14	24	0	0	0	0	0	0	0	3	0	7	4
Kirkcaldy and Abbotshall,	23,716	62	5	31	0	0	0	1	0	0	0	2	0	5	2
Kirkcudbright,	3,289	4	3	3	0	0	0	0	1	0	0	0	0	0	0
Largs, with Skelmorlie,	5,524	10	2	6	0	0	0	0	0	0	0	0	0	0	1
Logie (Bridge of Allan),	4,455	6	1	2	0	0	0	0	0	0	0	0	0	0	0
Moffat,	2,778	2	3	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	24	5	23	0	0	0	0	0	0	0	0	0	3	3
Moulin (Pitlochry),	2,217	0	1	2	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,795	8	1	6	0	0	0	0	0	0	0	0	0	0	1
New Monkland (Airdrie),	37,185	119	11	42	0	1	0	0	0	2	0	2	0	8	3
North Berwick,	3,734	4	3	4	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	43	2	21	0	0	2	0	1	0	0	1	0	3	1
Rothesay,	9,412	29	9	14	0	0	0	0	0	0	0	0	0	3	1
St Andrews and St Leonards,	9,495	15	2	10	0	0	0	1	0	0	0	0	1	2	0
Shettleston (Landward),	23,653	66	7	31	0	0	1	1	1	1	0	1	0	1	5
Stirling,	16,532	34	7	25	0	0	1	0	2	0	0	2	0	4	0
Stranraer,	6,017	15	2	8	0	0	0	0	0	0	0	0	0	1	2
Wick,	11,237	31	1	20	0	0	0	0	0	0	0	1	0	3	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 153 feet above the sea-level.

For the month of OCTOBER 1902.

Mean barometric pressure, 29·922 inches; greater than the average for the same month of 1856–1900 by 0·102 inch.

Barometric monthly range, 1·715 inch; greater by 0·310 inch.

Mean temperature, 47°·8; greater by 0°·7.

Mean daily range of temperature, 12°·0; greater by 0°·4.

Mean humidity, 84; less by 1·4.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 2·02; less by 1·60 inch.

Wind, pressure on square foot, 2·16 lbs.; greater by 0·52 lb.

Wind, direction of, E. to W. as 8 to 12, and N. to S. as 5 to 6; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Hence the month of October 1902 was characterised by a mean barometric pressure considerably above the average, with a high monthly range; a mean temperature a little above the normal, with a slightly high mean daily range; a mean rainfall greatly below the average, but falling on 1 day more than the average number; a 3 days' excess of fairly strong winds from the N.E.

The mean barometric pressure was 29·922 inches, or 0·102 inch above the average. Pressure was very high from the 1st to the 6th and from the 22nd to the 25th. The lowest reading of the month was everywhere on the evening of the 15th, when the barometer at sea-level fell considerably below 29 inches.

The mean temperature of the month was 47°·8, or 0°·7 above the average. The days were 0°·9 and the nights 0°·5 above their respective averages. Temperature was 1° below the average at Aberdeen, and just equal to the normal at Dundee; but at the other principal towns there was an excess, amounting at Leith to as much as 1°·7. The first four days of the month were very cold, and temperature continued low until the 12th. From the 17th to 20th there was another cold spell, but thereafter temperature continued fairly high, the mean daily temperature at Leith being highest on the 23rd, 24th, and 29th. The absolutely highest temperature recorded at any of the principal towns was 61°·0 at Aberdeen on the 31st, and the lowest 28°·0 at the same place on the 19th.

The mean rainfall was 2·02 inches, or 44 per cent. below the average. At all the towns the shortage was considerable, varying from 29 per cent. at Greenock to 57 per cent. at Glasgow; but towards the North-West the deficiency decreased, and at Fort-William there was an excess of 19 per cent. On the West Coast the first 11 days of the month were practically rainless, but a little rain fell in the East of the country. The 14th and 15th were everywhere very wet; the aggregate fall for these two days being 1·20 inch at Greenock and 1·06 inch at Paisley. Heavy falls were also recorded at these two towns on the 21st and 25th.

From the 14th to the 16th a South-Westerly gale prevailed, accompanied by a heavy rainfall.

An Aurora was observed at Edinburgh on the 4th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, During the Month of October 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·868	29·928	1·636	59·8	30·2	48·2	29·6	14·0	25·1	48·1	45·7	43·1	·277	3·19	83	15	1·52	6	1	17	0	0	0	4	2	1	1·08
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·450	29·935	1·718	60·7	36·9	47·4	23·8	9·7	20·3	47·1	44·6	41·8	·265	3·06	82	17	1·06	2	4	4	1	3	7	7	2	1	2·19
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·738	29·920	1·740	57·6	30·1	46·6	27·5	12·6	23·3	46·1	44·3	42·3	·271	3·14	87	20	1·49	0	7	0	4	0	10	3	7	0	1·72
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·842	29·891	1·775	61·0	28·0	46·0	33·0	14·4	23·0	45·6	43·7	41·5	·263	2·98	86	20	1·66	3	2	2	3	5	6	3	6	1	.
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·808	29·927	1·707	58·7	33·0	48·7	25·6	12·6	23·9	47·9	45·5	42·9	·276	3·12	84	19	2·83	3	4	2	0	6	5	7	0	4	1·48
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·843	29·927	1·755	59·7	34·9	49·2	24·8	8·9	20·8	49·1	46·3	43·3	·282	3·18	80	18	1·14	1	3	4	2	2	2	13	3	1	2·62
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Water-Works.	238	29·672	29·925	1·674	59·2	36·2	48·2	23·0	11·5	17·0	47·6	45·3	42·7	·273	3·16	84	17	4·41	0	2	4	5	0	9	8	2	1	2·89
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Means	153	29·746	29·922	1·715	61·0	28·0	47·8	26·8	12·0	21·9	47·4	45·1	42·6	·272	3·12	84	18	2·02	2	3	5	2	2	6	7	3	1	2·16

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 55′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1122.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of November 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 3652 children, of whom 1795 were males, and 1857 females. Of these, 3434 were legitimate, and 218 illegitimate. The illegitimate births thus constituted 6·0 per cent. of the whole, being in the proportion of one illegitimate in every 16·8 births. In Perth, 2·1 per cent. of the births were illegitimate; in Paisley, 2·7; in Greenock, 3·6; in Leith, 4·9; in Glasgow, 5·8; in Dundee, 6·3; in Aberdeen, 7·2; and in Edinburgh, 7·5 per cent.

The marriages registered in these eight towns during the month amounted to 1121, being 104 above the average for November during the last ten years, allowing for the increase of population.

The Deaths of 2303 persons were recorded in these towns during the month, of whom 1180 were males, and 1123 females. This number is 486 below the average for the month during the ten preceding years, allowance being made for the increase of population.

The mortality for the month is equivalent to an annual death-rate of 11·8 per thousand persons in Leith; 15·4 in Perth; 15·5 in Aberdeen; 15·9 in Greenock; 16·3 in Edinburgh; 16·8 in Dundee; 17·4 in Glasgow; and 19·0 in Paisley.

Of the 1110 deaths registered in Glasgow, 296 were of infants under one year of

age, and 186 of persons over 60 years; of the 433 in Edinburgh, 96 were of infants under one year, and 128 of persons over 60 years; of the 224 in Dundee, 40 were of infants under one, and 66 of persons over 60; of the 201 in Aberdeen, 50 were under one, and 60 over 60; of the 127 in Paisley, 34 were under one, and 33 over 60; of the 76 in Leith, 25 were under one, and 20 over 60; of the 90 in Greenock, 17 were under one, and 19 over 60; and of the 42 in Perth, 4 were under one year, and 15 over 60 years.

Of the whole 2303 deaths, 871, or 37·8 per cent., were of children under five years of age. In Perth, the deaths of children of this age constituted 23·8 per cent. of the total; in Dundee, 29·9; in Edinburgh, 30·9; in Paisley, 35·4; in Aberdeen, 36·3; in Greenock, 37·8; in Glasgow, 42·4; and in Leith, 48·7 per cent.

From the seven principal Epidemic diseases 158 deaths were registered, being 6·9 per cent. of the total mortality. This rate was exceeded in Paisley, Scarlet Fever being there the most fatal of these diseases; in Aberdeen, the excess being due to the combined mortality from Measles, Hooping-Cough, Diphtheria, and Diarrhœa; in Greenock, from the prevalence of Scarlet Fever and Diphtheria; and in Perth, where Hooping-cough was the predominating cause.

Fifteen deaths were attributed to Measles. In Aberdeen, 3·5 per cent. of the deaths were due to this disease.

Scarlet Fever caused 22 deaths. From this disease 3·9 per cent. of the deaths resulted in Paisley, and 5·6 per cent. in Greenock.

Hooping-cough caused 50 deaths, being 2·2 per cent. of the total mortality. In Perth the percentage was 7·1.

From Diphtheria there resulted 19 deaths in all, 4·4 being the percentage of those in Greenock.

Fevers caused 17 deaths, of which 4 (in Glasgow) were due to Typhus, and the remainder to Enteric Fever.

Diarrhœal diseases accounted for 35 deaths.

Two deaths were attributed to Puerperal Septicæmia and 3 to Puerperal Fever.

The deaths of 124 persons were caused by Malignant tumours, of which 56 were stated to have been due to Carcinoma, 11 to Sarcoma, and 57 to Cancer or Malignant Disease of an undefined nature.

Alcoholism caused 7 deaths; Premature Birth Debility, 62; Diseases of the Heart, 180; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 130.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 548, being 23·8 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 182, or 7·9 per cent. of the whole. Three deaths were attributed to Croup.

The deaths of 87 persons were due to Violent Causes, of which 5 were Suicidal (2 each by precipitation and cut-throat, and 1 by hanging).

Three females who died had passed the 90th year of life, the oldest being the widow of a carter aged 93 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, NOVEMBER 1902.

TOWNS	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, .	659,193	761,709	775,601	855	913	1768	1665	103	567	593	517	1110
EDINBURGH, .	276,652	317,459	322,966	317	306	623	576	47	242	224	209	433
DUNDEE, . .	154,118	161,173	162,078	177	173	350	328	22	75	97	127	224
ABERDEEN, .	124,943	153,503	157,505	175	186	361	335	26	87	103	98	201
PAISLEY, . .	66,425	79,363	81,150	69	81	150	146	4	51	61	66	127
LEITH, . .	68,707	77,439	78,605	96	88	184	175	9	50	37	39	76
GREENOCK, .	63,423	68,142	68,756	81	88	169	163	6	26	43	47	90
PERTH, . .	29,919	32,873	33,262	25	22	47	46	1	23	22	20	42
TOTAL, .	1,443,380	1,651,661	1,679,923	1795	1857	3652	3434	218	1121	1180	1123	2303
NOVEMBER 1901, . . .	Mean Temp. 42°·1			1874	1778	3652	3422	230	944	1462	1407	2869
NOVEMBER 1900, . . .	Mean Temp. 42°·7			1876	1816	3692	3435	257	909	1295	1405	2700
NOVEMBER 1899, . . .	Mean Temp. 47°·3			1993	1916	3909	3621	288	1036	1275	1206	2481
NOVEMBER 1898, . .	Mean Temp. 42°·4			2007	1885	3892	3594	298	1016	1293	1221	2514
NOVEMBER 1897, . . .	Mean Temp. 45°·7			2011	1914	3925	3634	291	1082	1296	1250	2546
NOVEMBER 1896, . . .	Mean Temp. 42°·3			1958	1870	3828	3538	290	1051	1305	1358	2663
NOVEMBER 1895, . . .	Mean Temp. 43°·0			1726	1707	3433	3209	224	905	1191	1143	2334
NOVEMBER 1894, . . .	Mean Temp. 45°·5			1985	1860	3845	3552	293	826	1315	1277	2592
NOVEMBER 1893, . . .	Mean Temp. 40°·1			1910	1846	3756	3461	295	879	1394	1450	2844
NOVEMBER 1892, . . .	Mean Temp. 42°·5			2037	1910	3947	3660	287	929	1369	1343	2712

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of NOVEMBER 1902.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton, .	0	0	3	5	2	5	0
Camlachie,	0	0	0	2	0	0	0
Dennistoun, .	0	0	1	3	0	0	1
Calton, .	0	0	0	7	0	0	1
Blackfriars, .	0	0	0	0	0	0	1
St Rollox, .	0	0	0	0	1	0	1
Blythswood, .	0	0	0	0	0	0	1
Milton, .	0	0	0	2	1	0	2
Kelvin, .	0	0	1	1	1	0	2
Anderston, .	0	1	1	2	0	0	2
Hutchesontown,	0	0	0	3	0	0	1
Gorbals. .	0	0	1	1	0	0	0
Tradeston, .	0	0	0	0	0	0	1
Kinning Park,	0	0	0	0	0	0	0
Cathcart, .	0	0	0	0	0	0	0
Eastwood, .	0	0	0	0	0	0	0
Maryhill, .	0	1	0	1	1	5	2
Shettleston, .	0	0	0	0	0	0	0
Plantation, .	0	0	0	0	0	0	0
Govan, . .	0	0	0	0	0	0	0
Partick, . .	0	0	0	0	0	0	0
Rutherglen, .	0	0	0	0	0	0	0
EDINBURGH—							
St George, .	0	2	0	3	1	0	1
St Andrew, .	0	0	0	1	0	0	0
Canongate, .	0	2	1	0	2	3	1
St Giles. .	0	0	0	1	0	0	2
Newington, .	0	2	0	1	1	0	1
Portobello, .	0	0	0	1	0	0	0
EDINBURGH—*contd.*							
Cramond, .	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith, .	0	0	0	0	0	0	0
DUNDEE—							
St Peter, .	0	0	0	2	0	0	1
St Mary, .	0	0	0	0	0	1	1
St Clement, .	0	0	1	2	1	1	2
St Andrew, .	0	0	0	1	0	0	2
Lochee, .	0	0	1	0	0	0	1
Mains, .	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas, .	0	1	1	1	3	0	1
St Machar, .	0	6	0	2	0	0	3
Woodside, .	0	0	0	0	1	0	0
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter.	0	0	0	0	0	0	0
Nigg, . .	0	0	0	1	0	0	0
PAISLEY, .	0	0	5	2	0	1	3
LEITH—							
North, . .	0	0	0	0	0	0	0
South, .	0	0	0	2	0	0	1
GREENOCK—							
East, . .	0	0	1	0	1	0	0
West, . .	0	0	4	0	3	0	0
PERTH, . . .	0	0	1	3	0	1	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of November 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	2303	471	67	386	186	1110	134	17	154	128	433	67	13	78	66	224	73	10	58	60	201
A. GENERAL DISEASES –	774	155	33	132	22	342	57	10	68	27	162	33	9	37	13	92	28	5	26	9	68
B. LOCAL DISEASES :—																					
1. Dis. of Nervous System	136	39	8	14	9	70	9	1	11	4	25	3	1	3	3	10	4	-	4	2	10
2. ,, Organs of Special Sense – –	5	-	-	3	-	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
3. ,, Heart – – –	180	2	2	41	21	66	1	1	17	25	44	-	1	10	10	21	1	1	6	8	16
4. ,, Blood Vessels –	142	-	1	28	35	64	-	-	8	18	26	-	-	1	7	8	-	-	5	12	17
5. ,, Respiratory System	548	177	7	81	41	306	42	3	14	20	79	19	2	13	15	49	26	2	7	7	42
6. ,, Digestive System –	170	39	7	25	14	85	13	1	11	8	33	3	-	2	5	10	8	-	4	7	19
7. ,, Lymphatic and Ductless Glands	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. ,, Urinary System –	64	3	1	16	10	30	1	1	6	8	16	-	-	3	2	5	-	1	2	1	4
9. ,, Generative System	9	-	-	4	1	5	-	-	1	1	2	-	-	1	-	1	-	-	1	-	1
10. ,, Pregnancy and Childbirth –	13	-	-	3	-	3	-	-	3	-	3	-	-	4	-	4	-	-	2	-	2
11. ,, Locomotor System	9	3	2	2	1	8	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
12. ,, The Skin – –	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	164	46	1	9	26	82	8	-	-	15	23	8	-	-	8	16	4	-	-	13	17
E. VIOLENT DEATHS –	87	7	5	27	6	45	1	-	14	2	17	1	-	4	2	7	2	1	1	1	5
A. GENERAL DISEASES.																					
Small-pox { Vaccinated –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No statement –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox – –	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles – – – –	15	2	-	-	-	2	6	-	-	-	6	-	-	-	-	-	6	1		-	7
Epidemic Rose Rash – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever – – –	22	4	3	-	-	7	1	-	-	-	1	1	1	-	-	2	1	-	-	-	1
Typhus – – – –	4	2	-	2	-	4	-	-	-	-	-	-	-		-	-	-	-	-	-	-
Plague – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-
Relapsing Fever – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza – – – –	14	1	-	-	1	2	-	-	2	5	7	-	-	2	-	2	-	-	1	-	1
Hooping-cough – – –	50	26	1	-	-	27	7	-	-	-	7	4	1	-	-	5	4	-	-	-	4
Mumps – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	19	5	1	-	-	6	3	1	-	-	4	-	1	-	-	1	3	1	-	-	4
Cerebro-spinal Fever – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever – – –	13	-	3	3	-	6	-	-	3	-	3	-	1	1	-	2	-	-	-	-	-
Asiatic Cholera – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis –	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	33	12	-	-	1	13	3	-	1	1	5	5	-	-	2	7	1	-	1	2	4
Dysentery – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of NOVEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	45	12	37	33	127	37	4	15	20	76	34	8	29	19	90	10	6	11	15	42
A. GENERAL DISEASES - –	15	8	11	5	39	10	3	6	5	24	19	3	13	2	37	5	3	2	–	10
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	5	1	2	1	9	3	–	–	–	3	3	2	2	–	7	1	1	–	–	2
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	–	1	5	5	11	–	–	4	6	10	–	–	4	5	9	–	1	1	1	3
4. ,, BLOOD VESSELS –	–	–	3	2	5	–	–	–	6	6	1	–	4	6	11	–	–	2	3	5
5. ,, RESPIRATORY SYSTEM	18	–	5	5	28	18	–	1	1	20	8	–	3	3	14	2	–	4	4	10
6. ,, DIGESTIVE SYSTEM –	3	–	5	2	10	4	1	1	–	6	1	–	–	2	3	1	–	–	3	4
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. ,, URINARY SYSTEM –	–	1	3	1	5	–	–	–	1	1	–	–	1		1	–	–	1	1	2
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	4	–	1	12	17	–	–	1	1	2	1	–	1	1	3	–	–	1	3	4
E. VIOLENT DEATHS – –	–	1	1	–	2	2	–	2	–	4	1	3	1	–	5	1	1	–	–	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	1	3	1	–	5	–	–	–	–	–	4	1	–	–	5	–	1	–	–	1
Typhus – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	1
Hooping-cough – – – –	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–	3	–	–	–	3
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	–	1	1	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	1	–	1	–	2	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	3	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Erysipelas	8	2	–	2	1	5	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Septicæmia (not Puerperal)	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1
Phlegmon, Carbuncle (not Anthrax)	4	–	–	–	2	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	29	1	2	4	–	7	3	2	10	–	15	–	1	–	–	1	1	–	–	–	1
Phthisis Pulmonalis (not otherwise defined)	153	4	6	66	1	77	–	2	20	2	24	–	1	18	1	20	–	1	10	–	11
Tubercular Meningitis	47	14	4	1	–	19	7	2	–	–	9	6	1	–	–	7	2	–	–	–	2
Tubercular Peritonitis	19	5	2	1	–	8	–	–	2	–	2	4	1	–	–	5	1	1	–	–	2
Tabes Mesenterica	13	3	–	–	–	3	2	1	1	–	4	1	–	–	–	–	1	–	–	–	1
Lupus	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	10	–	2	3	1	6	–	–	2	1	3	–	1	–	–	1	–	–	–	–	–
General Tuberculosis	19	9	2	–	–	11	1	–	2	–	3	2	–	–	–	2	–	–	1	–	1
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	7	–	1	3	–	4	–	–	1	–	1	–	–	1	1	2	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																					
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	1	1	2	1	–	–	–	1	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	1	–	–	1	–	1	2	1	4	–	–	–	–	–	–	–	–	–	–
Phthisis Pulmonalis (not otherwise defined)	–	2	5	–	7	–	1	3	1	5	–	1	7	–	8	–	1	–	–	1
Tubercular Meningitis	2	–	–	–	2	3	–	–	–	3	5	–	–	–	5	–	–	–	–	–
Tubercular Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Rheumatic Fever, Acute Rheumatism	11	–	1	4	–	5	–	1	1	–	2	–	–	1	–	1	–	1	–	–	1
Rheumatism of Heart	2	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carcinoma	56	–	–	12	5	17	–	–	10	8	18	–	–	5	3	8	–	–	6	4	10
Sarcoma	11	–	–	3	–	3	2	–	3	–	5	–	–	1	–	1	–	–	1	–	1
Cancer, Malignant Disease (not otherwise defined)	57	–	–	14	9	23	–	–	5	9	14	–	–	5	4	9	–	–	2	3	5
Rickets	7	3	–	–	–	3	3	–	–	–	3	1	–	–	–	1	–	–	–	–	–
Purpura	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	7	–	1	–	1	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Diabetes Mellitus	11	–	2	4	–	6	–	1	1	–	2	–	–	1	–	1	–	–	1	–	1
Premature Birth	62	37	–	–	–	37	8	–	–	–	8	3	–	–	–	3	3	–	–	–	3
Congenital Defects	12	5	–	–	–	5	5	–	–	–	5	–	–	–	–	–	2	–	–	–	2
Injury at Birth	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Atelectasis	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	–	–	–	1
Want of Breast Milk	3	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Teething	18	14	–	–	–	14	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	43	14	5	5	1	25	3	–	–	–	3	1	1	–	1	3	–	–	–	–	–
Softening of Brain	8	–	–	–	2	2	–	–	1	2	3	–	–	1	–	1	–	–	1	1	2
General Paralysis of Insane	10	–	–	1	–	1	–	–	7	–	7	–	–	–	–	–	–	–	2	–	2
Insanity (not Puerperal)	3	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1
Chorea	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	3	–	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Convulsions	36	19	1	–	–	20	6	–	–	–	6	2	–	–	–	2	4	–	–	–	4
Laryngismus Stridulus	3	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	9	–	–	3	2	5	–	–	–	1	1	–	–	1	1	2	–	–	–	–	–
Neuritis, Peripheral, Polyneuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	3	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1
Other Dis. of Nervous System	14	5	–	1	3	9	–	–	2	–	2	–	–	–	1	1	–	–	–	–	–
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	5	–	–	3	–	3	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmiaand Dis. of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	50	–	–	9	9	18	–	–	3	9	12	–	–	4	3	7	–	–	–	2	2
Pericarditis	2	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
Hypertrophy of Heart	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	5	–	–	1	1	2	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Fatty Degeneration of Heart	6	–	–	–	–	–	–	–	5	1	6	–	–	–	–	–	–	–	–	–	–
Syncope, Heart Disease (not Specified)	114	2	2	31	11	46	1	–	8	13	22	–	1	5	6	12	1	1	6	6	14

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Sarcoma	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	1	2	3	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	1	–	1	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
Diabetes Mellitus	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Premature Birth	6	–	–	–	6	3	–	–	–	3	2	–	–	–	2	–	–	–	–	–
Congenital Defects	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	4	1	–	–	5	1	–	–	–	1	2	2	2		6	–	–	–	–	–
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	2	–	–	–	2	1	–	–	1	1	1	–	–	–	1
Laryngismus Stridulus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	1	2	1	4	–	–	2	2	4	–	–	–	1	1	–	–	1	1	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dilatation of Heart	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fatty Degeneration of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syncope Heart Disease (not Specified)	–	–	2	4	6	–	–	2	4	6	–	–	3	4	7	–	1	–	–	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	47	–	–	12	8	20	–	–	4	7	11	–	–	1	4	5	–	–	1	3	4
Apoplexy, Hemiplegia – –	83		1	15	25	41	–	–	–	9	9	–	–	–	3	3	–	–	4	9	13
Aneurism – – – – –	5	–	–	1	1	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Senile Gangrene – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) – – –	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Phlebitis – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Blood Vessels –	4	–	–	–	1	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – – –	9	5	–	–	–	5	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic) – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous) – – –	3	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis – – – – –	224	61	2	29	24	116	19	–	6	11	36	9	–	3	10	22	13	–	1	5	19
Lobar, Croupous, Pneumonia	23	–	–	8	1	9	1	–	3	–	4	–	–		1	1	–	1	5	2	8
Catarrhal, Lobular, Broncho-Pneumonia – – –	120	67	1	5	2	75	11	–	1	1	13	3	1	–	2	6	10	–	–	–	10
Pneumonia (not otherwise defined) – – – –	131	29	4	31	12	76	9	3	4	3	19	3	1	9	1	14	3	1	–	–	4
Emphysema, Asthma – –	4	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Pleurisy – – – – –	7	1	–	1	–	2	–	–	–	3	3	–	–	1	1	2	–	–	–	–	–
Fibroid Disease of Lung –	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory Syst.	25	12	–	4	1	17	1	–	–	2	3	1	–	–	–	1	–	–	–	–	–
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific) – – –	2	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer – – –	5	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Gastric Catarrh – – –	20	3	–	4	1	8	2	–	1	3	6	–	–	–	1	1	–	–	2	2	4
Other Diseases of Stomach (not Malignant) – –	6	1	–	–	2	3	–	–	1	–	1	–	–	–	–	–	1	–	–	1	2
Enteritis (not Epidemic) –	21	7		–	–	7	2	–	–	2	4	2	–	1	1	4	3	–	–	–	3
Gastro-enteritis – – –	35	22	–	1	–	23	6	–	–	–	6	1	–	–	–	1	2	–	–	–	2
Appendicitis, Perityphlitis –	10	–	2	1	1	4	–	–	2	2	4	–	–	–	–	–	–	–	–	–	–
Hernia – – – – –	11	1	2	2	1	6	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1
Intestinal Obstruction – –	16	3	–	2	6	11	1	–	–	–	1	–	–	–	1	1	1	–	–	1	2
Other Diseases of Intestines –	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	1
Peritonitis (not Puerperal) –	20	1	3	3	2	9	1	1	–	–	2	–	–	1	2	3	–	–	1	1	2
Cirrhosis of Liver – –	4	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Other Diseases of Liver and Gall Bladder – – –	12	–	–	6	1	7		–	1	1	2	–	–	–	–	–	–	–	–	–	–
Other Dis. of Digestive System	5	–	–	2	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic Syst.	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Supra Renal Capsules	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	22	3	–	5	1	9	1	1	2	1	5	–	–	2	–	2	–	–	1	–	1
Chronic Bright's Disease, Albuminuria – – –	31	–	1	9	7	17	–	–	4	4	8	–	–	1	2	3	–	1	1	–	2
Calculus (not Biliary) – –	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Bladder and of Prostate	6	–	–	–	1	1	–	–	–	3	3	–	–	–	–	–	–	–	–	1	1
Other Dis. of Urinary System	4	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	1	–	1	–	–	–	2	2	1	–	2	–	3	–	–	1	–	1
Apoplexy, Hemiplegia	–	–	2	2	4	–	–	–	4	4	–	–	1	6	7	–	–	–	2	2
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	–	1
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	1
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	11	–	3	4	18	2	–	–	–	2	3	–	1	2	6	–	–	1	4	5
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Catarrhal, Lobular, Broncho-Pneumonia	5	–	–	–	5	7	–	–	–	7	1	–	–	–	1	2	–	1	–	3
Pneumonia (not otherwise defined)	–	–	1	1	2	7	–	1	1	9	3	–	2	1	6	–	–	1	–	1
Emphysema, Asthma	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	2	–	–	–	2	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Stomach (not Malignant)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Gastro-enteritis	1	–	–	–	1	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Appendicitis, Perityphlitis	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2
Intestinal Obstruction	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	1	–	1	2	–	–	–	2	–	–	–	1	1	–	–	–	–	–
Cirrhosis of Liver	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Liver and Gall Bladder	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1
Other Diseases of Digestive System	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Lymphatic System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Supra Renal Capsules	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	–	1	2	–	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Chronic Bright's Disease, Albuminuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Calculus (not Biliary)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Bladder and of Prostate	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Urinary System	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of November 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	6	-	-	3	1	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Other Dis. of Uterus and Vagina	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Placenta Prævia, Flooding	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth	9	-	-	3	-	3	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis	3	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Arthritis, Periostitis	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	3	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema	1	-	-	-	-	-	1	-	-		1	-	-	-	-	-	-	-	-	-	-
Pemphigus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility	65	37	-	2	-	39	8	-	-	-	8	8	-	-	-	8	4	-	-	-	4
Old Age	71	-	-	-	20	20	-	-	-	15	15	-	-	-	7	7	-	-	-	12	12
Dropsy, Ascites, Anasarca	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Tumour	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	3	1	-	1	-	2	-	-	-	-	-	-	-	-		-	-	-	-	-	-
Hæmorrhage	-	-	-		-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-
Sudden (cause unascertained)	5	2	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified	16	6	-	6	3	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
E. VIOLENT DEATHS.																					
In Mines and Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses	6	-	2	4	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning)	1	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations	-	-	-		-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Machinery	1	-	-	-		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weapons and Implements	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	22	4	2	6	1	13	-		3	-	3	-	-	1	1	2	1	1	-	-	2
Poisons, Poisonous Vapours	4	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	9		1	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Suffocation { From Overlaying	4	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Suffocation { Otherwise	5	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Falls	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Weather Agencies	-	-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
Otherwise, or not stated	24	-	-	9	2	11	-	-	5	2	7	-	-	2	1	3	-	-	-	-	-
Homicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	1	-	1	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
Execution	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1902

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–		1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–			–			–	–		–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	4	–	–	–	4	–	–	1	–	1	1		–	–	1	–	–	–	–	–
Old Age	–	–	–	12	12	–	–	–	1	1	–		–	1	1	–	–	–	3	3
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	1	–	1
Tumour	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–	–
Abscess	–	–	1	–	1	–	–	–	–			–		–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	–	–				1	–	1	–	–	–	–	–
Other ill-defined causes	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Causes not specified			–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–		–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	1		1	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–		–		–	–	–	–	–	–	–	–	–	–
Machinery	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–		–	–	–	–		–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–		1	1	–	–	–	1	–	–	–	–	–
Poisons, Poisonous Vapours			–	–	–	–	–	–		–	–	–				–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	1	–	3		–	3	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Falls	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	1	–	–	1	–	–	–		–	–		1	–	1	–	1	–	–	1
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	50	2	35	1	0	0	0	2	0	0	0	0	8	1
Ayr,	30,859	58	9	37	0	0	1	4	2	1	0	3	0	2	2
Banff, with Macduff,	8,334	15	4	12	0	0	0	1	0	0	0	0	0	3	1
Blairgowrie,	4,254	3	2	3	0	0	0	0	0	0	0	0	0	1	0
Callander,	2,158	3	0	0	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	18	3	11	0	0	0	0	0	0	0	0	0	1	1
Cathcart (Landward),	7,833	15	0	5	0	0	0	3	0	0	0	0	0	1	0
Coatbridge,	40,938	115	15	55	0	3	0	1	2	0	0	0	0	14	5
Crieff,	5,744	10	1	11	0	0	0	0	1	0	0	0	1	1	1
Dumbarton,	20,221	57	12	28	0	0	0	0	0	1	0	1	0	5	0
Dumfries, with Troqueer,	24,870	40	9	34	0	0	0	0	0	0	0	1	0	1	5
Dunfermline,	32,098	53	17	28	0	0	1	0	0	0	0	2	1	5	1
Dunoon,	9,153	15	8	13	0	0	0	1	0	0	0	0	0	0	0
Eastwood (Landward),	15,582	33	6	18	0	0	0	0	2	1	0	0	1	5	1
Elgin,	11,704	15	4	16	0	0	0	1	0	0	0	0	0	4	2
Falkirk,	38,212	94	13	58	0	0	1	0	0	0	0	1	2	26	5
Forfar,	12,784	23	8	19	0	0	0	0	1	0	0	0	1	4	0
Galashiels,	13,554	15	5	11	0	1	0	0	0	0	0	1	0	2	1
Govan—(1) Plantation (Landward),	27,874	58	13	36	0	0	0	2	0	0	0	0	0	12	5
(2) Govan (Landward),	58,806	159	23	90	0	0	1	2	2	6	0	0	1	30	5
(3) Partick (Landward),	57,054	156	24	60	0	0	0	1	0	0	0	0	0	16	3
Haddington,	5,115	3	2	12	0	0	0	0	0	0	0	0	0	1	1
Hawick, with Wilton,	18,260	25	6	23	0	1	0	0	1	0	0	1	0	3	2
Inverness,	27,427	46	17	27	0	0	0	0	1	0	0	0	0	5	1
Kilmarnock, with Riccarton,	37,957	98	22	49	0	0	2	1	0	1	0	3	0	7	2
Kilmore and Kilbride (Oban),	6,376	14	4	10	0	0	0	0	0	0	0	0	0	2	1
Kinning Park (Landward),	13,874	40	5	18	0	0	0	1	1	0	0	1	0	7	0
Kirkcaldy and Abbotshall,	23,716	48	17	26	0	0	0	0	0	0	0	1	0	8	3
Kirkcudbright,	3,289	1	2	2	0	0	0	0	0	0	0	0	0	0	0
Largs, with Skelmorlie,	5,524	10	3	2	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,455	0	0	5	0	0	0	0	0	0	0	0	0	0	1
Moffat,	2,778	5	1	4	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,958	27	5	20	0	0	0	1	0	0	0	1	0	6	0
Moulin (Pitlochry),	2,217	3	2	1	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,795	13	7	9	0	0	0	0	0	0	0	0	0	1	0
New Monkland (Airdrie),	37,185	119	20	40	0	4	0	0	0	0	0	1	0	7	2
North Berwick,	3,734	6	2	5	0	0	0	0	0	0	0	0	0	2	0
Peterhead, with Boddam,	15,063	41	7	19	0	0	0	0	1	1	0	0	0	4	1
Rothesay,	9,412	15	3	15	0	0	0	0	0	0	0	0	0	4	1
St Andrews and St Leonards,	9,495	20	3	10	0	0	0	1	0	0	0	0	0	1	0
Shettleston (Landward),	23,653	57	7	23	0	0	0	1	0	1	0	4	0	3	3
Stirling,	16,532	44	16	32	0	0	2	0	1	0	0	3	0	7	4
Stranraer,	6,017	9	2	7	0	0	0	0	0	0	0	1	1	1	0
Wick,	11,237	27	5	17	0	0	0	0	0	1	0	0	0	2	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 153 feet above the sea-level.

For the month of NOVEMBER 1902.

Mean barometric pressure, 29·813 inches; less than the average for the same month of 1856–1900 by 0·017 inch.

Barometric monthly range, 1·452 inch; less by 0·092 inch.

Mean temperature, 45°·1; greater by 3°·5.

Mean daily range of temperature, 9°·1; less by 0°·8.

Mean humidity, 84; less by 4·0.

Rain, number of days, 18; greater by 2 days.

Rain, depth in inches, 2·93; less by 0·50 inch.

Wind, pressure on square foot, 1·64 lb.; being the average.

Wind, direction of, E. to W. as 13 to 6, and N. to S. as 3 to 10; the average being E. to W. as 6 to 11, and N. to S. as 5 to 6.

Hence the month of November 1902 was characterised by a slightly low mean barometric pressure, with a monthly range a little below the average; a very high mean temperature, with a slightly low mean daily range; a low mean rainfall, but falling on 2 days more than the average number; a remarkably low humidity associated with an 11 days' excess of winds of average strength from E. and S.-E.

The mean barometric pressure was 29·813 inches, or 0·017 below the average. A very steep gradient was formed from East to West, the pressure at Leith being just equal to the average, whilst that at Paisley was 0·050 inch below. Hence the remarkable excess of dry winds from an easterly quarter. The extremes of pressure at sea-level were at Leith 30·509 inches on the 18th, and 29·028 inches on the 9th.

The mean temperature of the month was 45°·1, or 3°·5 above the average. The days were 3°·1 and the nights 3°·8 above their respective averages. The month was thus, on the average, a very mild one. Only between the 18th and 24th was there any cold weather, and the cold then was of very moderate intensity compared with what was experienced in the South of England at the same time. Thus the mean temperature of Leith during the week included between the above dates was about 5° above that of London, and on the 19th the mean temperature of London was 33°·5, whilst that of Leith was 42°·5. The absolutely highest temperature was 59°·8 at Glasgow on the 7th, and the lowest 28°·2 at Aberdeen on the 24th.

The mean rainfall was 2·93 inches, or 15 per cent. below the average. At Dundee there was an excess of 12 per cent., and at Paisley and Greenock there was only a small deficiency. At Leith, however, the rainfall was only 30 per cent. of the average, and in the South-Eastern counties only about half the normal amount was recorded. At Aberdeen the deficiency was 20 per cent., whilst at Nairn and Wick it was 70 per cent. In the South of Scotland, on the other hand, the deficiency was slight, only 8 per cent. at Dumfries.

From the 14th to the 21st practically no rain fell, whilst at Leith the first six days of the month were also rainless.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth,

During the Month of November 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables. 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·737	29·797	1·450	59·8	30·2	46·2	29·6	11·5	20·8	45·6	42·9	39·5	·246	2·82	81	21	1·69	4	3	20	0	0	0	1	1	1	0·56
EDINBURGH, Professor COPELAND, Royal Observatory.	441	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·657	29·840	1·350	56·4	30·8	44·1	25·6	8·3	18·5	43·7	42·4	40·6	·254	2·95	83	16	2·92	1	1	2	15	1	4	3	3	0	0·94
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·793	29·823	1·355	54·6	28·2	45·1	26·4	8·2	19·2	45·7	43·8	41·3	·261	2·99	85	14	2·56	0	1	0	9	11	8	1	0	0	2·40
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·674	29·792	1·454	59·5	29·8	45·0	29·7	9·0	15·7	44·6	42·8	40·7	·254	2·90	86	20	3·85	1	6	9	3	4	1	2	1	3	1·12
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·756	29·840	1·481	58·7	29·7	45·3	29·0	8·0	12·8	45·0	42·8	40·2	249	2·86	84	16	0·75	0	0	10	9	2	2	7	0	0	2·07
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	233	29·534	29·784	1·420	58·2	30·0	44·9	28·2	9·4	17·3	46·0	43·5	40·7	·255	29·5	83	21	5·83	0		3	17	0	8	2	0	0	2·72
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Means	153	29·692	29·813	1·452	59·8	28·2	45·1	28·1	9·1	17·4	45·1	43·0	40·5	·253	2·91	84	18	2·93	1	2	7	9	3	4	3	1	0	1·64

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1902.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of December 1902, there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the Births of 4233 children, of whom 2195 were males, and 2038 females. Of these, 3945 were legitimate, and 288 illegitimate. The illegitimate births thus constituted 6·8 per cent. of the whole, being in the proportion of one illegitimate in every 14·7 births. In Greenock, 3·4 per cent. of the births were illegitimate; in Leith, 3·5; in Paisley, 5·4; in Perth, 6·4; in Glasgow and in Edinburgh, 6·9; in Dundee, 7·3; and in Aberdeen, 9·4 per cent.

The number of marriages recorded in these towns during December was 1673, being 85 above the average for the month during the ten previous years, allowing for the increase of population.

The Deaths of 3033 persons were registered in these eight towns during the month, of whom 1529 were males, and 1504 females. This number is 49 above the average for the month during the previous decennium, allowance being made for the increase of population.

The mortality for the month was at the annual rate of 18·2 deaths per thousand persons in Aberdeen; 19·8 in Edinburgh and in Leith; 19·9 in Greenock; 21·2 in Perth; 21·3 in Dundee; 22·1 in Paisley; and 22·7 in Glasgow.

Of the 1495 deaths registered in Glasgow, 345 were of infants under one year of

age, and 317 of persons over 60 years; of the 542 in Edinburgh, 108 were of infants under one year, and 194 of persons over 60 years; of the 293 in Dundee, 56 were of infants under one, and 87 of persons over 60; of the 243 in Aberdeen, 77 were under one, and 69 over 60; of the 152 in Paisley, 30 were under one, and 27 over 60; of the 132 in Leith, 32 were under one, and 27 over 60; of the 116 in Greenock, 17 were under one, and 29 over 60; and of the 60 in Perth, 7 were under one year, and 17 over 60 years.

Of the whole 3033 deaths, 1074, or 35·4 per cent., were of children under five years of age. The deaths of children of this age constituted 21·7 per cent. of the total mortality in Perth; 28·0 per cent. in Edinburgh; 30·2 in Greenock; 30·7 in Dundee; 36·4 in Leith; 38·2 in Paisley; 38·7 in Glasgow; and 40·7 per cent. in Aberdeen.

From the seven principal Epidemic diseases 267 deaths were registered, being 8·8 per cent. of the total mortality. This rate was exceeded in Perth, due to the prevalence of Diphtheria; in Aberdeen, from the prevalence of Measles and Hooping-cough; in Glasgow, from the prevalence of Hooping-cough; and in Greenock, from the combined fatality from Scarlet Fever, Hooping-cough and Diphtheria.

Twenty-seven deaths in all were due to Measles, which caused 3·7 per cent. of those in Aberdeen.

From Scarlet Fever there resulted 25 deaths. In Greenock, 2·6 per cent. of the mortality was due to this disease, and in Paisley, 4·6 per cent.

To Hooping-cough 118 deaths were attributed, being 3·9 per cent. of the total. From this disease there resulted 2·5 per cent. of the deaths in Aberdeen, 2·6 per cent. of those in Paisley and Greenock; 2·7 per cent. in Dundee; and 5·6 per cent. in Glasgow.

Diphtheria caused 36 deaths in all, and constituted 3·4 per cent. of those in Greenock; and 5·0 per cent. of those in Perth.

To Fevers 25 deaths were ascribed, of which 4 (3 in Glasgow and 1 in Paisley) were due to Typhus, and the others to Enteric Fever.

Diarrhœal diseases accounted for 37 deaths.

Puerperal Septicæmia was stated to have caused 3 deaths, and Puerperal Fever 5.

The deaths of 120 persons were attributed to Malignant tumours, of which 60 were returned as due to Carcinoma, 8 to Sarcoma, and 52 to Cancer or Malignant disease of an undefined nature.

Alcoholism caused 12 deaths; Premature Birth Debility, 81; Diseases of the Heart, 264; and Cerebral Hæmorrhage, Apoplexy, and Hemiplegia, 169.

The deaths from Inflammatory Affections of the Respiratory Organs (not including Phthisis or Hooping-cough) amounted to 717, or 23·6 per cent. of the total mortality. Those from Pulmonary Tuberculosis and Phthisis amounted to 237, or 7·8 per cent. Three deaths were caused by Croup.

The deaths of 126 persons resulted from Violent Causes, of which 4 were Suicidal (3 by cut-throat, and 1 by Coal Gas poisoning).

One male and four females were aged 90 years and upwards, the oldest being a widow aged 94 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1902.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1902.	Males.	Females.	Total.	Legitimate	Illegitimate.		Males.	Females.	Total.
GLASGOW,	659,193	761,709	775,601	1088	1014	2102	1957	145	745	784	711	1495
EDINBURGH,	276,652	317,459	322,966	325	312	637	593	44	379	272	270	542
DUNDEE,	154,118	161.173	162,078	209	172	381	353	28	147	116	177	293
ABERDEEN,	124,943	153,503	157,505	223	212	435	394	41	189	117	126	243
PAISLEY,	66,425	79,363	81,150	118	104	222	210	12	50	84	68	152
LEITH,	68,707	77,439	78,605	98	102	200	193	7	71	65	67	132
GREENOCK,	63,423	68,142	68,756	8	89	178	172	6	54	67	49	116
PERTH,	29,919	32,873	33,262	45	33	78	73	5	38	24	36	60
TOTAL,	1,443,380	1,651,661	1,679,923	2195	2038	4233	3945	288	1673	1529	1504	3033
DECEMBER 1901,			Mean Temp. 37°·3	1981	1820	5801	3548	253	1727	1578	1496	3074
DECEMBER 1900,			Mean Temp. 43°·8	1892	1739	3631	3366	265	1768	1336	1340	2676
DECEMBER 1899,			Mean Temp. 35°·7	1980	1885	3865	3606	259	1595	1472	1456	2928
DECEMBER 1898,			Mean Temp. 43°·7	2020	1976	3996	3694	302	1663	1330	1254	2584
DECEMBER 1897,			Mean Temp. 39°·4	2050	1925	3975	3714	261	1516	1423	1389	2812
DECEMBER 1896,			Mean Temp 38°·5	2072	1983	4055	3764	291	1426	1395	1391	2786
DECEMBER 1895,			Mean Temp. 38°·0	1793	1722	3515	3281	234	1464	1285	1244	2529
DECEMBER 1894,			Mean Temp. 40°·8	1989	1826	3815	3549	266	1411	1423	1357	2780
DECEMBER 1893,			Mean Temp. 41°·5	1908	1801	3709	3428	281	1107	1415	1412	2827
DECEMBER 1892,			Mean Temp. 34°·7	1927	1822	3749	3467	282	1277	1501	1601	3102

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of DECEMBER 1902.

TOWNS AND DISTRICTS	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—							
Bridgeton,	0	0	6	15	8	5	2
Camlachie,	0	1	1	6	2	0	1
Dennistoun,	0	0	1	6	0	1	0
Calton,	0	0	0	9	0	0	2
Blackfriars,	0	0	0	2	1	0	1
St Rollox,	0	0	0	3	0	0	3
Blythswood,	0	1	0	1	0	0	2
Milton,	0	2	0	5	0	0	3
Kelvin,	0	1	0	5	0	0	0
Anderston,	0	3	0	2	0	0	0
Hutchesontown,	0	0	0	17	2	0	1
Gorbals,	0	1	0	3	0	0	0
Tradeston,	0	0	0	4	0	0	0
Kinning Park,	0	0	0	0	0	0	1
Cathcart,	0	0	0	1	0	0	0
Eastwood,	0	0	0	0	0	0	0
Maryhill,	0	1	1	5	8	13	1
Shettleston,	0	0	0	0	0	0	0
Plantation,	0	0	0	0	0	0	0
Govan,	0	0	0	0	0	0	0
Partick,	0	0	0	0	0	0	0
Rutherglen,	0	0	0	0	0	0	0
EDINBURGH—							
St George,	0	2	1	5	1	0	0
St Andrew,	0	1	0	0	0	0	1
Canongate,	0	1	2	2	5	1	0
St Giles,	0	0	0	1	0	0	2
Newington,	0	3	0	0	0	0	2
Portobello,	0	0	0	1	0	0	0
EDINBURGH—*contd.*							
Cramond,	0	0	0	0	0	0	0
Duddingston,	0	0	0	0	0	0	0
South Leith,	0	0	0	0	0	0	0
DUNDEE—							
St Peter,	0	0	0	0	1	0	0
St Mary,	0	0	0	1	0	0	2
St Clement,	0	0	0	1	0	0	0
St Andrew,	0	0	0	6	0	0	2
Lochee,	0	0	0	0	0	0	0
Mains,	0	0	0	0	0	0	0
ABERDEEN—							
St Nicholas,	0	5	2	2	0	0	6
St Machar,	0	4	0	4	1	0	0
Woodside,	0	0	0	0	0	0	1
Old Aberdeen,	0	0	0	0	0	0	0
E. Peterculter,	0	0	0	0	0	0	0
Nigg,	0	0	0	0	0	0	0
PAISLEY,	0	0	7	4	0	2	2
LEITH—							
North,	0	1	0	1	0	0	0
South,	0	0	0	2	0	0	1
GREENOCK—							
East,	0	0	1	3	1	0	0
West,	0	0	2	0	3	2	1
PERTH,	0	0	1	1	3	1	0

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes)	3033	579	101	498	317	1495	152	23	173	194	542	90	18	98	87	293	99	18	57	69	243
A. GENERAL DISEASES -	1033	243	48	188	29	508	65	16	72	40	193	40	8	38	7	93	43	11	25	8	87
B. LOCAL DISEASES :—																					
1. DIS. OF NERVOUS SYSTEM	180	42	11	11	18	82	18	-	12	7	37	6	-	5	4	15	4	1	6	1	12
2. ,, ORGANS OF SPECIAL SENSE - -	7	1	1	2	-	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
3. ,, HEART - - -	264	5	2	61	39	108	-	-	29	35	64	1	3	15	14	33	-	2	6	13	21
4. ,, BLOOD VESSELS -	185	2	-	29	56	87	-	-	6	31	37	-	-	2	15	17	-	-	1	16	17
5. ,, RESPIRATORY SYSTEM	717	173	14	98	90	375	53	2	24	38	117	19	2	16	29	66	32	2	7	14	55
6. ,, DIGESTIVE SYSTEM -	168	34	8	32	14	88	9	1	6	7	23	6	2	4	3	15	8	2	6	5	21
7. ,, LYMPHATIC AND DUCTLESS GLANDS	7	-	-	1	2	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
8. ,, URINARY SYSTEM -	78	1	1	16	14	32	-	-	7	4	11	-	-	10	4	14	-	-	2	4	6
9. ,, GENERATIVE SYSTEM	7	1	-	3	1	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
10. ,, PREGNANCY AND CHILDBIRTH -	9	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
11. ,, LOCOMOTOR SYSTEM	11	1	2	3	-	6	-	2	1	-	3	-	1	1	-	2	-	-	-	-	-
12. ,, THE SKIN - -	4	-	-	1	1	2	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DIS.	237	67	3	19	41	130	6	-	-	27	33	11	-	-	11	22	10	-	2	8	20
E. VIOLENT DEATHS -	126	9	10	31	12	62	-	2	11	4	17	6	2	5	-	13	2	-	2	-	4
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox { No statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and other effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles - - - -	27	10	-	-	-	10	7	-	-	-	7	-	-	-	-	-	8	1	-	-	9
Epidemic Rose Rash - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	25	6	3	-	-	9	1	2	-	-	3	-	-	-	-	-	1	-	1	-	2
Typhus - - - -	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	54	1	-	9	2	12	-	1	8	11	20	-	-	3	-	3	-	-	1	1	2
Hooping-cough - - -	118	80	4	-	-	84	7	2	-	-	9	8	-	-	-	8	6	-	-	-	6
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria, Membranous Croup	36	14	6	1	-	21	3	2	1	-	6	1	-	-	-	1	1	-	-	-	1
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	21	1	6	9	-	16	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Choleraic Diarrhœa	37	13	-	-	4	17	4	-	1	-	5	2	-	1	1	4	7	-	-	-	7
Dysentery - - - -	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the month of DECEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
TOTAL DEATHS (All Causes) –	58	13	54	27	152	48	9	48	27	132	35	10	42	29	116	13	3	27	17	60
A. GENERAL DISEASES - –	21	8	17	3	49	16	4	17	7	44	13	5	12	5	35	5	2	15	2	24
B. LOCAL DISEASES:—																				
1. DISEASES OF NERVOUS SYSTEM	7	1	3	–	11	1	1	2	1	5	8	1	1	2	12	3	1	1	1	6
2. ,, ORGANS OF SPECIAL SENSE – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. ,, HEART – – –	1	–	9	4	14	2	–	5	4	11	–		5	4	9	–	–	1	3	4
4. ,, BLOOD VESSELS –	–	–	4	8	12	–	–	3	2	5	–	–	2	6	8	–	–	2	–	2
5. ,, RESPIRATORY SYSTEM	18	2	11	7	38	20	1	8	5	34	11	2	7	5	25	3	–	1	3	7
6. , DIGESTIVE SYSTEM –	3	–	–	1	4	3	1	3	1	8	1	1	4	1	7	–	–	1	1	2
7. ,, LYMPHATIC AND DUCTLESS GLANDS	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
8. ,, URINARY SYSTEM –	1	1	2	1	5	–	1	3	1	5	–	–	1	2	3	–	–	2	–	2
9. ,, GENERATIVE SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
10. ,, PREGNANCY AND CHILDBIRTH –	–	–	1	–	1	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–
11. ,, LOCOMOTOR SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. ,, THE SKIN – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–
C. OTHER SPECIFIED DISEASES – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES –	4	–	3	3	10	3	–	1	6	10	1	–	–	3	4	2	–	–	6	8
E. VIOLENT DEATHS – –	3	1	3	–	7	3	1	5	–	9	1	1	7	1	10	–	–	3	1	4
A. GENERAL DISEASES.																				
Small-pox { Vaccinated – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { Not Vaccinated –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox { No statement – –	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cow-pox and other effects of Vaccination – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chicken-pox – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – – – – –	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epidemic Rose Rash – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever – – – –	5	2	–	–	7	–	–	–	–	–	2	1	–	–	3	1	–	–	–	1
Typhus – – – – –	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Plague – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza – – – – –	1	–	2	2	5	1	–	3	3	7	–	–	1	–	1	1	–	3	–	4
Hooping-cough – – – –	4	–	–	–	4	3	–	–	–	3	3	–	–	–	3	1	–	–	–	1
Mumps – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria, Membranous Croup –	–	–	–	–	–	–	–	–	–	–	3	1	–	–	4	2	1	–	–	3
Cerebro-spinal Fever – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever – – – –	–	–	1	–	1	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1
Asiatic Cholera – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Epidemic or Zymotic Enteritis – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Choleraic Diarrhœa –	1	–	1	–	2	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
Dysentery – – – – –	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																					
Malarial Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders, Farcy	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax, Splenic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Syphilis	13	5	-	1	-	6	2	1	-	-	3	2	-	1	-	3	1	-	-	-	1
Gonorrhœa, Stricture of Urethra	1	-	-		-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Phlegmasia Dolens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Fever (not otherwise defined)	5	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas	15	2	-	3	1	6	-	-	3	1	4	-	-	1	-	1	-	-	-	2	2
Septicæmia (not Puerperal)	5	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	4	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Epidemic Pneumonia, Pneumonic Fever	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Septic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercular Phthisis (Pulmonary Tuberculosis)	27	1	3	2	-	6	1	-	6	-	7	2	2	4	-	8	-	1	2	-	3
Phthisis Pulmonalis (not otherwise defined)	210	6	9	90	5	108	2	4	22	3	31	1	2	15	-	18	1	4	12	1	18
Tubercular Meningitis	41	18	4	-	-	22	4	2	-	-	6	3	-	-	-	3	1	2	-	-	3
Tubercular Peritonitis	24	5	3	3	-	11	-	2	1		3	5	-	-	-	5	-	1	1	1	3
Tabes Mesenterica	15	8	-	-	-	8	1	-	-	-	1	-	-	-	-	-	1	1	-	-	2
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	9	-	2	2	-	4	1	-	1	1	3	-	-	-	-	-	-	-	1	-	1
General Tuberculosis	20	4	6	2	-	12	1	-	1	-	2	2	2	1	-	5	-	-	-	-	-
Scrofula	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	12	-	-	6	-	6	-	-	2	-	2	-	-	1	1	2	-	-	-	1	1
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—																					
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
,, Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES—*continued.*																				
Malarial Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Glanders, Farcy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anthrax, Splenic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gonorrhœa, Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Septicæmia, Sapræmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Phlegmasia Dolens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Fever (not otherwise defined)	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
Septicæmia (not Puerperal)	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Pyæmia (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon, Carbuncle (not Anthrax)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phagedæna	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infective Endocarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epidemic Pneumonia, Pneumonic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Septic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Phthisis (Pulmonary Tuberculosis)	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1
Phthisis Pulmonalis (not otherwise defined)	–	3	8	–	11	–	2	6	–	8	1	1	6	1	9	–	1	6	–	7
Tubercular Meningitis	2	–	–	–	2	3	1	–	–	4	1	–	–	–	1	–	–	–	–	–
Tubercular Peritonitis	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
Tabes Mesenterica	1	2	–	–	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Lupus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercle of other Organs	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
General Tuberculosis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Parasitic Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Starvation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Alcoholism, Delirium Tremens	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Opium, Morphia Habit	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ptomaine Poisoning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Industrial Poisoning:—																				
By Lead	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Phosphorus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
,, Arsenic and other Metals	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— *continued.*																					
Rheumatic Fever, Acute Rheumatism	10	-	1	5	-	6	-	-	1	-	1	-	1	1	-	2	-	-	1	-	1
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	6	-	-	2	-	2	-	-	-	4	4	-	-	-	-		-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	60	-	-	18	8	26	-	-	14	4	18	-	-	4	2	6	-	-	1		1
Sarcoma	8	-	-	3	1	4	-	-	-	1	1	-	-	-	-	-	-	1	1		2
Cancer, Malignant Disease (not otherwise defined)	52	-	-	14	6	20	-		7	10	17	-	-	2	2	4	-	-	-	2	2
Rickets	5	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Purpura	2	-	-	1	-	1	-	-	-	-	-	-		1	-	1	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-
Anæmia, Leucocythæmia	13	-	-	6	2	8	1		1	1	3	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus	7	-	-	3	-	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Premature Birth	81	36	-	-	-	36	16	-	-	-	16	11	-	-	-	11	12	-	-	-	12
Congenital Defects	20	14	-	-	-	14	5	-	-		5	-	-	-	-	-	1	-	-	-	1
Injury at Birth	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		-
Atelectasis	9	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk	4	-	-	-	-	-	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Teething	16	11	-	-	-	11	2	-	-	-	2	-	-	-	-	-	-	-	-		-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	53	15	5	2	3	25	8	-	1	-	9	4	-	1	-	5	-	-	-	-	-
Softening of Brain	12	-	-	2	4	6	-	-	1	-	1	-	-	-	3	3	-	-	-	1	1
General Paralysis of Insane	3	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	5	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	2	-	2
Chorea	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	6	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Convulsions	41	18	1	-	1	20	9	-	-	-	9	1	-	-	-	1	4	-	-	-	4
Laryngismus Stridulus	4	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Paraplegia, and Dis. of Cord	17	1	4	3	1	9	-	-	3	-	3	-	-	3	-	3	-	-	-	-	-
Neuritis, Peripheral, Poly-Neuritis	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	6	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3
Other Dis. of Nervous System	25	2	-	2	8	12	1	-	-	6	7	1	-	1	-	2	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	7	1	1	2	-	4	1	-	1	-	2		-	-	-		-	-	-		-
Epistaxis and Disease of Nose	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmiaand Dis. of Eye	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	64	-	2	20	3	25	-	-	15	6	21	-	1	7	1	9	-	1	1	1	3
Pericarditis	1	-	1	-	-	1	-	-	-	-	-	-		-	-	-		-	-	-	-
Hypertrophy of Heart	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Angina Pectoris	6	-	-	2	2	4	-	-	-	1	1	-	-	1		1	-	-	-	-	-
Dilatation of Heart	10	-	-	1	1	2	-	-	-	3	3	1		-	1	2	-	-	-		-
Fatty Degeneration of Heart	19	-	-	1	3	4	-		2	6	8	-	-		3	3	-	-	-	1	1
Syncope, Heart Disease (not Specified)	161	5	-	36	30	71	-	-	11	19	30	-	2	6	9	17	-	1	5	11	17

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
A. GENERAL DISEASES— *continued.*																				
Rheumatic Fever, Acute Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Rheumatism	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Arthritis, Rheumatic Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma	–	–	1	–	1	–	–	2	2	4	–	–	–	1	1	–	–	2	1	3
Sarcoma	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer, Malignant Disease (not otherwise defined)	–	–	2	–	2	–	–	1	1	2	–	–	2	2	4	–	–	–	1	1
Rickets	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmophilia, Hæmorrhagic Diathesis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anæmia, Leucocythæmia	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes Mellitus	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1
Premature Birth	3	–	–	–	3	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–
Congenital Defects	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Injury at Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atelectasis	1	–	–	–	1	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	2	–	–	–	2	1	–	–	–	1		–	–	–	–	–	–	–	–	–
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	5	–	–	–	5	1	1	–	–	2	4	1	1	–	6	1	–	–	–	1
Softening of Brain	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
General Paralysis of Insane	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity (not Puerperal)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	1	–	–	–	1	–	–	–	–	–	4	–	–	–	4	2	–	–	–	2
Laryngismus Stridulus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotor Ataxy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Paraplegia, and Dis. of Cord	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Neuritis, Peripheral, Poly-Neuritis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Brain Tumour (not Specific)		–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Nervous System	1	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epistaxis and Disease of Nose	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ophthalmia and Disease of Eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	–	–	1	1	2	–	–	1	1	2	–	–	1	1	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertrophy of Heart	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina Pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dilatation of Heart	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Fatty Degeneration of Heart	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1
Syncope Heart Disease (not Specified)	1	–	7	2	10	2	–	3	3	8	–	–	3	3	6	–	–	–	2	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH					DUNDEE.					ABERDEEN.				
		5–0	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Embolism, Thrombosis –	73	2	-	15	25	42	-	-	4	10	14			-	7	7	-	-	-	4	4
Apoplexy, Hemiplegia – –	96		-	14	29	43	-	-	2	14	16	-		2	6	8	-		1	9	10
Aneurism – – – –	3	-	-	-	-	-		-	-	2	2	-	-	-		-	-	-	-	1	1
Senile Gangrene – – –	8	-	-	-	2	2		-	-	2	2		-	-	1	1	-	-	-	2	2
Embolism, Thrombosis (not Cerebral) – – –	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis – – – –	-		-	-	-	-	-	-	-	-	-		-	-	-	-	-		-	-	-
Varicose Veins – – –	1	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-		-	-	-
Other Dis. of Blood Vessels –	4	-	-			-	-	-	-	3	3	-	-	-	1	1	-	-		-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis – – – –	8	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Membranous Laryngitis (not Diphtheritic) – – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic or Membranous) – – –	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis – – – –	313	60	-	36	61	157	17	-	6	25	48	8	1	3	19	31	15		6	11	32
Lobar, Croupous, Pneumonia	34	3	1	7	2	13	3	-	6	2	11	1	1	3	2	7	-	1	-	1	2
Catarrhal, Lobular, Broncho-Pneumonia – – –	134	52	3	6	3	64	21	1	1	1	24	5	-	2	6	13	11	-	-	-	11
Pneumonia (not otherwise defined) – – – –	180	41	9	40	20	110	12	1	8	6	27	4	-	5	2	11	3	1	-	2	6
Emphysema, Asthma – –	4		-	1	-	1	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Pleurisy – – – –	8	-	1	5	-	6	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Fibroid Disease of Lung –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	31	12	-	3	4	19	-	-	1	3	4	-	-	2	-	2	2	-	-	-	2
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy – –	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of Mouth or Pharynx (not Specific) – – –	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Gastric Ulcer – – –	20	-	2	10	1	13	-	-	3	-	3	-	-	-	1	1	-	-	2	-	2
Gastric Catarrh – – –	21	6	2	2	1	11	2	1	-	2	5	2	-	1	-	3	-	-	-	-	-
Other Diseases of Stomach (not Malignant) – –	9	2	-	5	-	7	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Enteritis (not Epidemic) –	15	3	1	-	1	5	2	-		2	4	-	-	-	-	-	2	-	-	-	2
Gastro-enteritis – – –	26	15	-	2	1	18	1	-	-	-	1	3	-	-	-	3	3	-	-	1	4
Appendicitis, Perityphlitis –	12	-	2	2	-	4	-	-	1	-	1	-	-	1	-	1	-	1	2	-	3
Hernia – – – –	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Intestinal Obstruction – –	15	2	-	2	2	6	2	-	1	-	3	1	-	1	1	3	1	1	-	-	2
Other Diseases of Intestines –	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal) –	17	3	-	3	1	7	1	-	1	1	3	-	1	-	1	2	-	-	1	1	2
Cirrhosis of Liver – –	5	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2
Other Diseases of Liver and Gall Bladder – – –	12	1	-	3	3	7		-	-	2	2	-	-	-	-	-	-	-	-		-
Other Dis. of Digestive System	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen – –	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Lymphatic Syst.	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body –	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Supra Renal Capsules	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia –	30	1	-	4	6	11	-	-	1	1	2	-	-	7	1	8	-	-		1	1
Chronic Bright's Disease, Albuminuria – – –	35	-	1	11	5	17	-	-	5	-	5	-	-	3	2	5	-	-	2	1	3
Calculus (not Biliary) – –	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	9	-	-	-	2	2	-	-	1	3	4	-	-	-	-	-	-	-	-	1	1
Other Dis. of Urinary System	3	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-		-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Embolism, Thrombosis	–	–	–	2	2	–	–	–	1	1	–	–	1	2	3	–	–	–	–	–
Apoplexy, Hemiplegia	–	–	3	6	9	–	–	2	1	3	–	–	1	4	5	–	–	2	–	2
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Senile Gangrene	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlebitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Varicose Veins	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Blood Vessels	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	1	–	–	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
Membranous Laryngitis (not Diphtheritic)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup (not Spasmodic or Membranous)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Diseases of Larynx	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	–	8	6	23	4	–	2	2	8	2	–	2	3	7	3	–	1	3	7
Lobar, Croupous, Pneumonia	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Catarrhal, Lobular, Broncho-Pneumonia	5	–	–	–	5	10	1	–	–	11	4	–	2	–	6	–	–	–	–	
Pneumonia (not otherwise defined)	3	1	3	–	7	4	–	6	1	11	2	2	3	1	8	–	–	–	–	–
Emphysema, Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fibroid Disease of Lung	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–
Other Dis. of Respiratory System	–	–	–	1	1	1	–	–	1	2	–		–	1	1	–	–	–	–	–
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of Mouth or Pharynx (not Specific)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastric Ulcer	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastric Catarrh	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
Other Diseases of Stomach (not Malignant)	–	–	–		–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis (not Epidemic)	2	–	–	–	2	–	–	–	1	1	1	–	–	–	1	–	–	–	–	
Gastro-enteritis	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis, Perityphlitis	–	–	–	–	–	–	1	1	–	2	–		1	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	
Intestinal Obstruction	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Diseases of Intestines	–	–		–	–		–		–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis (not Puerperal)	–	–	–	1	1	–	–	–			–	–	1	1	2	–	–	–	–	
Cirrhosis of Liver	–	–	–	–		–	–	1	–	1	–	–	–	–	–	–	–	–	–	
Other Diseases of Liver and Gall Bladder	–	–	–	–	–	–	–	–	–	–	–	1	1		2	–	–	–	1	1
Other Diseases of Digestive System	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen	–	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–
Other Dis. of Lymphatic System	–		–		–	–		–		–	–	–	–	–	–		–	–	–	–
Diseases of Thyroid Body	–	–	–	–	–	–		–		–	–	–	1	–	1	–		–	–	–
Diseases of Supra Renal Capsules	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia	1	1	1	1	4	–	–	2	1	3	–	–	–		–	–	–	1	–	1
Chronic Bright's Disease, Albuminuria	–	–	1	–	1	–	1	1	–	2	–	–	–	1	1	–	–	1	–	1
Calculus (not Biliary)	–	–		–	–			–	–	–	–				–		–	–		–
Disease of Bladder and of Prostate	–	–		–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Other Diseases of Urinary System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*contd.*																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	2	-	-	1	-	1	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Dis. of Uterus and Vagina	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs – –	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions – –	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding –	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth – –	5	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE LOCOMOTOR SYSTEM.																					
Caries, Necrosis – – –	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis – –	5	1	-	1	-	2	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-
Other Dis. of Locom. System	4	-	-	2	-	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore – – –	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus – – – –	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of the Skin –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
Other Specified Diseases –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																					
Atrophy, Debility – –	93	62	-	3	-	65	5	-	-	-	5	8	-	-	-	8	4	-	-	-	4
Old Age – – – –	98	-	-	-	36	36	-	-	-	27	27	-	-	-	11	11	-	-	-	7	7
Dropsy, Ascites, Anasarca –	3	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess – – – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage – – –	2	-	-	1	-	1	1	-	-	-	1	-	-	-		-	-	-	-	-	-
Sudden (cause unascertained)	6	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified – –	34	5	1	11	3	20	-	-	-	-	-	3	-		-	3	6	-	2	1	9
E. VIOLENT DEATHS.																					
In Mines and Quarries – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses – –	7	-	-	4	1	5	-	-	1	-	1	-	-	-	-	-	-		-	-	-
Ships, Boats, Docks (not Drowning) – – –	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Building Operations – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds – – –	24	6	5	-	2	13	-	2	-	2	4	1	-	-	-	1	2	-	-	-	2
Poisons, Poisonous Vapours –	4	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	-		-	-
Drowning – – – –	11	-	-	5	-	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation { From Overlaying	7	2	-	-	-	2	-	-	-	-	-	5	-	-	-	5	-	-	-	-	-
Suffocation { Otherwise –	9	1	-	-	-	1	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
Falls – – – – –	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated –	57	-	5	21	6	32	-	-	6	2	8	-	2	2	-	4	-	-	-	-	-
Homicide – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide – – – –	4	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Execution – – – –	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1902.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.	0–5	5–20	20–60	60, etc.	Total.
B. LOCAL DISEASES—*continued.*																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Diseases of Ovary	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Uterine Tumour (not Malig.)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Dis. of Uterus and Vagina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders of Menstruation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Generative and Mammary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Puerperal Mania	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Placenta Prævia, Flooding	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Accidents of Pregnancy and Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
DISEASES OF THE LOCOMOTOR SYSTEM.																				
Caries, Necrosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis, Periostitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of Locom. System	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Eczema	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pemphigus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
C. OTHER SPECIFIED DIS.																				
Other Specified Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
D. ILL-DEFINED AND NOT SPECIFIED DISEASES.																				
Atrophy, Debility	4	–	1	–	5	3	–	–	–	3	1	–	–	–	1	2	–	–	–	2
Old Age	–	–	–	3	3	–	–	–	5	5	–	–	–	3	3	–	–	–	6	6
Dropsy, Ascites, Anasarca	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tumour	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden (cause unascertained)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E. VIOLENT DEATHS.																				
In Mines and Quarries	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and Horses	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ships, Boats, Docks (not Drowning)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Building Operations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Machinery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weapons and Implements	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisons, Poisonous Vapours	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	1	–	–	3	1	4	–	–	–	–	–
Suffocation { From Overlaying	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation { Otherwise	–	–	1	–	1	1	–	1	–	2	–	–	–	–	–	–	–	1	–	1
Falls	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Weather Agencies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Otherwise, or not stated	–	–	1	–	1	1	1	2	–	4	–	1	4	–	5	–	–	2	1	3
Homicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Execution	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Epidemic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1902.

DISTRICTS.	Estimated Population at Middle of 1902.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhœa and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	22,518	38	17	40	0	0	0	0	2	0	0	1	0	5	4
Ayr,	30,859	83	23	56	0	0	1	3	2	3	0	0	0	13	4
Banff, with Macduff,	8,334	20	2	13	0	0	0	2	0	0	0	0	0	6	1
Blairgowrie,	4,254	7		5	0	0	0	0	0	0	0	0	0	1	1
Callander,	2,158	5	0	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,233	26	8	13	0	0	0	0	0	0	0	1	0	2	2
Cathcart (Landward),	7,833	20	4	13	0	0	0	4	0	0	0	0	0	3	0
Coatbridge,	40,938	111	24	76	0	3	0	0	1	1	0	5	0	15	8
Crieff,	5,744	13	7	2	0	0	0	0	0	0	0	0	0	1	0
Dumbarton,	20,221	59	6	36	0	0	0	1	0	0	0	1	0	13	1
Dumfries, with Troqueer,	24,870	42	27	52	0	0	1	5	0	0	0	1	0	11	7
Dunfermline,	32,098	52	27	49	0	0	1	0	0	0	0	1	0	7	4
Dunoon,	9,153	10	2	14	0	0	0	0	0	0	0	0	0	3	1
Eastwood (Landward),	15,582	39	14	28	0	0	1	6	0	0	0	0	0	11	2
Elgin,	11,704	2[illegible]	13	22	0	0	0	1	0	0	0	1	1	2	3
Falkirk,	38,212	140	24	67	0	0	0	0	2	0	0	3	0	14	6
Forfar,	12,784	23	12	20	0	0	0	0	0	0	0	1	0	3	0
Galashiels,	13,554	14	5	38	0	14	0	3	1	0	0	0	0	3	1
Govan—(1) Plantation (Landward),	27,874	88	13	28	0	0	0	2	0	0	0	0	1	9	5
(2) Govan (Landward),	58,806	182	43	134	0	0	0	11	1	2	0	0	0	40	8
(3) Partick (Landward),	57,054	160	7	70	0	3	0	3	1	0	0	1	0	16	4
Haddington,	5,115	11	2	10	0	0	0	0	0	0	0	0	0	3	1
Hawick, with Wilton,	18,260	32	22	31	0	0	0	0	1	0	0	0	1	6	1
Inverness	27,427	59	52	65	0	0	0	0	1	0	0	0	0	9	3
Kilmarnock, with Riccarton,	37,957	87	47	81	0	1	0	1	1	1	0	6	0	22	4
Kilmore and Kilbride (Oban),	6,376	8	7	13	0	0	0	0	0	0	0	0	0	4	2
Kinning Park (Landward),	13,874	46	19	20	0	0	0	2	0	0	0	0	0	5	1
Kirkcaldy and Abbotshall,	23,716	49	28	32	0	0	0	0	1	0	0	0	0	4	2
Kirkcudbright,	3,289	7	2	9	0	0	0	0	1	0	0	0	0	1	3
Largs, with Skelmorlie,	5,524	6	1	6	0	0	0	0	0	0	0	1	0	1	0
Logie (Bridge of Allan),	4,455	10	5	6	0	0	0	0	0	0	0	0	0	1	
Moffat	2,778	7	1	5	0	0	0	0	0	0	0	0	0	0	1
Montrose,	13,958	25	14	32	0	0	0	1	1	0	0	0	0	4	4
Moulin (Pitlochry),	2,217	2	1	3	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,795	11	16	8	0	0	0	0	0	0	0	0	0	1	1
New Monkland (Airdrie),	37,185	108	26	70	0	5	0	0	0	1	0	1	1	13	8
North Berwick,	3,734	2	2	3	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	15,063	39	25	36	0	0	1	0	2	0	0	0	2	14	0
Rothesay,	9,412	12	10	9		0	0	0	0	0	0	0		1	1
St Andrews and St Leonards,	9,495	15	16	20	0	0	0	0	0	0	0	0	0	2	5
Shettleston (Landward),	23,653	69	15	45	0	0	0	1	0	1	0	4	0	14	6
Stirling,	16,532	29	17	23	0	0	0	0	1	0	0	0	0	3	2
Stranraer,	6,017	10	6	13	0	0	0	0	0	0	0	0	0	0	0
Wick,	11,237	35	9	27	0	0	0	0	0	0	0	0	0	5	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. 56°·12′ N., and Long. 3°·30′ W., and height 153 feet above the sea-level.

For the month of DECEMBER 1902.

Mean barometric pressure, 29·902 inches; greater than the average for the same month of 1856–1900 by 0·101 inch.

Barometric monthly range, 2·151 inches; greater by 0·543 inch.

Mean temperature, 39°·9; greater by 1°·2.

Mean daily range of temperature, 8°·8; less by 0°·3.

Mean humidity, 87; being the average.

Rain, number of days, 16; less by 1 day.

Rain, depth in inches, 4·10; greater by 0·27 inch.

Wind, pressure on square foot, 2·99 lbs.; greater by 1·08 lb.

Wind, direction of, E. to W. as 7 to 14, and N. to S. as 4 to 7; the average being E. to W. as 4 to 12, and N. to S. as 4 to 6.

Hence the month of December 1902 was characterised by a mean barometric pressure considerably above the average, with an unusually high monthly range; a mean temperature somewhat above the normal, with a mean daily range about the average; a mean rainfall slightly above the average, but falling on 1 day less than the average number; very strong winds, winds from a northerly quarter being notably deficient.

The mean barometric pressure was 29·902 inches, or 0·101 inch above the average, the monthly range being more than half an inch above the average. Pressure was very high from the 3rd to the 11th, and high from the 19th to the 24th, whilst from the 28th to 30th it was very low indeed. The extremes at Leith were 30·665 inches on the 4th, and 28·425 inches on the 29th.

The mean temperature of the month was 39°·9, or 1°·2 above the average, the days being 0°·9 and the nights 1°·4 above their respective averages. The excess was slightly greater in the West than in the East of the country, the mean temperature of Leith being 1°·8 above the normal, whilst that of Greenock was only 0°·5 above. The first two days of the month were mild; but a cold spell lasting for ten days then set in with very low temperatures on the 7th and 8th. The remainder of the month was unusually mild. The sheltered thermometer at Leith did not fall to the freezing point after the 13th of the month, and at Paisley not after the 12th. The absolutely highest temperature recorded at any of the principal towns was 55°·5 at Glasgow on the 27th, and the lowest 16°·0 at Perth on the 7th and 8th.

The mean rainfall was 4·10 inches, or 7 per cent. above the average. This excess is almost entirely accounted for by the very heavy rainfall of Perth, where the combined amount of 3·14 inches for the 2nd and 3rd was itself almost equal to the average for the month. At Paisley and Greenock the rainfall was just equal to the average, and at Dundee there was an excess of 11 per cent.; whilst at the other towns there was a deficiency, amounting at Leith to 27 per cent. In North and Central Scotland the amounts were above the average, by 48 per cent. at Nairn and 45 per cent. at Ochtertyre, and there was also an excess in the South-Western and South-Eastern counties. The heaviest falls of the month occurred on the 14th and 15th, the amounts at several places in the South and West exceeding an inch on each of these days. Thus at Paisley the combined amount for the two days was 2·92 inches, and at Drumlanrig 2·81 inches.

Some stormy weather was experienced in the middle of the month, and on the 28th a snow-storm was general, with the accompaniment of thunder and lightning at several places. There were also slight falls of snow at the beginning of the month.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH, During the Month of DECEMBER 1902.

OBSERVERS.	Height of Station above Sea-level.	BAROMETER. Mean at Station and 32°.	BAROMETER. Mean at Sea-level and 32°.	BAROMETER. Range.	SELF-REGISTERING THERMOMETERS. Highest in Month.	SELF-REGISTERING THERMOMETERS. Lowest in Month.	SELF-REGISTERING THERMOMETERS. Mean Temperature.	SELF-REGISTERING THERMOMETERS. Monthly Range.	SELF-REGISTERING THERMOMETERS. Mean Daily Range.	SELF-REGISTERING THERMOMETERS. Greatest Daily Range.	HYGROMETER. Dry Bulb, or Temp. of Air.	HYGROMETER. Wet Bulb, or Temp. of Evaporation.	DEDUCTIONS from Glaisher's Tables. 2nd Edit. Dew-point Temperature.	DEDUCTIONS. Elastic Force of Vapour.	DEDUCTIONS. Wt. of Vapour in Cub. Ft. of Air.	DEDUCTIONS. Humidity Sat. 100.	RAIN. Number of Days it fell.	RAIN. Amount.	WINDS. Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pressure on Sq. ft.
	feet.	inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		dys.	inch.										lbs.
GLASGOW, Medical Officer of Health, Glasgow.	54	29·852	29·913	2·11	55·5	17·9	40·5	37·6	11·2	19·6	40·4	38·7	36·5	·2 6	2·50	87	15	3·60	6	1	12	0	0	0	10	2	0	1·25
EDINBURGH, Professor COPELAND, Royal Observatory.	441	29·427	29·914	2·151	·4	24·0	39·4	29·4	8·3	19·5	39·1	37·4	35·2	·206	2·3	86	1	1·63	1	0	5	3	5	3	11	2	1	3·06
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29·715	29·899	2·180	53·2	20·1	39·3	33·1	8·0	16·2	39·5	37·8	35·5	·209	2·41	86	18	3·05	1	2	1	7	0	8	8	4	0	4·00
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29·817	29·867	2·215	55·0	25·0	39·6	30·0	8·9	23·8	39·6	38·0	35·9	·211		87	17	2·76	1	3	0	6	5	6	9	1	0	2·50
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29·793	29·913	2·103	54·0	18·8	40·4	35·2	7·8	15·9	40·1	38·4	36·2	·214	2·47	86	17	6·33	3	3	5	0	7	1	10	1	1	2·02
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	76	29·821	29·906	2·240	55·2	24·1	41·3	31·1	6·7	18·1	41·0	39·2	36·9	·219	2·54	86	19	1·71	1	0	4	4	2	2	15	1	2	3·69
GREENOCK, DANIEL MACALISTER, C.E., Greenock Water-Works.	233	29·651	29·906	2·037	54·7	21·0	39·8	33·7	8·5	18·5	39·5	38·1	36·2	·214	2·48	89	17	7·62	0	1	3	8	0	5	9	5	0	5·52
PERTH, JOHN LESLIE, Gardener to Henry Coates.	105	29·777	29·895	2·169	54·0	16·0	38·8	38·0	10·6	17·5	38 6	37·2	35·4	·207	2·40	89	12	6·10	1	0	6	5	2	1	13	1	2	1·88
Means	153	29·732	29·902	2·151	55·5	16·0	39·9	33·5	8·8	18·6	39·7	38·1	36·0	·212	2·45	87	16	4·10	2	1	4	4	3	3	11	2	1	2·99

North Latitude.—Glasgow, 55° 53′; Edinburgh, 55° 57′; Dundee, 56° 31′; Aberdeen, 57° 9′; Leith, 55° 58′; Paisley, 55° 50′; Greenock, 55° 57′; Perth, 56° 23′; Mean, 56° 12′.
West Longitude.—Glasgow, 4° 18′; Edinburgh, 3° 11′; Dundee, 2° 35′; Aberdeen, 2° 6′; Leith, 3° 8′; Paisley, 4° 27′; Greenock, 4° 45′; Perth, 3° 26′; Mean, 3° 30′.

Wt. 37/1123.—PRINTED BY NEILL AND COMPANY, LTD., EDINBURGH.